

---

# **TJ Intranet Documentation**

***Release v3***

**TJ Intranet Development Team**

**Apr 23, 2020**



# CONTENTS

<b>1</b>	<b>Intro</b>	<b>1</b>
<b>2</b>	<b>Contents</b>	<b>3</b>
2.1	Setup . . . . .	3
2.2	Architecture . . . . .	6
2.3	Developing for Intranet . . . . .	7
2.4	intranet . . . . .	27
2.5	Administration . . . . .	262
2.6	Setup . . . . .	262
2.7	Architecture . . . . .	262
2.8	Developing for Intranet . . . . .	262
2.9	Using Intranet as a Developer . . . . .	262
2.10	Source Code Documentation . . . . .	262
<b>3</b>	<b>Indices</b>	<b>263</b>
	<b>Python Module Index</b>	<b>265</b>
	<b>Index</b>	<b>269</b>



---

**CHAPTER  
ONE**

---

**INTRO**

Intranet3 (Ion) is the next-generation Intranet platform for TJHSST. Using Python, Django, Redis, Postgres, and many other technologies, Ion was developed from the ground up to be simple, well-documented, and extensible.



**CONTENTS**

## 2.1 Setup

### 2.1.1 Post-Install Steps

After successfully *setting up the Vagrant environment*, you will want to actually access your sandbox.

Start by connecting to the Vagrant box using `vagrant ssh`. (Consider running all of the following in a `screen` or `tmux` session.)

After you connect to your Vagrant box, make sure you are in the `intranet` directory and run `workon ion` to access your Python virtual environment.

You will then need to run `python manage.py migrate` to set up the Postgres database.

You can then start the built-in Django web server with `fab runserver`. Now that you are running the development server, open a browser to <http://127.0.0.1:8080> and log in. If this is your first time attempting this, see `_setting-up-groups`, then use the default master password (`swordfish`) to login. If it fails, check the output of `python manage.py runserver`.

### Setting Up Groups

Currently, there are no default groups set up when you first install Ion. In order to grant yourself administrative privileges, you must be a member of the `admin_all` group.

To create and add yourself to this group, run the following commands (substituting your username for <USERNAME>):

```
$ ./manage.py shell_plus
>>> user = User.objects.get_or_create(username="<USERNAME>") [0]
>>> group = Group.objects.get_or_create(name="admin_all") [0]
>>> user.groups.add(group)
>>> user.is_superuser = True
>>> user.save()
```

## Connecting and Disconnecting from the VM

When you want to close the VM environment, make sure you have exited out of the ssh session and then run `vagrant suspend`. To resume the session, run `vagrant resume`. Suspending and resuming is significantly faster than halting and starting, and also dumps the contents of the machine's RAM to disk.

## Setting up Files

You can find a list of file systems at `intranet/apps/files/models.py`. To add these systems so that they appear on the Files page, run the statements found in the file. A sample is shown below:

```
$ ./manage.py shell_plus
>>> Host.objects.create(name="Computer Systems Lab", code="csl", address="remote.
˓→tjhsst.edu", linux=True)
```

## Changing Master Password

The master password for development environments is `swordfish`.

In non-Vagrant environments, you should set a master password different from the default. Ideally, this password should have many bits of entropy and should be randomly generated.

We use the secure Argon2 hashing algorithm to secure our master password. To set the master password, set `MASTER_PASSWORD` to the string output of the below script (after changing values as appropriate) in `secret.py`. After changing this value, restart Ion.

```
from argon2 import PasswordHasher

# Change this password to the new master password.
password = "CHANGE_ME"

# These are the Django defaults. Change as needed.
time_cost = 2
memory_cost = 512
parallelism = 2
h=PasswordHasher(time_cost=time_cost, memory_cost=memory_cost,_
˓→parallelism=parallelism)
print(h.hash(password))
```

### 2.1.2 Setting up the Server

**Warning:** This is a guide for setting up Ion in production. If you are interested in developing for Ion, you want to use [this guide](#) instead.

To set up Ion in production, use/adapt the Ansible playbook in `ansible`.

### 2.1.3 Setting up Vagrant

**The following commands should be executed in your host machine's console.**

Vagrant is used to manage Ion's development environment so that it closely resembles the production environment. To get started, download and install Virtualbox from [here](#) and Vagrant from [here](#).

Ensure you have an SSH key set up with GitHub by running `ssh -T git@github.com`. You should be greeted by your username. If not, set up an SSH key with GitHub by following [these instructions](#).

With Vagrant and Virtualbox installed, clone the Ion repository onto the host computer and `cd` into the new directory.

Note: if your host machine is running Windows, please run `git config core.autocrlf input` before cloning to prevent line ending issues.

```
$ git clone git@github.com:tjcs1/ion.git intranet
$ cd intranet
```

In the `config` directory, copy the file `devconfig.json.sample` to `devconfig.json` and edit the properties in `devconfig.json` as appropriate. Ensure `ssh_key` is set to the same SSH key registered with GitHub (e.g. `id_rsa`).

Run `vagrant plugin install vagrant-vbguest` If you are on Windows, also run `vagrant plugin install vagrant-winnfsd`

Run `vagrant up && vagrant reload` and wait while the development environment is set up.

If you are asked to select a network interface for bridging, enter the number corresponding to one that is active. To automatically select this interface in the future, set the “`network_interface`” key in `devconfig.json` to the name of the interface you selected (e.g. “`en0: Wi-Fi (AirPort)`”).

There may be repeated warnings similar to “`Remote connection disconnect and Warning: Connection aborted. Retrying...`” on the second `vagrant up`. After several minutes they will stop. Once the provisioning process is complete, run `vagrant ssh` to log in to the development box.

**The following commands should be executed in your development box.**

Move into the `intranet` directory and run `workon ion` to load the Python dependencies. `workon ion` should always be the first thing you run after you SSH into the development box.

The Git repository on the host computer is synced with `~/intranet` on the virtual machine, so you can edit files within the repo on the host computer with a text editor of your choice and the changes will be immediately reflected on the virtual machine.

*Continue with [these post-install steps](#).*

### Troubleshooting

If you get a `SIOCADDRT: Network is unreachable` error when running `vagrant up`, you need to start the OpenVPN client.

If you see a `Adding routes to host computer...` message, you probably forgot to start the OpenVPN client.

If you get a message that begins with `Vagrant failed to initialize at a very early stage`, run the commands in this list in order until one of them succeeds and Vagrant works again:

1. `vagrant plugin update` (updates all plugins)
2. `vagrant plugin repair` (attempts to repair all plugins)
3. `vagrant expunge --reinstall` (removes and re-installs all plugins)

4. If none of these work, see “If all else fails” below.

### If all else fails

If Vagrant errors every time you try to do anything and either 1) a solution is not listed here or 2) the solution does not work, then follow these steps:

1. Rename the `.vagrant.d` folder in your home directory to something else (which will effectively delete it from Vagrant’s perspective)
2. Re-run the appropriate `vagrant plugin install ...` commands listed above.
3. When they finish, Vagrant should work again. You should then be able to safely delete the old `.vagrant.d` directory.

If *that* doesn’t work, contact a senior Ion developer.

## 2.2 Architecture

Ion takes advantage of various technologies in order to provide the best, fastest, safest, and most reliable experience for our users.

### 2.2.1 Technologies

#### Django

We use [Django](#) as our web framework (written in Python). We chose it for its wealth of documentation, supportive community, stability, ease of development, and vast array of third-party libraries that meet our needs. Django has allowed us to deploy faster, onboard new web developers faster, and has served the Intranet team well.

#### REST API

We use [Django Rest Framework \(DRF\)](#) for our REST API. In particular, DRF provides the basic framework for quickly creating secure APIs with a decent web interface. It is also known as an industry standard.

#### Redis

[Redis](#) is an in-memory data store that we use currently use to cache session information and other information in memory. We use [django-cacheops](#) as an ORM cache for our models and [django-redis-sessions](#) as a in-memory session cache for user sessions.

## PostgreSQL

We use [PostgreSQL](#) for our production and development databases. PostgreSQL is an open-source relational SQL database that has an array of tooling behind it and is strongly supported by Django and the wider web development community. In addition, PostgreSQL is known for its “reliability, feature robustness, and performance.”

## Daphne

We use [Daphne](#) for our production Django Channels HTTP/WebSocket server. We serve stuff over ASGI for Web-Sockets (bus) and Daphne allows us to run our application in production simply.

## Celery

We use [Celery](#) to run background tasks such as sending emails asynchronously.

## RabbitMQ

We use [RabbitMQ](#) as a message broker for Celery (Celery claims to support [Redis](#), but attempts to get it working were unsuccessful).

## 2.3 Developing for Intranet

### 2.3.1 Understanding the Eighth models

Most of Ion’s apps either do not have models or only have very basic models. The `eighth` app, however, has a complicated system of models.

What follows is a brief list of the eighth models with a description of each. More information is available in comments of the source code.

- `EighthSponsor`: Represents a sponsor for an eighth period activity. Stores some information on the sponsor, including first/last name and department name. The `user` field that associates the `EighthSponsor` with a `User` is optional, but almost always set.
- `EighthRoom`: Represents a room in which an eighth period activity can be held. Stores the name, the capacity, and whether the room is available for use in eighth period activities. If the capacity is -1, that is considered to be infinite capacity.
- `EighthActivity`: Represents an eighth period activity. Note that this represents an activity, not a specific scheduling of the activity. In other words, only one of these exists for each club/team/special activity.

In addition to the name and the description, this stores a lot of information about the activity that will be explained later.

- `EighthBlock`: Represents an eighth period block. Stores the date, the time to sign up by, the “letter” of the block, whether the block is locked, and some other miscellaneous information.
- `EighthScheduledActivity`: Represents a scheduling of an eighth period activity during a particular block. Has `ForeignKeys` to the the `EighthBlock` and the `EighthActivity` that it is associated with, and keeps track of whether it has been cancelled and whether it has had its attendance taken. As with `EighthActivity`, this will be explained in more detail later.

The `add_user()` method of this class is where all of the logic to sign a user up for an activity is. Be *very* careful when modifying it.

- EighthSignup: Represents that a user is signed up for a particular EighthScheduledActivity during the block for which it is scheduled. Has ForeignKeys to the EighthScheduledActivity and the User objects. Also stores some information such as whether the user signed up after the deadline (assumed to be a pass), whether the user signed themselves up or was signed up by an eighth admin, the name and sponsor list of the activity they were signed up for previously (if applicable), whether they were absent, etc.

**Note:** Since Ion's launch, it has been plagued by duplicate EighthSignups (EighthSignups for the same user during the same block) being created. There are multiple checks before the object is saved to make sure it is unique, and uniqueness is enforced on a per-user, per-EighthScheduledActivity basis at the model level, but the problem has continued. As of summer 2019, measures have been enacted that will hopefully minimize the occurrences of this issue in the future, as well as allow better diagnosing of the problem if it occurs again.

- EighthWaitlist: Ion has all of the backend logic to implement waitlists for each activity, but it is not enabled in production (settings.ENABLE\_WAITLIST is False). When the waitlist is enabled, an EighthWaitlist object represents that a user signed up for the waitlist for a particular EighthScheduledActivity at a particular time. The user's position in the waitlist is calculated dynamically by finding the number of users who signed up for the waitlist before them.
- EighthActivitySimilarity: Keeps track of the similarity index of two activities, based on which users attend which activities. Used to recommend activities.

### More details on EighthActivity and EighthScheduledActivity

There are a number of fields (the sponsor list, the room list, the activity capacity, whether the activity runs both blocks, whether it is restricted, etc.) that are usually the same for all scheduling of an EighthActivity, but sometimes change on a per-activity basis. Hence, both EighthActivity and EighthScheduledActivity have fields that record this information, and EighthScheduledActivity has helper methods that check both fields to determine the “real” value.

For BooleanFields, this is simple: if either of the EighthScheduledActivity's field and the EighthActivity's field is set to True, the activity is considered to have that property. For the room list and the sponsor list, the EighthScheduledActivity's list is used if it has at least one room/sponsor; otherwise, the EighthActivity's list is used.

In addition, the capacity has multiple overrides:

- If the EighthScheduledActivity has the capacity field set, it is used.
- If the EighthScheduledActivity has at least one room, the sum of all of their capacities is used.
- If the EighthActivity has the default\_capacity field set, it is used.
- Finally, the sum of all of the capacities of the EighthActivity's rooms is used.

Note that if the capacity is -1, it denotes unrestricted capacity. If the capacity calculation ends up using the sum of the capacities of a set of rooms and one of the room's capacities is -1, the activity's capacity will also be -1.

## 2.3.2 How to do Ion development

### Formatting your code

You can run `./scripts/format.sh` to automatically format your Python code to adhere to PEP8 standards.

### Updating the dev branch

- `git fetch --all`
- `git checkout dev`
- `git pull origin dev` (note that if dev has been rebased, this may cause a conflict)
- if dev has been rebased, make *absolutely* sure that you don't have any local changes and run `git reset --hard origin/dev` this *will* destroy any local changes you have made to dev.
- `git push`

### Fixing build

You can run `./deploy` to fix or find most of your build problems. If you add a new file, you may need to run `./setup.py egg_info`.

### Viewing documentation locally

You can view the documentation locally by running the commands below in the virtual machine.

- `./scripts/build_docs.sh`
- `cd build/sphinx/html`
- `python -m http.server 8080`

### Formatting commit messages

Effective June 2019, the Ion team uses the [Conventional Commit specification](#) to format commit messages.

This means that all commit messages should be structured as follows .. code-block:: text

```
<type>[optional scope]: <description>
[optional body]
[optional footer]
```

The types that we use are:

- `build`: Changes that affect the build system or external dependencies (example scopes: `gulp`, `broccoli`, `npm`)
- `chore`: Changes that are grunt tasks etc; no production code change
- `ci`: Changes to our CI configuration files and scripts (example scopes: `Travis`, `Circle`, `BrowserStack`, `Sauce-Labs`)
- `docs`: Documentation only changes
- `feat`: A new feature/enhancement
- `fix`: A bug fix

- `perf`: A code change that improves performance
- `refactor`: A code change that neither fixes a bug nor adds a feature
- `style`: Changes that do not affect the meaning of the code (white-space, formatting, missing semi-colons, etc)
- `test`: Adding missing tests or correcting existing tests

For example, if a commit adds a new feature to the `emailfwd` app, a good commit message would be: .. code-block:: text

```
feat(emailfwd): add email confirmation functionality  
Fixes #1
```

### 2.3.3 Using OAuth

With the Django OAuth Toolkit, Ion supports accessing API and other resources via OAuth2. This allows for applications to be written using the Ion API without the need to prompt for user credentials from within the application. Instead, access tokens are used to gain access to Ion API resources.

For more details on OAuth, please refer to <https://oauth.net>.

**Note:** All of the examples on the page are targeted towards web applications. They will not work for the purposes of, for example, allowing a program running on your computer to access the Ion API.

#### Register an application

Go to <https://ion.tjhsst.edu/oauth/applications/> and log in to create and register a client application. Specify the following values in the form, as prompted:

##### Name

- Some descriptive name for your application.

##### Client Type\*

- Choose “Confidential” if your app has a backend component and your server can store the client ID and secret securely
- Choose “Public” if your app is purely client-side and a copy of the credentials will be distributed publicly

##### Authorization Grant Type\*

- Choose “Authorization code” if your client type is “Confidential”
- Choose “Implicit” if your client type is “Public” (for example, on a native application)

##### Redirect URIs

- Enter one or more URLs that your application will redirect back to after the authorization is completed.

Store the Client ID and Client Secret tokens for use with your application.

- These are the recommended settings. For a better understanding of which settings you should choose, read this introduction to OAuth and this [guide to grant types](#).

## Requesting authorization

Inside your application, redirect to the OAuth authorization endpoint to receive an authorization code. The URL is <https://ion.tjhsst.edu/oauth/authorize/>

To access the API, exchange this code for a (temporary) access token. The URL is <https://ion.tjhsst.edu/oauth/token/>.

## Python-social-auth

If you want to use *python-social-auth*, a plugin is available in the `ion_oauth` package. Note that it is not currently actively maintained by the Ion development team and thus may require modification to work properly.

For a Django project, add `AUTHENTICATION_BACKENDS = ['ion_oauth.oauth.IonOAuth2']` and define `SOCIAL_AUTH_ION_KEY` and `SOCIAL_AUTH_ION_SECRET` in your `settings.py` file.

## Python

For a Python client, use requests with requests-oauthlib.

If running locally (without HTTPS), override the SSL requirement for OAuth2.

```
>>> import os
>>> os.environ['OAUTHLIB_INSECURE_TRANSPORT'] = '1'
```

Create an OAuth2Session, with the `CLIENT_ID` and `REDIRECT_URI` you entered in the application form. Redirect the user to `authorization_url`.

```
>>> from requests_oauthlib import OAuth2Session
>>> oauth = OAuth2Session(CLIENT_ID,
>>>                         redirect_uri=REDIRECT_URI,
>>>                         scope=["read", "write"])
>>>
>>> authorization_url, state = oauth.authorization_url("https://ion.tjhsst.edu/oauth/
>>> ↪authorize/")
```

The user authenticates, approves the request, and is redirected to the callback URL specified in `redirect_uri`, with a “code” GET parameter.

```
>>> token = oauth.fetch_token("https://ion.tjhsst.edu/oauth/token/",
>>>                             code=CODE,
>>>                             client_secret=CLIENT_SECRET)
>>> print(token)
{'refresh_token': 'XXX', 'access_token': 'XXX', 'expires_in': 36000, 'expires_at': 1455370143.573362, 'scope': ['read', 'write'], 'token_type': 'Bearer'}
```

At this point, a valid access token has been gained, and you can request API resources.

```
try:
    profile = oauth.get("https://ion.tjhsst.edu/api/profile")
except TokenExpiredError as e:
    args = { "client_id": CLIENT_ID, "client_secret": CLIENT_SECRET }
    token = oauth.refresh_token("https://ion.tjhsst.edu/oauth/token/", **args)

import json
print(json.loads(profile.content.decode()))
{ 'ion_username': '2016jwoglo', ... }
```

After 36,000 seconds (1 hour), the token will expire; you need to renew it. This can be handled by putting API commands inside a try-except for a oauthlib.oauth2.TokenExpiredError, such as seen above. Alternatively, you can provide “auto\_refresh\_url=refresh\_url, auto\_refresh\_kwarg=args” as additional arguments to OAuth2Session when it is created.

```
args = { "client_id": CLIENT_ID, "client_secret": CLIENT_SECRET }
token = oauth.refresh_token("https://ion.tjhsst.edu/oauth/token/", **args)
```

### Node.js

You can use the [simple-oauth2](#) library to perform authentication. Below is some sample code.

**Note:** This code will not work out of the box. Read the comments carefully to determine how to integrate it into your application.

```
var simpleoauth2 = require("simple-oauth2");

// make sure these variables are set
var ion_client_id = process.env.ION_CLIENT_ID;
var ion_client_secret = process.env.ION_CLIENT_SECRET;
var ion_redirect_uri = process.env.ION_REDIRECT_URI;

var oauth = simpleoauth2.create({
  client: {
    id: ion_client_id,
    secret: ion_client_secret
  },
  auth: {
    tokenHost:      'https://ion.tjhsst.edu/oauth/',
    authorizePath: 'https://ion.tjhsst.edu/oauth/authorize',
    tokenPath:     'https://ion.tjhsst.edu/oauth/token/'
  }
});

// 1) when the user visits the site, redirect them to login_url to begin
// authentication
var login_url = oauth.authorizationCode.authorizeURL({
  scope: "read", // remove scope: read if you also want write access
  redirect_uri: ion_redirect_uri
});

// 2) on the ion_redirect_uri endpoint, add the following code to process the
// authentication
var code = req.query["code"]; // GET parameter
oauth.authorizationCode.getToken({code: code, redirect_uri: ion_redirect_uri}).
  then((result) => {
    const token = oauth.accessToken.create(result);

    // you will want to save these variables in your session if you want to make API
    // requests
    var refresh_token = token.token.refresh_token;
    var access_token = token.token.access_token;
    var expires_in = token.token.expires_in;

    // log the user in
  });

```

(continues on next page)

(continued from previous page)

```
// 3) when making an API request, add the following header:  
// Authorization: Bearer {{ INSERT ACCESS TOKEN }}  
  
// 4) to refresh the access_token, use the following code  
var token = oauth.accessToken.create({  
    "access_token": access_token,  
    "refresh_token": refresh_token,  
    "expires_in": expires_in  
});  
  
if (token.expired()) {  
    token.refresh((err, result) => {  
        token = result;  
        // the new access token  
        var access_token = token.token.access_token;  
    });  
}
```

## 2.3.4 Ion Requirements

Intranet 3 (Ion) depends on a variety of third-party libraries and packages

### Explicit Requirements

#### **argon2-cffi**

<https://github.com/hynek/argon2-cffi>

This package provides CFFI-based Argon2 Python bindings.

It is used to provide bindings for Argon2 hashing of the Ion master password.

LICENSE: MIT

#### **autobahn**

<https://github.com/crossbario/autobahn-python>

This package provides *WebSocket* <<http://tools.ietf.org/html/rfc6455>>\_ & *Web Application Messaging Protocol (WAMP)* <<http://wamp-proto.org/>>\_ support.

It provides WebSocket support for Ion.

LICENSE: MIT

## **babel**

<https://github.com/python-babel/babel>

This package provides an integrated collection of utilities that assist with internationalizing and localizing Python applications.

It provides localization support for Jinja templates in Ion.

LICENSE: 3-clause BSD

## **bcrypt**

<https://github.com/pyca/bcrypt>

This package provides bcrypt hashing support.

It is used to hash the Ion master password.

LICENSE: Apache License 2.0

## **beautifulsoup4**

<https://github.com/waylan/beautifulsoup>

This package provides support for parsing web pages.

It is used to parse the FCPS emergency webpage.

LICENSE: MIT

## **bleach**

<https://github.com/mozilla/bleach>

This package provides HTML sanitization that escapes or strips markup and attributes.

It is used to clean up tags, attributes, and styles in input from polls, announcements, and other forms.

LICENSE: Apache License 2.0

## **celery**

<https://github.com/celery/celery>

This package provides an asynchronous task queue/job queue based on distributed message passing. It is focused on real-time operation, but supports scheduling as well.

It provides the task queue that powers long-running operations like sending mass emails.

LICENSE: 3-clause BSD

## **certifi**

<https://github.com/certifi/python-certifi>

This package provides a collection of trusted root certificates.

FIXME

LICENSE: Mozilla Public License 2.0

## **channels**

<https://github.com/django/channels>

This package brings WebSocket, long-poll HTTP, task offloading and other async support in a Django-like framework.

It provides WebSocket support for Ion.

LICENSE: 3-clause BSD

## **channels-redis**

[https://github.com/django/channels\\_redis](https://github.com/django/channels_redis)

This package provides a redis channel layer backend for Django Channels

It provides the backend for ASGI requests over Django Channels.

LICENSE: 3-clause BSD

## **contextlib2**

<https://github.com/jazzband/contextlib2>

This package provides a backport of `contextlib` from Python 3.5 and adds new functionality.

FIXME

LICENSE: Python Software Foundation License

## **cryptography**

<https://github.com/pyca/cryptography>

This package provides cryptographic recipes and primitives.

FIXME

LICENSE: Apache License 2.0 or 3-clause BSD

## **decorator**

<https://github.com/micheles/decorator>

This package provides definitions of signature-preserving function decorators and decorator factories.

FIXME

LICENSE: 2-clause BSD

## **django**

<https://github.com/django/django>

Django is a high-level Python Web framework that encourages rapid development and clean, pragmatic design.

It is used as our web framework.

LICENSE: 3-clause BSD

## **django-cacheops**

<https://github.com/Suor/django-cacheops>

This package is a Django app that supports automatic or manual queryset caching into a Redis ORM cache.

It is used for queryset caching into a Redis database.

LICENSE: 3-clause BSD

## **django-cors-headers**

<https://github.com/ottoyiu/django-cors-headers>

This package is a Django app that adds Cross-Origin Resource Sharing (CORS) headers to responses

It is used to support when absolutely necessary cross-origin requests.

LICENSE: MIT

## **django-debug-toolbar**

<https://github.com/jazzband/django-debug-toolbar>

This package is a Django app that provides a configurable set of panels that display various debug information about the current request/response.

It is used in Django's debug mode to help diagnose request/response issues.

LICENSE: 3-clause BSD

## **django-extensions**

<https://github.com/django-extensions/django-extensions>

This package is a Django app that adds command extensions.

It is used to provide additional commands for Django.

LICENSE: MIT

## **django-formtools**

<https://github.com/django/django-formtools>

This package is a Django app that provides abstractions for Django forms.

It is used to provide a SessionWizardView, a wizard used in eighth admin.

NEEDSRELEASE

LICENSE: 3-clause BSD

## **django-inline-svg**

<https://github.com/mixxorZ/django-inline-svg>

This package is a Django app that provides a template tag for inline SVGs.

It is used to embed SVGs (like in the bus app).

NEEDSRELEASE

LICENSE: MIT

## **django-maintenance-mode**

<https://github.com/fabiocaccamo/django-maintenance-mode>

This package is a Django app that displays a 503 page when maintenance mode is enabled.

It is used to enable maintenance on Ion when necessary.

LICENSE: MIT

## **django-oauth-toolkit**

<https://github.com/jazzband/django-oauth-toolkit>

This package is a Django app that provides all the endpoints, data and logic needed to add OAuth2 capabilities to your Django projects.

It is used to provide Ion OAuth2 support.

NEEDSNEWER (needs Django 2.0)

LICENSE: 2-clause BSD

## **django-pipeline**

<https://github.com/jazzband/django-pipeline>

This package provides both CSS and JavaScript concatenation and compression, built-in JavaScript template support, and optional data-URI image and font embedding.

It provides the `stylesheet` templatetag and compresses our CSS.

NEEDSRELEASE

LICENSE: MIT

## **django-prometheus**

<https://github.com/korfuri/django-prometheus>

This package is a Django app that provides support for exporting basic monitoring metrics from Django.

It is used to export prometheus metrics at `/prometheus/metrics`.

LICENSE: Apache License 2.0

## **django-redis-cache**

<https://github.com/sebleier/django-redis-cache>

This package provides the redis backend cache.

FIXME: Needs more specific info

LICENSE: 3-clause BSD

## **django-redis-sessions**

<https://github.com/martinrusev/django-redis-sessions>

This package provides a redis backend for Django sessions.

It is used to store session information in redis cache.

NEEDSRELEASE

LICENSE: 3-clause BSD

## **django-request-logging-redux**

<https://github.com/tarkatronic/django-requestlogging>

This package provides a logging filter and middleware to add information about the current request to the logging record.

It is used to record information about requests to the console, file, and Sentry log.

NEEDSRELEASE

LICENSE: 3-clause BSD

## **django-simple-history**

<https://github.com/treyhunner/django-simple-history>

This package stores Django model state on every create/update/delete.

It is used to preserve a history of changes to specified eighth models.

LICENSE: 3-clause BSD

## **django-widget-tweaks**

<https://github.com/jazzband/django-widget-tweaks>

This package provides support to tweak the form field rendering in templates,

It is used in the `schedule_activity` template to tweak rendering of form fields.

LICENSE: MIT

## **django-rest-framework**

<https://github.com/encode/django-rest-framework>

This package provides a powerful and flexible toolkit for building Web APIs.

It is used for the Ion API.

LICENSE: 3-clause BSD

## **docutils**

<https://sourceforge.net/p/docutils/code/HEAD/tree/trunk/docutils/>

This package provides a modular system for processing documentation into useful formats, such as HTML, XML, and LaTeX.

It is an optional dependency for admindocs and setuptools.

## **Fabric3**

<https://github.com/mathiasertl/fabric/>

This package provides a basic suite of operations for executing local or remote shell commands (normally or via sudo) and uploading/downloading files, as well as auxiliary functionality such as prompting the running user for input, or aborting execution.

It is used to manage the Ion application in both developement and production (see `fabfile.py`)

NEEDSRELEASE

LICENSE: 2-clause BSD

## **flower**

<https://github.com/mher/flower>

This package provides a real-time monitor and web admin for the Celery distributed task queue.

It is used to help administrators and developers monitor their Celery task queues.

LICENSE: 3-clause BSD

## **gunicorn**

<https://github.com/benoitc/gunicorn>

This package provides a Python WSGI HTTP Server for UNIX.

FIXME

OBSOLETE: needs verification

LICENSE: MIT

## **hiredis**

<https://github.com/redis/hiredis-py>

This package a Python wrapper for hiredis. hiredis is a library for redis.

It is directly used as a `HiredisParser` in the redis cache.

LICENSE: 3-clause BSD

## **ipython**

<https://github.com/ipython/ipython>

This package provides a rich toolkit to help you make the most of using Python interactively, including a powerful interactive Python shell

It is directly used by the interactive shell for `python manage.py shell_plus`.

LICENSE: 3-clause BSD

## **objgraph**

<https://github.com/mgedmin/objgraph>

This package is a module that lets you visually explore Python object graphs.

It is used by `flower` to draw graphs.

LICENSE: MIT

## **pexpect**

<https://github.com/pexpect/pexpect>

This package provides the ability to spawn child applications; control them; and respond to expected patterns in their output. It allows your script to spawn a child application and control it as if a human were typing commands.

It is used to help interact with Kerberos password authentications and changes.

LICENSE: ISC License

## **psycopg2**

<https://github.com/psycopg/psycopg2>

This package provides an adapter for PostgreSQL.

It is used to connect to the PostgreSQL database from the Django application.

LICENSE: GNU Lesser General Public License v 3.0+

## **pycryptodome**

<https://github.com/Legrandin/pycryptodome>

This package provides low-level cryptographic primitives.

It is used to encrypt the password for Ion Files. The key is stored as a client-side cookie and the IV/ciphertext is stored a server-side session variable.

LICENSE: 2-clause BSD

## **pysftp**

<https://bitbucket.org/dunderm/pysftp/src/default/>

This package provides a simple interface to the Secure File Transport Protocol (SFTP).

It is used by Ion Files to access remote servers/files.

LICENSE: 3-clause BSD

## **python-dateutil**

<https://github.com/dateutil/dateutil>

This package provides powerful extensions to the standard datetime module

It (`datetime.timedelta`) is used to compute deltas between datetime objects throughout the codebase.

LICENSE: Apache License 2.0 (based on code that is 3-clause BSD)

### **python-gssapi**

<https://github.com/sigmaris/python-gssapi>

This package provides an object-oriented interface to GSSAPI for Python.

It is used for Kerberos authentication.

OBSOLETE: need to update is from 2015

LICENSE: MIT

### **python-magic**

<https://github.com/ahupp/python-magic>

This package is a wrapper to the libmagic file type identification library

It is used to identify the file type for Ion Printing.

NEEDSRELEASE

LICENSE: MIT

### **reportlab**

<https://bitbucket.org/rptlab/reportlab/src/default/>

This package allows rapid creation of rich PDF documents, and also creation of charts in a variety of bitmap and vector formats.

It is used to help generate PDFs in the eighth admin.

LICENSE: 3-clause BSD

### **requests**

<https://github.com/kennethreitz/requests>

This package is a HTTP library for Python.

It is used to fetch the FCPS emergency webpage.

LICENSE: Apache License 2.0

### **requests-oauthlib**

<https://github.com/requests/requests-oauthlib>

This package provides OAuth library support for Python Requests.

It is currently used to perform OAuth1a authentication to Twitter.

LICENSE: ISC License

## sentry-sdk

<https://github.com/getsentry/sentry-python>

This package provides a Python SDK for the Sentry monitoring suite.

It is used to collect and report information to report to Sentry in production.

LICENSE: 2-clause BSD

## setuptools-git

<https://github.com/msabramo/setuptools-git>

This package provides a plugin for setuptools that enables git integration.

It is used by our `setup.py`.

NEEDSMAINTAINER

LICENSE: 3-clause BSD

## Sphinx

<https://github.com/sphinx-doc/sphinx>

This package provides a tool that makes it easy to create intelligent and beautiful documentation for Python projects.

It is used to document Ion.

LICENSE: 2-clause BSD

## sphinx-bootstrap-theme

<https://github.com/ryan-roemer/sphinx-bootstrap-theme>

This package provides a bootstrap theme for Sphinx.

It is used as the theme for the Ion docs.

LICENSE: MIT

### 2.3.5 Coding Style Guide

Follow [PEP8](#) (the official style guide for Python). Most PEP8 formatting conventions are enforced in the build by `pylint`, `flake8`, and a combination of `black`, `autopep8`, and `isort`. Therefore, if you do not follow them, the build may not pass.

However, for Ion, we limit the lengths of lines to 150 characters, not 80 characters.

Note: CSS/JS/template formatting is enforced by `scripts/static_templates_format.sh`. Currently, this just strips trailing whitespace.

## Main points

- Indent using 4 spaces.
- Use underscores in favor of camel case for all names except the names of classes.
- Limit the line length of docstrings or comments to 72 characters.
- Separate top-level functions and class definitions with two blank lines.
- Separate method definitions inside a class with a single blank line.
- Use two spaces before inline comments and one space between the pound sign and comment.
- Use a plugin for your text editor to check for/remind you of PEP8 conventions.
- When in doubt, running `./scripts/format.sh` will fix a lot of things.
- Capitalize and punctuate comments and Git commit messages properly.

## What is enforced in the build

At the time of this writing, the Travis build runs the following commands:

```
flake8 --max-line-length 150 --exclude=*/migrations/* .
pylint --jobs=0 --disable=fixme,broad-except,global-statement,attribute-defined-
    ↪outside-init intranet/
isort --check --recursive intranet
./scripts.format.sh
./scripts/static_templates_format.sh # Static/template files
```

Note: When the `./scripts/format.sh` and `./scripts/static_templates_format.sh` checks are run, the build will fail if they have to make any changes.

`flake8` is a PEP8 style checker, `pylint` is a linter (but it also enforces some PEP8 conventions), and `isort`, when called with these options, checks that all imports are sorted alphabetically.

`./scripts/format.sh` runs `black` `intranet && autopep8 --in-place --recursive` `intranet && isort --recursive` `intranet`. The reason for the multiple commands is that `black` introduces certain formatting changes which `flake8/pylint` do not agree with (and offers no options to change them), so we have `autopep8` fix it.

It is recommended that you run all of these locally before opening a pull request (though the Ion developers sometimes skip running the `pylint` check locally because it takes a long time to run). All of them are intended to be run from the root directory of the Git repository.

If `flake8` or `pylint` throw errors, the error messages are usually human-readable. If `isort` gives any errors, you can have it automatically correct the order of all imports by running `isort --recursive` `intranet`. If the build fails because running `scripts/format.sh` resulted in changes, you can simply run `./scripts/format.sh` to fix your formatting.

## Imports

- **Group imports in the following order:**
  1. Standard library imports
  2. Third-party imports
  3. Imports from Django
  4. Local imports
- Within these groups, place `from ... import ...` imports after `import ...` imports, and order imports alphabetically within *those* groups.
- Avoid using `from ... import *`.
- Explicitly import each module used.
- Use relative imports to avoid hardcoding a module's package name. This greatly improves portability and is useful when importing from another module in the current app.

## Examples

Standard library imports:

```
from math import sqrt
from os.path import abspath
```

Core Django imports:

```
from django.db import models
```

Third-party app imports:

```
from django_extensions.db.models import TimeStampedModel
```

Good:

```
from .models import SomeModel # explicit relative import
from otherdjangoapp.models import OtherModel # absolute import
```

Bad:

```
# intranet/apps/users/views.py
from intranet.apps.users.models import MyModel # absolute import within same package
```

## References

- Google Python Style Guide.
- Google HTML/CSS Style Guide.
- Google Javascript Style Guide.
- PEP8: Official Python Style Guide.

## 2.3.6 Testing Ion

### Unit Tests

You will want to write your tests for each module in `intranet/apps/<module>/tests.py`. Testing functionality that is useful for multiple tests can be found in `intranet/test`.

### Running Tests

To actually execute tests, run `./setup.py test`. Note that this deletes and re-creates the db from scratch each time, so you may want to pass the `-k` option when developing tests as it significantly reduces run-time.

### Coverage

Coverage information is auto-generated at [Coveralls](#). This is useful for finding files with insufficient coverage, so you can focus your test writing more accurately.

### Writing Tests

Looking at pre-existing tests can give you a good idea how to structure your tests. The `IonTestCase` class is a wrapper around the standard Django test class. It handles some ion-specific logic, such as mocking out ldap queries. Here is a bare-bones example of the basic layout for a test:

```
from ...test.ion_test import IonTestCase

class ModuleTest(IonTestCase):
    def test_module_function(self):
        # Put your tests here
        self.assertEqual(1, 1)
```

### References

- [Django Testing Guide](#).
- [Python unittest documentation](#).
- [Code Coverage](#).
- [Travis Continous Integration](#).

## 2.3.7 Keeping things up-to-date

### Vendored Libraries

- CKEditor <<http://ckeditor.com/builder/download/601464899923a382ecb1b77b655402c3>>\_
- datetimepicker <<https://github.com/xdan/datetimepicker/releases>>\_
- jQuery UI: *Note: This has very specific CSL customizations*
- Messenger <<https://github.com/HubSpot/messenger/releases>>\_
- selectize <<https://github.com/selectize/selectize.js/releases>>\_

- *sortable* <<https://github.com/HubSpot/sortable/releases>>\_

## Updating Top-level Requirements

If any commit changes the direct dependencies of Ion, you must update **'the requirements documentation<developing/requirements>'** to reflect the changes to Ion's dependencies. That page is organized into sections for each dependency, with a line for the package's source URL, a general description of the package, the usage of the package in Ion, and the package's license.

For example, here is a valid section:

Additional lines may be added to identify needed actions regarding the package.

## Requirements for Dependencies

All dependencies to Ion must be licensed under an [OSI-approved open source license](#). The use of the package must be compatible with the terms of the GNU General Public License v2 (or later version).

All direct dependencies to Ion must be reported in the requirements documentation.

## 2.4 intranet

### 2.4.1 intranet package

#### Subpackages

##### [intranet.apps package](#)

#### Subpackages

##### [intranet.apps.announcements package](#)

#### Submodules

##### [intranet.apps.announcements.admin module](#)

```
class intranet.apps.announcements.admin.AnnouncementAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    list_display = ('title', 'user', 'author', 'added')
    list_filter = ('added', 'updated')
    ordering = ('-added',)
    raw_id_fields = ('user',)
```

## intranet.apps.announcements.api module

```
class intranet.apps.announcements.api.IsAnnouncementAdminOrReadOnly
    Bases: rest_framework.permissions.BasePermission
    has_permission(request, view)

class intranet.apps.announcements.api.ListCreateAnnouncement(**kwargs)
    Bases: rest_framework.generics.ListCreateAPIView
    get_queryset()
    permission_classes = (<class 'intranet.apps.announcements.api.IsAnnouncementAdminOrReadOnly'>,
    serializer_class
        alias of intranet.apps.announcements.serializers.AnnouncementSerializer

class intranet.apps.announcements.api.RetrieveUpdateDestroyAnnouncement(**kwargs)
    Bases: rest_framework.generics.RetrieveUpdateDestroyAPIView
    get_queryset()
    permission_classes = (<class 'intranet.apps.announcements.api.IsAnnouncementAdminOrReadOnly'>,
    serializer_class
        alias of intranet.apps.announcements.serializers.AnnouncementSerializer
```

## intranet.apps.announcements.forms module

```
class intranet.apps.announcements.forms.AnnouncementForm(*args, **kwargs)
    Bases: django.forms.ModelForm
    A form for generating an announcement.

    class Meta
        Bases: object
        fields = ['title', 'author', 'content', 'groups', 'expiration_date', 'notify_post',
        model
            alias of intranet.apps.announcements.models.Announcement
        declared_fields = {'notify_email_all': <django.forms.fields.BooleanField object>, 'up',
        expiration_date = <django.forms.widgets.DateTimeInput object>

class intranet.apps.announcements.forms.AnnouncementRequestForm(*args,
    **kwargs)
    Bases: django.forms.ModelForm
    A form for generating an announcement request.

    class Meta
        Bases: object
        fields = ['title', 'author', 'content', 'expiration_date', 'teachers_requested', 'r
        model
            alias of intranet.apps.announcements.models.AnnouncementRequest
        declared_fields = {}
```

## intranet.apps.announcements.models module

```
class intranet.apps.announcements.models.Announcement (*args, **kwargs)
    Bases: django.db.models.base.Model

    Represents an announcement.

title
    The title of the announcement

content
    The HTML content of the news post

authors
    The name of the author

added
    The date the announcement was added

updated
    The most recent date the announcement was updated

user_map
    An attribute corresponding with an AnnouncementUserMap object. A new object is automatically created if it does not exist.

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

added
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

property announcementrequest

announcementrequest_set
    Accessor to the related objects manager on the reverse side of a many-to-one relation.

    In the example:

    

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')



    Parent.children is a ReverseManyToOneDescriptor instance.

    Most of the implementation is delegated to a dynamically defined manager class built by create_forward_many_to_many_manager() defined below.

author
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

content
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

property content_no_links
    Returns the content of this announcement with all links nullified.

    Returns The content of this announcement with all links nullified.
```

**property dashboard\_type****event**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**expiration\_date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_author() → str**

Returns ‘author’ if it is set. Otherwise, returns the name of the user who created the announcement.

**Returns** The name of the author as it should be displayed with the announcement.

```
get_next_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=True,
                  **kwargs)
```

```
get_next_by_expiration_date(*, field=<django.db.models.fields.DateTimeField: expiration_date>, is_next=True, **kwargs)
```

```
get_next_by_updated(*, field=<django.db.models.fields.DateTimeField: updated>, is_next=True,
                     **kwargs)
```

```
get_previous_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=False, **kwargs)
```

```
get_previous_by_expiration_date(*, field=<django.db.models.fields.DateTimeField: expiration_date>, is_next=False, **kwargs)
```

```
get_previous_by_updated(*, field=<django.db.models.fields.DateTimeField: updated>, is_next=False, **kwargs)
```

**groups**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property is\_this\_year**

Return whether the announcement was created after July 1st of this school year.

```
is_visible(user)
```

```
is_visible_requester(user)
```

**is\_visible\_submitter** (*user*)

**notify\_email\_all**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**notify\_post**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <`intranet.apps.announcements.models.AnnouncementManager` object>

**pinned**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**title**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**updated**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property user\_map**

**class** `intranet.apps.announcements.models.AnnouncementManager`

Bases: `django.db.models.manager.Manager`

**hidden\_announcements** (*user*)

Get a list of announcements marked as hidden for a given user (usually `request.user`).

These are all announcements visible to the user – they have just decided to hide them.

**this\_year()**

Get `AnnouncementRequests` from this school year only.

**visible\_to\_user** (*user*)

Get a list of visible announcements for a given user (usually `request.user`).

These visible announcements will be those that either have no groups assigned to them (and are therefore public) or those in which the user is a member.

Apparently this `.filter()` call occasionally returns duplicates, hence the `.distinct()`...

**class** `intranet.apps.announcements.models.AnnouncementRequest` (\**args*, \*\**kwargs*)

Bases: `django.db.models.base.Model`

Represents a request for an announcement.

**title**

The title of the announcement

**content**

The HTML content of the news post

**notes**

Notes for the person who approves the announcement

**added**

The date the request was added

**updated**

The most recent date the request was updated

**user**

The user who submitted the request

**teachers\_requested**

The teachers requested to approve the request

**teachers\_approved**

The teachers who have approved the request

**posted**

ForeignKey to Announcement if posted

**posted\_by**

The user (administrator) that approved the request

**rejected**

Boolean describing whether the post was rejected by an administrator. This will hide it.

**admin\_email\_sent**

Boolean describing whether an email was sent to an Intranet administrator to post the announcement.

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**added**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**admin\_email\_sent**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**author**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**content**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**expiration\_date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_next\_by\_added** (\*, `field=<django.db.models.fields.DateTimeField: added>, is_next=True,`  
    `**kwargs)`

```
get_next_by_expiration_date(*, field=<django.db.models.fields.DateTimeField: expiration_date>, is_next=True, **kwargs)
get_next_by_updated(*, field=<django.db.models.fields.DateTimeField: updated>, is_next=True, **kwargs)
get_previous_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=False, **kwargs)
get_previous_by_expiration_date(*, field=<django.db.models.fields.DateTimeField: expiration_date>, is_next=False, **kwargs)
get_previous_by_updated(*, field=<django.db.models.fields.DateTimeField: updated>, is_next=False, **kwargs)
```

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**notes**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <intranet.apps.announcements.models.AnnouncementRequestManager object>
```

**posted**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**posted\_by**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**posted\_by\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**posted\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**rejected**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**rejected\_by**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **rejected\_by\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **teachers\_approved**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **teachers\_requested**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **title**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **updated**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** intranet.apps.announcements.models.**AnnouncementRequestManager**

Bases: django.db.models.manager.Manager

**get\_queryset()**

```
class intranet.apps.announcements.models.AnnouncementRequestQuerySet (model=None,  

query=None,  

us-  

ing=None,  

hints=None)
```

Bases: `django.db.models.query.QuerySet`

```
this_year()
```

Get AnnouncementRequests from this school year only.

```
class intranet.apps.announcements.models.AnnouncementRequest_teachers_approved (id,  

an-  

nounce-  

men-  

tre-  

quest,  

user)
```

Bases: `djangodb.models.base.Model`

```
exception DoesNotExist
```

Bases: `django.core.exceptions.ObjectDoesNotExist`

```
exception MultipleObjectsReturned
```

Bases: `django.core.exceptions.MultipleObjectsReturned`

```
announcementrequest
```

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

```
announcementrequest_id
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
id
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <djangodb.models.manager.Manager object>
```

```
user
```

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

```
user_id
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.announcements.models.AnnouncementRequest_teachers_requested(id,
an-
ounce-
men-
tre-
quest,
user)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**announcementrequest**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**announcementrequest\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.Manager object>

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.announcements.models.AnnouncementUserMap(*args, **kwargs)
```

Bases: django.db.models.base.Model

Represents mapping fields between announcements and users.

These attributes would be a part of the Announcement model, but if they are, the last updated date is changed whenever a student sees or hides an announcement.

Access these through announcement.user\_map

If you are checking to see whether a user has hidden an announcement, use:

```
Announcement.objects.hidden_announcements(user)
```

#### **announcement**

The one-to-one mapping between this object and the Announcement it is for

#### **users\_hidden**

A many-to-many field of Users who have hidden this announcement

#### **users\_seen**

A many-to-many field of Users who have seen this announcement

#### **exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

#### **exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

#### **announcement**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

`Restaurant.place` is a `ForwardOneToOneDescriptor` instance.

#### **announcement\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

#### **users\_hidden**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **users\_seen**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class intranet.apps.announcements.models.AnnouncementUserMap_users_hidden(id,
    an-
    nounce-
    men-
    tusermap,
    user)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**announcementusermap**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**announcementusermap\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.announcements.models.AnnouncementUserMap_users_seen(id,
    an-
    nounce-
    men-
    tusermap,
    user)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception** `MultipleObjectsReturned`

Bases: django.core.exceptions.MultipleObjectsReturned

## announcementusermap

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

announcementusermap\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

user

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.announcements.models.Announcement_groups(id, announcement,  
                                group)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception** `MultipleObjectsReturned`

Bases: django.core.exceptions.MultipleObjectsReturned

## announcement

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**announcement\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**group\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

## intranet.apps.announcements.notifications module

```
intranet.apps.announcements.notifications.admin_request_announcement_email(request,
                                                                           form,
                                                                           obj)
```

Send an admin announcement request email.

form: The announcement request form  
obj: The announcement request object

```
intranet.apps.announcements.notifications.announcement_approved_email(request,
                                                                       obj,
                                                                       req)
```

Email the requested teachers and submitter whenever an administrator approves an announcement request.

obj: the Announcement object  
req: the AnnouncementRequest object

```
intranet.apps.announcements.notifications.announcement_posted_email(request,
                                                                     obj,
                                                                     send_all=False)
```

Send a notification posted email.

obj: The announcement object

```
intranet.apps.announcements.notifications.announcement_posted_twitter(request,
                                                                       obj)
```

```
intranet.apps.announcements.notifications.notify_twitter(status)
```

```
intranet.apps.announcements.notifications.request_announcement_email(request,
                                                                      form,
                                                                      obj)
```

Send an announcement request email.

form: The announcement request form  
obj: The announcement request object

**intranet.apps.announcements.serializers module**

```
class intranet.apps.announcements.serializers.AnnouncementSerializer (instance=None,  

    data=<class  

    'rest_framework.fields.empty'>,  

    **kwargs)  

Bases: rest_framework.serializers.HyperlinkedModelSerializer  

class Meta  

    Bases: object  

        fields = ('url', 'id', 'title', 'content', 'author', 'user', 'added', 'updated', 'c  

model  

    alias of intranet.apps.announcements.models.Announcement  

get_author (obj)
```

**intranet.apps.announcements.tests module**

```
class intranet.apps.announcements.tests.AnnouncementTest (methodName='runTest')  

Bases: intranet.test.ion_test.IonTestCase  

Tests for the announcements module.  

setUp ()  

test_change_announcements ()  

test_get_announcements ()
```

**intranet.apps.announcements.urls module****intranet.apps.announcements.views module**

`intranet.apps.announcements.views.announcement_approved_hook (request, obj, req)`  
Runs whenever an administrator approves an announcement request.

obj: the Announcement object req: the AnnouncementRequest object

`intranet.apps.announcements.views.announcement_posted_hook (request, obj)`  
Runs whenever a new announcement is created, or a request is approved and posted.

obj: The Announcement object

`intranet.apps.announcements.views.request_announcement_success_self_view (request)`

`intranet.apps.announcements.views.request_announcement_success_view (request)`

`intranet.apps.announcements.views.request_announcement_view (request)`  
The request announcement page.

## Module contents

### intranet.apps.api package

#### Submodules

##### intranet.apps.api.authentication module

```
class intranet.apps.api.authentication.ApiBasicAuthentication
    Bases: rest_framework.authentication.BasicAuthentication

    authenticate_credentials(userid, password, request=None)
        Authenticate the userid and password.

class intranet.apps.api.authentication.CsrfExemptSessionAuthentication
    Bases: rest_framework.authentication.SessionAuthentication

    enforce_csrf(request)
```

##### intranet.apps.api.tests module

```
class intranet.apps.api.tests.ApiTest(methodName='runTest')
    Bases: intranet.test.ion_test.IonTestCase

    Tests for the api module.

    get_api_eighth_block_list(query="")
    get_api_eighth_signup_list(query="")
    make_token()
    setUp()
    test_api_bus_detail()
    test_api_bus_list()
    test_api_eighth_block_list()
    test_api_eighth_signup_list()
    test_api_root()
    test_api_schedule_detail()
    test_get_announcements()
    test_get_emerg()
    test_get_profile()
    test_no_credentials_read()
    test_oauth_client_credentials_read()
    test_oauth_client_credentials_read_anonymous()
    test_oauth_read()
    test_oauth_write()
```

## intranet.apps.api.urls module

### intranet.apps.api.utils module

```
intranet.apps.api.utils.custom_exception_handler(exc, context)
```

### intranet.apps.api.views module

```
intranet.apps.api.views.api_root(self, request, *args, **kwargs)
```

Welcome to the Ion API!

Documentation is below. <pk> refers to the unique id of a certain object - this is shown as “id” in most lists and references.

The general form of the api link (with /api/ assumed to be prepended) is shown, along with an example URL.

All of the API methods, except for those relating to the Bell Schedule, require authentication.

```
intranet.apps.api.views.perma_reverse(request, view, *args, **kwargs)
```

## Module contents

### intranet.apps.auth package

#### Subpackages

##### intranet.apps.auth.management package

#### Subpackages

##### intranet.apps.auth.management.commands package

#### Submodules

##### intranet.apps.auth.management.commands.grant\_admin module

```
class intranet.apps.auth.management.commands.grant_admin.Command(stdout=None,
                                                               stderr=None,
                                                               no_color=False,
                                                               force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **options)
help = 'Adds the specified user to the specified admin group'
```

## Module contents

### Module contents

#### Submodules

##### **intranet.apps.auth.apps module**

```
class intranet.apps.auth.apps.AuthConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig
        label = 'intranet.apps.auth'
        name = 'intranet.apps.auth'
```

##### **intranet.apps.auth.backends module**

```
class intranet.apps.auth.backends.KerberosAuthenticationBackend
    Bases: object
```

Authenticate using Kerberos.

This is the default authentication backend.

```
authenticate(request, username=None, password=None)
```

Authenticate a username-password pair.

Creates a new user if one is not already in the database.

#### Parameters

- **username** – The username of the *User* to authenticate.
- **password** – The password of the *User* to authenticate.

#### Returns *User*

```
static get_kerberos_ticket(username, password)
```

Attempts to create a Kerberos ticket for a user.

#### Parameters

- **username** – The username.
- **password** – The password.

#### Returns Boolean indicating success or failure of ticket creation

```
get_user(user_id)
```

Returns a user, given his or her user id. Required for a custom authentication backend. :param user\_id: The user id of the user to fetch.

#### Returns User or None

```
static kinit_timeout_handle(username, realm)
```

Check if the user exists before we throw an error.

```
static try_single_kinit(*, username: str, realm: str, password: str,
                        krb5ccname: str, timeout: Union[int, float]) → in-
                        tranet.apps.auth.backends.KerberosAuthenticationResult
```

```
class intranet.apps.auth.backends.KerberosAuthenticationResult
Bases: enum.Enum

An enumeration.

EXPIRED = -1
FAILURE = 0
SUCCESS = 1

class intranet.apps.auth.backends.MasterPasswordAuthenticationBackend
Bases: object

Authenticate as any user against a master password whose hash is in secret.py.

authenticate(request, username=None, password=None)
    Authenticate a username-password pair.

Creates a new user if one is not already in the database.

Parameters
    • username – The username of the User to authenticate.
    • password – The master password.

Returns User

get_user(user_id)
    Returns a user, given his or her user id. Required for a custom authentication backend. :param user_id:
        The user id of the user to fetch.

Returns User or None
```

## intranet.apps.auth.decorators module

Decorators that restrict views to certain types of users.

```
intranet.apps.auth.decorators.admin_required(group)
    Decorator that requires the user to be in a certain admin group.

    For example, @admin_required("polls") would check whether a user is in the "admin_polls" group or in the "admin_all" group.

intranet.apps.auth.decorators.announcements_admin_required(view_func)
    Restrict the wrapped view to announcements admins

intranet.apps.auth.decorators.attendance_taker_required(view_func)
    Restrict the wrapped view to users who can take attendance

intranet.apps.auth.decorators.board_admin_required(view_func)
    Restrict the wrapped view to board admins

intranet.apps.auth.decorators.deny_restricted(wrapped)
intranet.apps.auth.decorators.eighth_admin_required(view_func)
    Restrict the wrapped view to eighth admins

intranet.apps.auth.decorators.events_admin_required(view_func)
    Restrict the wrapped view to events admins

intranet.apps.auth.decorators.reauthentication_required(wrapped)
```

## intranet.apps.auth.forms module

```
class intranet.apps.auth.forms.AuthenticationForm(request=None, *args, **kwargs)
    Bases: django.contrib.auth.forms.AuthenticationForm

    Implements a login form.

    username
        The username text field.

    password
        The password text field.

    declared_fields = {'password': <django.forms.fields.CharField object>, 'trust_device'}
    is_valid()
        Validates the username and password in the form.
```

## intranet.apps.auth.helpers module

```
intranet.apps.auth.helpers.change_password(form_data)
intranet.apps.auth.helpers.get_login_theme() → Dict[str, Dict[str, str]]
    Load a custom login theme (e.g. snow)

intranet.apps.auth.helpers.get_login_theme_name() → str
    Get the name of the currently active login theme (e.g. "snow" or "piday").

    Returns The name of the currently active login theme.
```

## intranet.apps.auth.rest\_permissions module

```
class intranet.apps.auth.rest_permissions.DenyRestrictedPermission
    Bases: rest_framework.permissions.BasePermission

    has_permission(request, view) → bool
```

## intranet.apps.auth.signals module

```
intranet.apps.auth.signals.user_login(sender, request, **kwargs)
intranet.apps.auth.signals.user_logout(sender, request, **kwargs)
```

## intranet.apps.auth.tests module

```
class intranet.apps.auth.tests.GrantAdminTest(methodName='runTest')
    Bases: intranet.test/ion_test.IonTestCase

    Tests granting admin to an user.

    test_grant_admin()
        Tests giving an valid user admin_all.

class intranet.apps.auth.tests.LoginViewTest(methodName='runTest')
    Bases: intranet.test/ion_test.IonTestCase

    Tests of the login page (but not actually auth)
```

```
static create_block_by_signup_datetime(signup_datetime, **kwargs)
does_login_redirect_to(url)
login_student()
test_authentication()
test_eighth_login_redirect()
test_login_page()
```

**intranet.apps.auth.urls module****intranet.apps.auth.views module**

```
class intranet.apps.auth.views.LoginView(**kwargs)
Bases: django.views.generic.base.View
```

Log in and redirect a user.

**get**(*request*)

Redirect to the login page.

**post**(*request*)

Validate and process the login POST request.

```
intranet.apps.auth.views.about_view(request)
```

Show an about page with credits.

```
intranet.apps.auth.views.do_logout(request)
```

Logout.

```
intranet.apps.auth.views.get_bg_pattern(request)
```

Choose a background pattern image.

One will be selected at random.

```
intranet.apps.auth.views.get_week_sports_school_events()
```

→ Tu-  
ple[Container[intranet.apps.events.models.Event],  
Con-  
tainer[intranet.apps.events.models.Event]]

Lists the sports/school events for the next week. This information is cached.

**Returns** A 2-tuple of (sports events, school events) for the next week.

```
intranet.apps.auth.views.index_view(request, auth_form=None, force_login=False,
                                         added_context=None, has_next_page=False)
```

Process and show the main login page or dashboard if logged in.

```
intranet.apps.auth.views.log_auth(request, success)
```

```
intranet.apps.auth.views.logout_view(request)
```

Clear the Kerberos cache and logout.

```
intranet.apps.auth.views.reauthentication_view(request)
```

```
intranet.apps.auth.views.reset_password_view(request)
```

## Module contents

### intranet.apps.bus package

#### Submodules

##### intranet.apps.bus.admin module

##### intranet.apps.bus.api module

```
class intranet.apps.bus.api.RouteDetail(**kwargs)
    Bases: rest_framework.generics.RetrieveAPIView

    API endpoint that retrieves information about a specific bus route.

    /api/bus/<num>: retrieve information about bus number <num>

    get_queryset()

    permission_classes = (<class 'intranet.apps.auth.rest_permissions.DenyRestrictedPermissions'>,
        DenyRestrictedPermissions
    )
    serializer_class
        alias of intranet.apps.bus.serializers.RouteSerializer

class intranet.apps.bus.api.RouteList(**kwargs)
    Bases: rest_framework.generics.ListAPIView

    API endpoint that retrieves information about buses.

    /api/bus: retrieve a list of all buses

    /api/bus/num: retrieve information about bus number num

    get_queryset()

    permission_classes = (<class 'intranet.apps.auth.rest_permissions.DenyRestrictedPermissions'>,
        DenyRestrictedPermissions
    )
    serializer_class
        alias of intranet.apps.bus.serializers.RouteSerializer
```

##### intranet.apps.bus.consumers module

```
class intranet.apps.bus.consumers.BusConsumer(*args, **kwargs)
    Bases: channels.generic.websocket.JsonWebsocketConsumer

    bus_update(event)
    connect()
    groups = ['bus']
    receive_json(content)
```

## intranet.apps.bus.models module

```
class intranet.apps.bus.models.Route(*args, **kwargs)
    Bases: django.db.models.base.Model

    A bus route (e.g. TJ-24)

    ARRIVAL_STATUSES = (('a', 'Arrived (In the lot)'), ('d', 'Delayed'), ('o', 'On Time (Ex.'))
    exception DoesNotExist
        Bases: django.core.exceptions.ObjectDoesNotExist

    exception MultipleObjectsReturned
        Bases: django.core.exceptions.MultipleObjectsReturned

bus_number
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

get_status_display(*, field=<django.db.models.fields.CharField: status>)

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

objects = <django.db.models.manager.Manager object>

reset_status()
    Reset status to (on time)

route_name
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

space
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

status
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

user_set
    Accessor to the related objects manager on the reverse side of a many-to-one relation.
```

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

## intranet.apps.bus.serializers module

```
class intranet.apps.bus.serializers.RouteSerializer(instance=None, data=<class 'rest_framework.fields.empty'>, **kwargs)
Bases: rest_framework.serializers.Serializer

class Meta
    Bases: object

    fields = ('id', 'route_name', 'space', 'bus_number', 'status')

    model
        alias of intranet.apps.bus.models.Route
```

## intranet.apps.bus.tasks module

### intranet.apps.bus.tests module

```
class intranet.apps.bus.tests.BusTest(methodName='runTest')
Bases: intranet.test.io_test.IonTestCase

Test for bus module

test_bus()
test_route_representation()
test_routes()
```

## intranet.apps.bus.urls module

### intranet.apps.bus.views module

#### Module contents

### intranet.apps.dashboard package

#### Submodules

### intranet.apps.dashboard.views module

```
intranet.apps.dashboard.views.add_widgets_context(request, context)
WIDGETS: * Eighth signup (STUDENT) * Eighth attendance (TEACHER or ADMIN) * Bell schedule (ALL)
* Administration (ADMIN) * Links (ALL) * Seniors (STUDENT; graduation countdown if senior, link to
destinations otherwise)

intranet.apps.dashboard.views.dashboard_view(request, show_widgets=True,
                                              show_expired=False, ignore_dashboard_types=None,
                                              show_welcome=False)
Process and show the dashboard, which includes activities, events, and widgets.
```

---

```
intranet.apps.dashboard.views.gen_schedule(user, num_blocks=6, surround-
                                             ing_blocks=None)
```

Generate a list of information about a block and a student's current activity signup.

**Returns** schedule no\_signup\_today

```
intranet.apps.dashboard.views.gen_sponsor_schedule(user, sponsor=None,
                                                 num_blocks=6, surround-
                                                 rounding_blocks=None,
                                                 given_date=None)
```

Return a list of EighthScheduledActivitys in which the given user is sponsoring.

**Returns** activities no\_attendance\_today num\_acts

**Return type** Dictionary with

```
intranet.apps.dashboard.views.get_announcements_list(request, context)
```

An announcement will be shown if: \* It is not expired

- unless ?show\_expired=1
- It is visible to the user
  - There are no groups on the announcement (so it is public)
  - The user's groups are in union with the groups on the announcement (at least one matches)
  - The user submitted the announcement directly
  - The user submitted the announcement through a request
  - The user approved the announcement through a request
  - ...unless ?show\_all=1

An event will be shown if: \* It is not expired

- unless ?show\_expired=1
- It is approved
  - unless an events admin
- It is visible to the user
  - There are no groups
  - The groups are in union

```
intranet.apps.dashboard.views.get_prerender_url(request)
```

```
intranet.apps.dashboard.views.get_tjstar_mapping(user)
```

```
intranet.apps.dashboard.views.paginate_announcements_list(request, context, items)
```

\*TODO\* Migrate to django Paginator (see lostitems)

## Module contents

`intranet.apps.dataimport package`

### Subpackages

`intranet.apps.dataimport.management package`

### Subpackages

`intranet.apps.dataimport.management.commands package`

### Submodules

`intranet.apps.dataimport.management.commands.import_eighth module`

```
class intranet.apps.dataimport.management.commands.import_eighth.Command (stdout=None,
                                                               stderr=None,
                                                               no_color=False,
                                                               force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **kwargs)
help = 'Import Eighth Period Activities For Testing'
```

`intranet.apps.dataimport.management.commands.import_photos module`

```
class intranet.apps.dataimport.management.commands.import_photos.Command (stdout=None,
                                                               stderr=None,
                                                               no_color=False,
                                                               force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **options)
help = 'Imports photos from yearbook data export'
```

`intranet.apps.dataimport.management.commands.import_users module`

```
class intranet.apps.dataimport.management.commands.import_users.Command (stdout=None,
                                                               stderr=None,
                                                               no_color=False,
                                                               force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **kwargs)
```

```
help = 'Import User Objects'

intranet.apps.dataimport.management.commands.year_cleanup module

class intranet.apps.dataimport.management.commands.year_cleanup.Command(stdout=None,
                                                               stderr=None,
                                                               no_color=False,
                                                               force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
archive_admin_comments()
ask(q)
chk(q, test)
clear_absences()
handle(*args, **options)
handle_delete()
help = 'Perform end-of-year cleanup duties.'
update_welcome()
```

## Module contents

### Module contents

#### Submodules

## intranet.apps.dataimport.apps module

```
class intranet.apps.dataimport.apps.DataimportConfig(app_name, app_module)
Bases: django.apps.config.AppConfig
name = 'dataimport'
```

## intranet.apps.dataimport.tests module

```
class intranet.apps.dataimport.tests.YearCleanupTest(methodName='runTest')
Bases: intranet.test.ion_test.IonTestCase
Tests end of year cleanup.
test_year_cleanup()
```

## Module contents

### intranet.apps.eighth package

#### Subpackages

##### intranet.apps.eighth.forms package

#### Subpackages

##### intranet.apps.eighth.forms.admin package

#### Submodules

##### intranet.apps.eighth.forms.admin.activities module

```
class intranet.apps.eighth.forms.admin.activities.ActivityDisplayField(*args,
                                                                      **kwargs)
    Bases: django.forms.models.ModelChoiceField
    cancelled_acts = None
    label_from_instance(obj)

class intranet.apps.eighth.forms.admin.activities.ActivityForm(*args,
                                                               **kwargs)
    Bases: django.forms.models.ModelForm
    class Meta
        Bases: object
        fields = ['name', 'description', 'sponsors', 'rooms', 'default_capacity', 'id', 'pr...
        model
        alias of intranet.apps.eighth.models.EighthActivity
        widgets = {'admin_comments': <django.forms.widgets.Textarea object>, 'description...
        declared_fields = {}

class intranet.apps.eighth.forms.admin.activities.ActivityMultiDisplayField(queryset,
                                                                           **kwargs)
    Bases: django.forms.models.ModelMultipleChoiceField
    label_from_instance(obj)

class intranet.apps.eighth.forms.admin.activities.ActivityMultiSelectForm(*args,
                                                                       la...
                                                                       bel='Activities',
                                                                       **kwargs)
    Bases: django.forms.Form
    declared_fields = {'activities': <intranet.apps.eighth.forms.admin.activities.Activity...
```

```

class intranet.apps.eighth.forms.admin.activities.ActivitySelectionForm(*args,
    la-
    bel='Activity',
    block=None,
    spon-
    sor=None,
    in-
    clude_cancelled=False,
    **kwargs)

Bases: django.forms.Form

declared_fields = {}

class intranet.apps.eighth.forms.admin.activities.QuickActivityForm(data=None,
    files=None,
    auto_id='id_%s',
    pre-
    fix=None,
    ini-
    tial=None,
    er-
    ror_class=<class
        'django.forms.utils.ErrorList'>,
    la-
    bel_suffix=None,
    empty_permitted=False,
    in-
    stance=None,
    use_required_attribute=None,
    ren-
    derer=None)

Bases: django.forms.ModelForm

class Meta
    Bases: object

    fields = ['name']

    model
        alias of intranet.apps.eighth.models.EighthActivity

    declared_fields = {}

class intranet.apps.eighth.forms.admin.activities.ScheduledActivityMultiSelectForm(*args,
    la-
    bel='Activi
    block=None
    **kwargs)

Bases: django.forms.Form

declared_fields = {'activities': <intranet.apps.eighth.forms.admin.activities.Activity

```

**intranet.apps.eighth.forms.admin.blocks module**

```
class intranet.apps.eighth.forms.admin.blocks.BlockDisplayField(queryset, *,
                                                               empty_label='-----',
                                                               required=True,
                                                               widget=None,
                                                               label=None,
                                                               initial=None,
                                                               help_text='',
                                                               to_field_name=None,
                                                               limit_choices_to=None,
                                                               **kwargs)

Bases: django.forms.models.ModelChoiceField

label_from_instance(obj)

class intranet.apps.eighth.forms.admin.blocks.BlockForm(data=None, files=None,
                                                          auto_id='id_%s', prefix=None, initial=None,
                                                          error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None,
                                                          empty_permitted=False, instance=None,
                                                          use_required_attribute=None, renderer=None)

Bases: django.forms.models.ModelForm

class Meta
    Bases: object
    fields = ['date', 'block_letter', 'locked', 'signup_time', 'comments']
    model
        alias of intranet.apps.eighth.models.EighthBlock
    declared_fields = {'block_letter': <django.forms.fields.CharField object>}

class intranet.apps.eighth.forms.admin.blocks.BlockSelectionForm(*args, label='Block',
                                                               exclude_before_date=None, only_locked=False,
                                                               **kwargs)

Bases: django.forms.Form
declared_fields = {}
```

```
class intranet.apps.eighth.forms.admin.blocks.QuickBlockForm(data=None,  

    files=None,  

    auto_id='id_%s',  

    prefix=None,  

    initial=None, er-  

    ror_class=<class  

'django.forms.utils.ErrorList'>,  

    label_suffix=None,  

    empty_permitted=False,  

    instance=None,  

    use_required_attribute=None,  

    renderer=None)
```

Bases: django.forms.models.ModelForm

```
class Meta  

    Bases: object  

    fields = ['date', 'block_letter']  

    model  

        alias of intranet.apps.eighth.models.EighthBlock  

declared_fields = {'block_letter': <django.forms.fields.CharField object>}
```

## intranet.apps.eighth.forms.admin.general module

```
class intranet.apps.eighth.forms.admin.general.StartDateForm(data=None,  

    files=None,  

    auto_id='id_%s',  

    prefix=None,  

    initial=None, er-  

    ror_class=<class  

'django.forms.utils.ErrorList'>,  

    label_suffix=None,  

    empty_permitted=False,  

    field_order=None,  

    use_required_attribute=None,  

    renderer=None)
```

Bases: django.forms.forms.Form

```
declared_fields = {'date': <django.forms.fields.DateField object>}
```

## intranet.apps.eighth.forms.admin.groups module

```
class intranet.apps.eighth.forms.admin.groups.GroupForm(data=None, files=None,  

    auto_id='id_%s', pre-  

    fix=None, initial=None,  

    error_class=<class  

'django.forms.utils.ErrorList'>,  

    label_suffix=None,  

    empty_permitted=False,  

    instance=None,  

    use_required_attribute=None,  

    renderer=None)
```

Bases: django.forms.models.ModelForm

```
class Meta
    Bases: object

    fields = ['name', 'student_visible']

    model
        alias of intranet.apps.groups.models.Group

    declared_fields = {'student_visible': <django.forms.fields.BooleanField object>}

class intranet.apps.eighth.forms.admin.groups.QuickGroupForm(data=None,
    files=None,
    auto_id='id_%s',
    prefix=None,
    initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None, renderer=None)
Bases: django.forms.ModelForm

class Meta
    Bases: object

    fields = ['name']

    model
        alias of intranet.apps.groups.models.Group

    declared_fields = {}

class intranet.apps.eighth.forms.admin.groups.UploadGroupForm(data=None,
    files=None,
    auto_id='id_%s',
    prefix=None,
    initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, field_order=None, use_required_attribute=None, renderer=None)
Bases: django.forms.Form

    declared_fields = {'file': <django.forms.fields.FileField object>}
```

## intranet.apps.eighth.forms.admin.rooms module

```
class intranet.apps.eighth.forms.admin.rooms.RoomForm(data=None, files=None,  

                                                       auto_id='id_%s', prefix=None,  

                                                       initial=None, error_class=<class  

'django.forms.utils.ErrorList'>,  

                                                       label_suffix=None,  

                                                       empty_permitted=False,  

                                                       instance=None,  

                                                       use_required_attribute=None,  

                                                       renderer=None)  
  
Bases: django.forms.models.ModelForm  
  
class Meta  
    Bases: object  
    fields = ['name', 'capacity', 'available_for_eighth']  
    model  
        alias of intranet.apps.eighth.models.EighthRoom  
    widgets = {'capacity': <django.forms.widgets.TextInput object>}  
    declared_fields = {}
```

## intranet.apps.eighth.forms.admin.scheduling module

```
class intranet.apps.eighth.forms.admin.scheduling.ScheduledActivityForm(*args,  
                           **kwargs)  
  
Bases: django.forms.models.ModelForm  
Represents a row in the table activity scheduling admin page.  
  
class Meta  
    Bases: object  
    fields = ['cancelled', 'scheduled', 'unschedule', 'block', 'activity', 'rooms', 'ca  
    model  
        alias of intranet.apps.eighth.models.EighthScheduledActivity  
    widgets = {'admin_comments': <django.forms.widgets.Textarea object>, 'capacity':  
    declared_fields = {'scheduled': <django.forms.fields.BooleanField object>, 'unschedul  
    validate_unique()
```

## intranet.apps.eighth.forms.admin.sponsors module

```
class intranet.apps.eighth.forms.admin.sponsors.AutoCreateUserField(*args,  
                           choices=(),  
                           **kwargs)  
  
Bases: django.forms.fields.ChoiceField  
clean(value)  
widget  
    alias of django.forms.widgets.TextInput
```

```
class intranet.apps.eighth.forms.admin.sponsors.SponsorForm(data=None,
    files=None,
    auto_id='id_%s',
    prefix=None,
    initial=None,   er-
    ror_class=<class
'django.forms.utils.ErrorList'>,
    label_suffix=None,
    empty_permitted=False,
    instance=None,
    use_required_attribute=None,
    renderer=None)

Bases: django.forms.models.ModelForm

class Meta
    Bases: object

    fields = ['first_name', 'last_name', 'user', 'department', 'full_time', 'online_att
    model
        alias of intranet.apps.eighth.models.EighthSponsor

    declared_fields = {'user': <intranet.apps.eighth.forms.admin.sponsors.AutoCreateUserF
```

## Module contents

### Module contents

#### [intranet.apps.eighth.management package](#)

##### Subpackages

##### [intranet.apps.eighth.management.commands package](#)

##### Submodules

##### [intranet.apps.eighth.management.commands.absence\\_email module](#)

```
class intranet.apps.eighth.management.commands.absence_email.Command(stdout=None,
    stderr=None,
    no_color=False,
    force_color=False)

Bases: django.core.management.base.BaseCommand

add_arguments(parser)
handle(*args, **options)
help = 'Notify users who have an Eighth Period absence.'
```

**intranet.apps.eighth.management.commands.delete\_duplicate\_signups module**

```
class intranet.apps.eighth.management.commands.delete_duplicate_signups.Command(stdout=None,
stderr=None,
no_color=False,
force_color=False)
Bases: django.core.management.base.BaseCommand
handle(*args, **options)
help = 'Delete duplicate Eighth signups and keep the most recent.'
```

**intranet.apps.eighth.management.commands.dev\_create\_blocks module**

```
class intranet.apps.eighth.management.commands.dev_create_blocks.Command(stdout=None,
stderr=None,
no_color=False,
force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **kwargs)
help = 'Generate 8th Period Blocks using existing activities'
```

**intranet.apps.eighth.management.commands.find\_duplicates module**

```
class intranet.apps.eighth.management.commands.find_duplicates.Command(stdout=None,
stderr=None,
no_color=False,
force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **options)
help = 'Find duplicate signups in the system that violate the one-signup-per-block constraint.'
```

**intranet.apps.eighth.management.commands.generate\_similarities module**

```
class intranet.apps.eighth.management.commands.generate_similarities.Command(stdout=None,
stderr=None,
no_color=False,
force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **options)
help = 'Generate similarities for all activities'
```

### intranet.apps.eighth.management.commands.generate\_statistics module

```
class intranet.apps.eighth.management.commands.generate_statistics.Command(stdout=None,
                                                                           stderr=None,
                                                                           no_color=False,
                                                                           force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **options)
help = 'Generate a PDF file with statistics of all of the Eighth Activities.'
```

### intranet.apps.eighth.management.commands.remove\_withdrawn\_students module

```
class intranet.apps.eighth.management.commands.remove_withdrawn_students.Command(stdout=None,
                                                                           stderr=None,
                                                                           no_color=False,
                                                                           force_color=False)
Bases: django.core.management.base.BaseCommand
handle(*args, **options)
help = 'Withdraw students from TJ automatically & notify relevant administrators'
```

### intranet.apps.eighth.management.commands.signup\_status\_email module

```
class intranet.apps.eighth.management.commands.signup_status_email.Command(stdout=None,
                                                                           stderr=None,
                                                                           no_color=False,
                                                                           force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **options)
help = 'Notify users who have not signed up for Eighth Period or need to change their'
```

### intranet.apps.eighth.management.commands.update\_counselors module

```
class intranet.apps.eighth.management.commands.update_counselors.Command(stdout=None,
                                                                           stderr=None,
                                                                           no_color=False,
                                                                           force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **kwargs)
help = 'Update counselor information'
```

## Module contents

### Module contents

`intranet.apps.eighth.views package`

#### Subpackages

`intranet.apps.eighth.views.admin package`

#### Submodules

`intranet.apps.eighth.views.admin.activities module`

```
intranet.apps.eighth.views.admin.activities.add_activity_view(request)
intranet.apps.eighth.views.admin.activities.delete_activity_view(request,
                                         activ-
                                         ity_id=None)
intranet.apps.eighth.views.admin.activities.edit_activity_view(request,   activ-
                                         ity_id)
```

`intranet.apps.eighth.views.admin.attendance module`

```
intranet.apps.eighth.views.admin.attendance.activities_without_attendance_view(request)
intranet.apps.eighth.views.admin.attendance.after_deadline_signup_view(request)
intranet.apps.eighth.views.admin.attendance.clear_absence_view(request,
                                         signup_id)
intranet.apps.eighth.views.admin.attendance.delinquent_students_view(request)
intranet.apps.eighth.views.admin.attendance.migrate_outstanding_passes_view(request)
intranet.apps.eighth.views.admin.attendance.no_signups_roster(request,
                                         block_id)
intranet.apps.eighth.views.admin.attendance.open_passes_view(request)
intranet.apps.eighth.views.admin.attendance.out_of_building_schedules_view(request,
                                         block_id=None)
```

`intranet.apps.eighth.views.admin.blocks module`

```
intranet.apps.eighth.views.admin.blocks.add_block_view(request)
intranet.apps.eighth.views.admin.blocks.copy_block_view(request, block_id)
intranet.apps.eighth.views.admin.blocks.delete_block_view(request, block_id)
intranet.apps.eighth.views.admin.blocks.edit_block_view(request, block_id)
intranet.apps.eighth.views.admin.blocks.print_block_rosters_view(request,
                                         block_id)
```

## intranet.apps.eighth.views.admin.general module

```
intranet.apps.eighth.views.admin.general.cache_view(request)
intranet.apps.eighth.views.admin.general.edit_start_date_view(request)
intranet.apps.eighth.views.admin.general.eighth_admin_dashboard_view(request,
**kwargs)
intranet.apps.eighth.views.admin.general.history_view(request)
```

## intranet.apps.eighth.views.admin.groups module

```
class intranet.apps.eighth.views.admin.groups.EighthAdminDistributeGroupWizard(**kwargs)
    Bases: formtools.wizard.views.SessionWizardView

    FORMS = [('block', <class 'intranet.apps.eighth.forms.admin.blocks.BlockSelectionForm'>),
              ('activity', <class 'intranet.apps.eighth.forms.admin.activities.ActivitySelectionForm'>)]
    TEMPLATES = {'activity': 'eighth/admin/distribute_group.html', 'block': 'eighth/admin/block.html'}
    dispatch(request, *args, **kwargs)
    done(form_list, **kwargs)
    get_context_data(form, **kwargs)
    get_form_kwargs(step=None)
    get_template_names()

class intranet.apps.eighth.views.admin.groups.EighthAdminSignUpGroupWizard(**kwargs)
    Bases: formtools.wizard.views.SessionWizardView

    FORMS = [('block', <class 'intranet.apps.eighth.forms.admin.blocks.BlockSelectionForm'>),
              ('activity', <class 'intranet.apps.eighth.forms.admin.activities.ActivitySelectionForm'>)]
    TEMPLATES = {'activity': 'eighth/admin/sign_up_group.html', 'block': 'eighth/admin/block.html'}
    done(form_list, **kwargs)
    get_context_data(form, **kwargs)
    get_form_kwargs(step=None)
    get_template_names()

intranet.apps.eighth.views.admin.groups.add_group_view(request)
intranet.apps.eighth.views.admin.groups.add_member_to_group_view(request,
group_id)
intranet.apps.eighth.views.admin.groups.delete_group_view(request, group_id)
intranet.apps.eighth.views.admin.groups.download_group_csv_view(request,
group_id)
intranet.apps.eighth.views.admin.groups.edit_group_view(request, group_id)
intranet.apps.eighth.views.admin.groups.eighth_admin_distribute_action(request)
intranet.apps.eighth.views.admin.groups.eighth_admin_distribute_group(self,
re-
quest,
*args,
**kwargs)
```

```

intranet.apps.eighth.views.admin.groups.eighth_admin_distribute_unsigned(self,
    re-
    quest,
    *args,
    **kwargs)

intranet.apps.eighth.views.admin.groups.eighth_admin_perform_group_signup(*,
    group_id:
    int,
    schact_id:
    int,
    re-
    quest:
    Op-
    tional[django.http.reque

```

Performs sign up of all users in a specific group up for a specific scheduled activity.

#### Parameters

- **group\_id** – The ID of the group that should be signed up for the activity.
- **schact\_id** – The ID of the EighthScheduledActivity all the users in the group should be signed up for.
- **request** – If possible, the request object associated with the operation.

```

intranet.apps.eighth.views.admin.groups.eighth_admin_signup_group(self,      re-
    quest,
    *args,
    **kwargs)

intranet.apps.eighth.views.admin.groups.eighth_admin_signup_group_action(request,
    group_id,
    schact_id)

intranet.apps.eighth.views.admin.groups.find_users_input(lines)
intranet.apps.eighth.views.admin.groups.get_file_string(fileobj)
intranet.apps.eighth.views.admin.groups.get_user_info(key, val)
intranet.apps.eighth.views.admin.groups.handle_group_input(filetext)

intranet.apps.eighth.views.admin.groups.remove_member_from_group_view(request,
    group_id,
    user_id)

intranet.apps.eighth.views.admin.groups.upload_group_members_view(request,
    group_id)

```

### **intranet.apps.eighth.views.admin.maintenance module**

#### **intranet.apps.eighth.views.admin.rooms module**

```

class intranet.apps.eighth.views.admin.rooms.EighthAdminRoomUtilizationWizard(**kwargs)
Bases: formtools.wizard.views.SessionWizardView

FORMS = [('start_block', <class 'intranet.apps.eighth.forms.admin.blocks.BlockSelection>
TEMPLATES = {'end_block': 'eighth/admin/room_utilization.html', 'start_block': 'eigh
done(form_list, **kwargs)

```

```
get_context_data (form, **kwargs)
get_form_kwargs (step=None)
get_template_names ()

intranet.apps.eighth.views.admin.rooms.add_room_view (request)
intranet.apps.eighth.views.admin.rooms.delete_room_view (request, room_id)
intranet.apps.eighth.views.admin.rooms.edit_room_view (request, room_id)
intranet.apps.eighth.views.admin.rooms.room_sanity_check_view (request)
intranet.apps.eighth.views.admin.rooms.room_utilization_action (request,
                                                               start_id,
                                                               end_id)
intranet.apps.eighth.views.admin.rooms.room_utilization_for_block_view (request)
intranet.apps.eighth.views.admin.rooms.room_utilization_view (self, request, *args,
                                                               **kwargs)
```

### intranet.apps.eighth.views.admin.scheduling module

```
class intranet.apps.eighth.views.admin.scheduling.EighthAdminTransferStudentsWizard (**kwargs)
Bases: formtools.wizard.views.SessionWizardView

FORMS = [('block_1', <class 'intranet.apps.eighth.forms.admin.blocks.BlockSelectionForm'>),
          ...]
TEMPLATES = {'activity_1': 'eighth/admin/transfer_students.html', 'activity_2': 'eighth/admin/transfer_students.html'}
done (form_list, **kwargs)
get_context_data (form, **kwargs)
get_form_kwargs (step=None)
get_template_names ()

class intranet.apps.eighth.views.admin.scheduling.EighthAdminUnsignupStudentsWizard (**kwargs)
Bases: formtools.wizard.views.SessionWizardView

FORMS = [('block_1', <class 'intranet.apps.eighth.forms.admin.blocks.BlockSelectionForm'>),
          ...]
TEMPLATES = {'activity_1': 'eighth/admin/transfer_students.html', 'block_1': 'eighth/admin/unsignup_students.html'}
done (form_list, **kwargs)
get_context_data (form, **kwargs)
get_form_kwargs (step=None)
get_template_names ()

intranet.apps.eighth.views.admin.scheduling.distribute_students_view (request)
intranet.apps.eighth.views.admin.scheduling.remove_duplicates_view (request)
intranet.apps.eighth.views.admin.scheduling.schedule_activity_view (request)
intranet.apps.eighth.views.admin.scheduling.show_activity_schedule_view (request)
intranet.apps.eighth.views.admin.scheduling.transfer_students_action (request)
Do the actual process of transferring students.
```

---

```
intranet.apps.eighth.views.admin.scheduling.transfer_students_view(self, re-
quest,
*args,
**kwargs)
intranet.apps.eighth.views.admin.scheduling.signup_students_view(self, re-
quest,
*args,
**kwargs)
```

## **intranet.apps.eighth.views.admin.sponsors module**

```
intranet.apps.eighth.views.admin.sponsors.add_sponsor_view(request)
intranet.apps.eighth.views.admin.sponsors.delete_sponsor_view(request, spon-
sor_id)
intranet.apps.eighth.views.admin.sponsors.edit_sponsor_view(request, sponsor_id)
intranet.apps.eighth.views.admin.sponsors.list_sponsor_view(request)
intranet.apps.eighth.views.admin.sponsors.sponsor_sanity_check_view(request)
intranet.apps.eighth.views.admin.sponsors.sponsor_schedule_view(request, spon-
sor_id)
```

## **intranet.apps.eighth.views.admin.users module**

```
intranet.apps.eighth.views.admin.users.add_user_view(request)
    Add a new user
intranet.apps.eighth.views.admin.users.delete_user_view(request, pk)
intranet.apps.eighth.views.admin.users.list_user_view(request)
```

## **Module contents**

### **Submodules**

## **intranet.apps.eighth.views.activities module**

```
intranet.apps.eighth.views.activities.calculate_statistics(activity,
start_date=None,
all_years=False,
year=None,          fu-
ture=False)
intranet.apps.eighth.views.activities.chunks(l, n)
intranet.apps.eighth.views.activities.current_school_year()
intranet.apps.eighth.views.activities.generate_statistics_pdf(activities=None,
start_date=None,
all_years=False,
year=None)
```

Accepts EighthActivity objects and outputs a PDF file.

**intranet.apps.eighth.views.api module**

```
class intranet.apps.eighth.views.api.BlockPagination
    Bases: rest_framework.pagination.PageNumberPagination
        max_page_size = 200
        page_size = 50
        page_size_query_param = 'page_size'

class intranet.apps.eighth.views.api.EighthActivityDetail(**kwargs)
    Bases: rest_framework.generics.RetrieveAPIView
        API endpoint that shows details of an eighth activity.

    permission_classes = (<class 'intranet.apps.eighth.views.api.IsAuthenticatedOrClientCr
    queryset
    serializer_class
        alias of intranet.apps.eighth.serializers.EighthActivityDetailSerializer

class intranet.apps.eighth.views.api.EighthActivityList(**kwargs)
    Bases: rest_framework.generics.ListAPIView
        permission_classes = (<class 'intranet.apps.eighth.views.api.IsAuthenticatedOrClientCr
        queryset
        serializer_class
            alias of intranet.apps.eighth.serializers.EighthActivityListSerializer

class intranet.apps.eighth.views.api.EighthBlockDetail(**kwargs)
    Bases: rest_framework.views.APIView
        API endpoint that shows details for an eighth block.

    get(request, pk)
    permission_classes = (<class 'intranet.apps.eighth.views.api.IsAuthenticatedOrClientCr

class intranet.apps.eighth.views.api.EighthBlockList(**kwargs)
    Bases: rest_framework.generics.ListAPIView
        API endpoint that lists all eighth blocks.

    get_queryset()
    is_valid_date(date_text)
    pagination_class
        alias of BlockPagination
    permission_classes = (<class 'intranet.apps.eighth.views.api.IsAuthenticatedOrClientCr
    serializer_class
        alias of intranet.apps.eighth.serializers.EighthBlockListSerializer

class intranet.apps.eighth.views.api.EighthScheduledActivitySignupList(**kwargs)
    Bases: rest_framework.views.APIView
        API endpoint that lists all signups for a certain scheduled activity.

    get(request, scheduled_activity_id)
```

```
class intranet.apps.eighth.views.api.EighthSignupDetail(**kwargs)
Bases: rest_framework.generics.RetrieveAPIView
API endpoint that shows details of an eighth signup.

queryset
serializer_class
    alias of intranet.apps.eighth.serializers.EighthSignupSerializer

class intranet.apps.eighth.views.api.EighthUserFavoritesAdd(**kwargs)
Bases: rest_framework.generics.CreateAPIView
create(request, user_id=None)
get_queryset()
queryset
serializer_class
    alias of intranet.apps.eighth.serializers.EighthActivityDetailSerializer

class intranet.apps.eighth.views.api.EighthUserFavoritesListToggle(**kwargs)
Bases: rest_framework.generics.ListCreateAPIView
create(request, user_id=None)
get_queryset()
list(request)
queryset
serializer_class
    alias of intranet.apps.eighth.serializers.EighthToggleFavoriteSerializer

class intranet.apps.eighth.views.api.EighthUserFavoritesRemove(**kwargs)
Bases: rest_framework.generics.ListCreateAPIView
create(request, user_id=None)
get_queryset()
list(request)
queryset
serializer_class
    alias of intranet.apps.eighth.serializers.EighthActivityListSerializer

class intranet.apps.eighth.views.api.EighthUserSignupListAdd(**kwargs)
Bases: rest_framework.generics.ListCreateAPIView
create(request, user_id=None)
is_valid_date(date_text)
list(request, user_id=None)
queryset
serializer_class
    alias of intranet.apps.eighth.serializers.EighthAddSignupSerializer

class intranet.apps.eighth.views.api.IsAuthenticatedOrClientCredentials
Bases: rest_framework.permissions.BasePermission
has_permission(request, view)
```

**intranet.apps.eighth.views.attendance module**

```
class intranet.apps.eighth.views.attendance.EighthAttendanceSelectScheduledActivityWizard(...
    Bases: formtools.wizard.views.SessionWizardView

    FORMS = [('block', <class 'intranet.apps.eighth.forms.admin.blocks.BlockSelectionForm'>)
    TEMPLATES = {'activity': 'eighth/take_attendance.html', 'block': 'eighth/take_attend...
done(form_list, **kwargs)
get_context_data(form, **kwargs)
get_form_kwargs(step=None)
get_template_names()

intranet.apps.eighth.views.attendance.accept_all_passes_view(request,      sched...
                                         uled_activity_id)
intranet.apps.eighth.views.attendance.accept_pass_view(request, signup_id)
intranet.apps.eighth.views.attendance.admin_choose_scheduled_activity_view(self,
                           re...
                           quest,
                           *args,
                           **kwargs)
intranet.apps.eighth.views.attendance.generate_roster_pdf(sched_act_ids)
    Generates a PDF roster for one or more.
    EighthScheduledActivities.

Args

    sched_act_ids The list of IDs of the scheduled activities to show in the PDF.
    Returns a BytesIO object for the PDF.

intranet.apps.eighth.views.attendance.raw_roster_view(request,           sched...
                                         uled_activity_id)
intranet.apps.eighth.views.attendance.should_show_activity_list(wizard)
intranet.apps.eighth.views.attendance.take_attendance_view(request,      sched...
                                         uled_activity_id)
intranet.apps.eighth.views.attendance.teacher_choose_scheduled_activity_view(self,
                           re...
                           quest,
                           *args,
                           **kwargs)
```

**intranet.apps.eighth.views.monitoring module**

```
intranet.apps.eighth.views.monitoring.metrics_view(request)
```

**intranet.apps.eighth.views.profile module**

```
intranet.apps.eighth.views.profile.date_fmt(date)
```

```
intranet.apps.eighth.views.profile.get_profile_context(request, user_id=None, date=None)
```

**intranet.apps.eighth.views.routers module**

Views that render different pages depending on the user that requests them.

```
intranet.apps.eighth.views.routers.eighth_redirect_view(request)
```

**intranet.apps.eighth.views.signup module****Module contents****Submodules****intranet.apps.eighth.admin module**

```
class intranet.apps.eighth.admin.EighthActivityAdmin(model, admin_site)
    Bases: simple_history.admin.SimpleHistoryAdmin
    list_display = ('name', 'special', 'administrative', 'deleted')
    list_filter = ('special', 'administrative', 'deleted')
    ordering = ('name',)

class intranet.apps.eighth.admin.EighthBlockAdmin(model, admin_site)
    Bases: simple_history.admin.SimpleHistoryAdmin
    list_display = ('date', 'block_letter', 'comments', 'signup_time', 'locked')
    list_filter = ('locked',)
    ordering = ('date', 'block_letter')

class intranet.apps.eighth.admin.EighthRoomAdmin(model, admin_site)
    Bases: simple_history.admin.SimpleHistoryAdmin
    list_display = ('name', 'capacity')
    ordering = ('name',)

class intranet.apps.eighth.admin.EighthScheduledActivityAdmin(model, min_site)
    Bases: simple_history.admin.SimpleHistoryAdmin
    list_display = ('activity', 'block', 'comments', 'admin_comments', 'cancelled')
    list_filter = ('block', 'cancelled')
```

```
ordering = ('block', 'activity')

class intranet.apps.eighth.admin.EighthSignupAdmin(model, admin_site)
    Bases: simple_history.admin.SimpleHistoryAdmin

    get_activity(obj)
    get_block(obj)

    list_display = ('user', 'get_activity', 'get_block', 'after_deadline', 'was_absent')
    list_filter = ('scheduled_activity_block',)
    ordering = ('scheduled_activity', 'user')
    raw_id_fields = ('user', 'scheduled_activity')

class intranet.apps.eighth.admin.EighthSponsorAdmin(model, admin_site)
    Bases: simple_history.admin.SimpleHistoryAdmin

    list_display = ('first_name', 'last_name', 'user', 'online_attendance', 'show_full_name')
    list_filter = ('online_attendance', 'show_full_name')
    ordering = ('last_name', 'first_name')
```

## [intranet.apps.eighth.context\\_processors module](#)

`intranet.apps.eighth.context_processors.absence_count(request)`

Add the absence count to the context for students.

**Parameters** `request` – The request object

**Returns** Number of absences that a student has if a student, an empty dictionary otherwise.

`intranet.apps.eighth.context_processors.enable_waitlist(request)`

Add whether the waitlist is enabled to the context.

**Parameters** `request` – The request object

**Returns** Whether the waitlist is enabled.

**Return type** `bool`

`intranet.apps.eighth.context_processors.start_date(request)`

Add the start date to the context for eighth admins.

**Parameters** `request` – The request object

**Returns** The start date if an eighth\_admin, an empty dictionary otherwise.

## [intranet.apps.eighth.exceptions module](#)

`exception intranet.apps.eighth.exceptions.SignupException`

Bases: `Exception`

`as_response(html=True, admin=False)`

`messages(admin=False)`

`intranet.apps.eighth.exceptions.m`

alias of `intranet.apps.eighth.exceptions.Message`

**intranet.apps.eighth.models module**

```
class intranet.apps.eighth.models.AbstractBaseEighthModel(*args, **kwargs)
    Bases: django.db.models.base.Model

    Abstract base model that includes created and last modified times.

created_time
    The time the model was created

    Type datetime

last_modified_time
    The time the model was last modified.

    Type datetime

class Meta
    Bases: object

    abstract = False

created_time
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

last_modified_time
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

class intranet.apps.eighth.models.EighthActivity(*args, **kwargs)
    Bases: intranet.apps.eighth.models.AbstractBaseEighthModel

    Represents an eighth period activity.

name
    The name of the activity, max length 100 characters.

    Type str

description
    The description of the activity, shown on the signup page below the other information. Information on an EighthScheduledActivity basis can be found in the “comments” field of that model. Max length 2000 characters.

    Type str

sponsors
    The default activity-level sponsors for the activity. On an EighthScheduledActivity basis, you should NOT query this field. Instead, use scheduled_activity.get_true_sponsors()

    Type list of EighthSponsor

rooms
    The default activity-level rooms for the activity. On an EighthScheduledActivity basis, you should NOT query this field. Use scheduled_activity.get_true_rooms()

    Type list of EighthRoom

default_capacity
    The default capacity, which overrides the sum of the default rooms when scheduling the activity. By default, this has a null value and is ignored.

    Type int
```

**presign**

If True, the activity can only be signed up for within 48 hours of the day that the activity is scheduled.

**Type** bool

**one\_a\_day**

If True, a student can only sign up for one instance of this activity per day.

**Type** bool

**both\_blocks**

If True, a signup for an EighthScheduledActivity during an A or B block will enforce and automatically trigger a signup on the other block. Does not enforce signups for blocks other than A and B.

**Type** bool

**sticky**

If True, then students who sign up or are placed in this activity cannot switch out of it. A sticky activity should also be restricted, unless you're mean.

**Type** bool

**special**

If True, then the activity receives a special designation on the signup list, and is stuck to the top of the list.

**Type** bool

**administrative**

If True, then students cannot see the activity in their signup list. However, the activity still exists in the system and can be seen by administrators. Students can still sign up for the activity through the API – this does not prevent students from signing up for it, and just merely hides it from view. An administrative activity should be restricted.

**Type** bool

**finance**

The account name of the club with the Finance Office. If blank or null, there is no account.

**Type** str

**restricted**

Whether the signups for the activity are restricted to certain users/groups or if there are blacklisted users.

**Type** str

**users\_allowed**

Individual users allowed to sign up for this activity. Extensive use of this is discouraged; make a group instead through the “Add and Assign Empty Group” button on the Edit Activity page. Only takes effect if the activity is restricted.

**Type** list of User

**groups\_allowed**

Individual groups allowed to sign up for this activity. Only takes effect if the activity is restricted.

**Type** list of Group

**users\_blacklisted**

Individual users who are not allowed to sign up for this activity. Only takes effect if the activity is not restricted.

**Type** list of User

**freshman\_allowed**

Whether freshmen are allowed to sign up for this activity. Only takes effect if the activity is restricted.

**Type** bool

**sophomores\_allowed**

Whether sophomores are allowed to sign up for this activity. Only takes effect if the activity is restricted.

**Type** bool

**juniors\_allowed**

Whether juniors are allowed to sign up for this activity. Only takes effect if the activity is restricted.

**Type** bool

**seniors\_allowed**

Whether seniors are allowed to sign up for this activity. Only takes effect if the activity is restricted.

**Type** bool

**wed\_a**

Whether the activity generally meets on Wednesday A blocks. Does not affect schedule, is just information for the Eighth Office.

**Type** bool

**wed\_b**

Whether the activity generally meets on Wednesday B blocks. Does not affect schedule, is just information for the Eighth Office.

**Type** bool

**fri\_a**

Whether the activity generally meets on Friday A blocks. Does not affect schedule, is just information for the Eighth Office.

**Type** bool

**fri\_b**

Whether the activity generally meets on Friday B blocks. Does not affect schedule, is just information for the Eighth Office.

**Type** bool

**admin\_comments**

Notes for the Eighth Office.

**Type** str

**favorites**

A ManyToManyField of User objects who have favorited the activity.

**Type** list of User

**similarities**

A ManyToManyField of EighthActivitySimilarity objects which are similar to this activity.

**Type** list of EighthActivitySimilarity

**deleted**

Whether the activity still technically exists in the system, but was marked to be deleted.

**Type** bool

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**admin\_comments**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**administrative**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property aid**

The publicly visible activity ID.

**Returns** The public activity ID.

**classmethod available\_ids () → List[int]**

Returns all available IDs not used by an EighthActivity.

**Returns** A list of the available activity IDs.

**both\_blocks**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**capacity () → int**

Returns ‘default\_capacity’ if it is set. Otherwise, returns the total capacity of all the activity’s rooms.

**Returns** The activity’s capacity.

**default\_capacity**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**deleted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighthblock\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**eightscheduledactivity\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **favorites**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **finance**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **property frequent\_users**

Return a `QuerySet` of user id's and counts that have signed up for this activity more than `settings.SIMILAR_THRESHOLD` times.

This is used for suggesting activities to users.

**Returns** A `QuerySet` of users who attend this activity frequently.

#### **freshmen\_allowed**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **fri\_a**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **fri\_b**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **get\_active\_schedulings()** → Union[django.db.models.query.QuerySet,

Collection[intranet.apps.eighth.models.EighthScheduledActivity]]

Returns all `EighthScheduledActivity`s scheduled this year for this activity.

**Returns** `EighthScheduledActivity`s of this activity occurring this year.

#### **groups\_allowed**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

`history = <simple_history.manager.HistoryManager object>`

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property is\_active**

Returns whether an activity is “active.” An activity is considered to be active if it has been scheduled at all this year.

**Returns:** Whether the activity is active.

**property is\_popular**

Returns whether this activity has more than `settings.SIMILAR_THRESHOLD * 2 frequent_users`.

**Returns** Whether this activity has more than `settings.SIMILAR_THRESHOLD * 2 frequent_users`.

**juniors\_allowed**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property name\_with\_flags**

Return the activity name with special, both blocks, restricted, administrative, sticky, and deleted flags.

**Returns** The activity name with all flags.

**property name\_with\_flags\_no\_restricted**

Returns the activity’s name with flags. These flags indicate whether the activity is special, both blocks, administrative, sticky, and/or cancelled.

**Returns:** The activity name with all flags except the “restricted” flag.

**objects = <django.db.models.manager.Manager object>**

**one\_a\_day**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**presign**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**restricted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**classmethod restricted\_activities\_available\_to\_user** (`user: in-tranet.apps.users.models.User`)  
→ `List[int]`

Finds the restricted activities available to the given user.

**Parameters** `user` – The User to find the restricted activities for.

**Returns** The restricted activities available to the user.

**rooms**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **save\_without\_historical\_record(\*args, \*\*kwargs)**

Save model without saving a historical record

Make sure you know what you're doing before you use this method.

#### **seniors\_allowed**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **similarities**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **sophomores\_allowed**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **special**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **sponsors**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **sticky**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
undeleted_objects = <intranet.apps.eighth.models.EighthActivityExcludeDeletedManager object>
```

#### **users\_allowed**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **users\_blacklisted**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **wed\_a**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **wed\_b**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** intranet.apps.eighth.models.**EighthActivityExcludeDeletedManager**

Bases: django.db.models.manager.Manager

**get\_queryset()**

**class** intranet.apps.eighth.models.**EighthActivitySimilarity**(*id, created\_time, last\_modified\_time, count, weighted*)

Bases: *intranet.apps.eighth.models.AbstractBaseEighthModel*

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

#### **activity\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **count**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**update\_weighted()**

Recalculates the ‘weighted’ field based on changes to similar activities.

**weighted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.eighth.models.EighthActivityFavorites(id, eighthactivity,  
user)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**eighthactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.eighth.models.EighthActivityGroupsAllowed(id, eighthactivity,  
group)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**eighthactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**eighthactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**group\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

```
class intranet.apps.eighth.models.EighthActivity_rooms(id, eighthactivity, eighthroom)
```

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**eighthactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**eighthactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighthroom**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthroom\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

```
class intranet.apps.eighth.models.EighthActivitySimilarities(id, eighthactivity,
                                                               eighthactivitysimilarity)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**eighthactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighthactivitysimilarity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthactivitysimilarity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****class** intranet.apps.eighth.models.EighthActivity\_sponsors (*id, eighthactivity, eighthsponsor*)  
Bases: django.db.models.base.Model**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**eighthactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighthsponsor**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthsponsor\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****class** intranet.apps.eighth.models.EighthActivity\_users\_allowed (*id, eighthactivity, user*)  
Bases: django.db.models.base.Model**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**eighthactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.eighth.models.EighthActivity_users_blacklisted(id,
                                                               eighthactivity,
                                                               user)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**eighthactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class intranet.apps.eighth.models.EighthBlock(\*args, \*\*kwargs)**

Bases: *intranet.apps.eighth.models.AbstractBaseEighthModel*

Represents an eighth period block.

**date**

The date of the block.

**signup\_time**

The recommended time at which all users should sign up. This does *not* prevent people from signing up at this time, however students will see the amount of time left to sign up. Defaults to 12:40.

**block\_letter**

The block letter (e.g. A, B, A1, A2, SOL). Despite its name, it can now be more than just a letter.

**locked**

Whether signups are closed.

**activities**

List of *EighthScheduledActivity*s for the block.

**override\_blocks**

List of *EighthBlocks* that the block overrides.

This allows the half-blocks used during Techlab visits to be easily managed. If a student should only be allowed to sign up for either only block A or both blocks A1 and A2, then block A would override blocks A1 and A2, and blocks A1 and A2 would override block A.

**comments**

A short comments field displayed next to the block letter.

**exception DoesNotExist**

Bases: *django.core.exceptions.ObjectDoesNotExist*

**exception MultipleObjectsReturned**

Bases: *django.core.exceptions.MultipleObjectsReturned*

**activities**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**attendance\_locked() → bool**

Returns whether the block's attendance is locked.

If the block's attendance is locked, non-eighth admins cannot change attendance.

**Returns** Whether the block's attendance is locked.

**block\_letter**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**comments**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**date\_in\_past() → bool**

Returns whether the block has already happened.

**Returns** Whether the block's date is in the past.

**eighthblock\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**eightscheduledactivity\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**`eighthwaitlist_set`**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**`property formatted_date`**

Returns the block date, formatted according to `settings.EIGHTH_BLOCK_DATE_FORMAT`.

**Returns** The formatted block date.

**`get_hidden_signups()`** → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthSignup]]

Returns a QuerySet of EighthSignups whose users are not students but have signed up for an activity.

This is usually a list of signups for the z-Withdrawn from TJ activity.

**Returns** A QuerySet of users who are not current students but have signed up for an activity this block.

**`get_next_by_date(*, field=<django.db.models.fields.DateField: date>, is_next=True, **kwargs)`**

**`get_previous_by_date(*, field=<django.db.models.fields.DateField: date>, is_next=False, **kwargs)`**

**`get_unsigned_students()`** → Union[django.db.models.query.QuerySet, Collection[intranet.apps.users.models.User]]

Return a QuerySet of people who haven't signed up for an activity during this block.

**Returns** The users who have not signed up for an activity during this block.

**`history = <simple_history.manager.HistoryManager object>`**

**`id`**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**`in_clear_absence_period()`** → bool

Returns whether today's date is within the block's clear absence period. This determines whether the option to clear an eighth period absence should be shown. If the block is not within the clear absence period, an absence cannot be cleared.

**Returns** Whether the current date is in the block's clear absence period.

**`property is_this_year`**

Return whether the block occurs during this school year.

**Returns** Whether the block occurs during this school year.

**`is_today()`** → bool

Returns whether the block occurs today.

**Returns** Whether the block occurs today.

**`property letter_width`**

Returns the width in pixels that should be allocated for the `block_letter` on the signup page.

**Returns** The width in pixels of the block letter.

**locked**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**next\_blocks (quantity: int = -1) → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthBlock]]**

Gets future blocks this school year in order.

**Parameters quantity** – The number of blocks to list after this block, or -1 for all following blocks.

**Returns** A QuerySet with the specified number of future blocks this school year. If quantity is passed, then the QuerySet will not be filter()-able.

**num\_no\_signups () → int**

Gets how many people have not signed up for an activity this block.

**Returns** The number of people who have not signed up for an activity during this block.

**num\_signups () → int**

Gets how many people have signed up for an activity this block.

**Returns** The number of people who have signed up for an activity during this block.

**objects = <intranet.apps.eighth.models.EighthBlockManager object>****override\_blocks**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**previous\_blocks (quantity: int = -1) → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthBlock]]**

Gets the previous blocks this school year in order.

**Parameters quantity** – The number of blocks to list before this block, or -1 for all previous blocks.

**Returns**

If `quantity` is not passed, returns a QuerySet with all the blocks this school year before this block.

If `quantity` is passed, returns a list with the specified number of blocks this school year before this block.

**save (\*args, \*\*kwargs)**

Capitalize the first letter of the block name.

**save\_without\_historical\_record (\*args, \*\*kwargs)**

Save model without saving a historical record

Make sure you know what you're doing before you use this method.

**property short\_text**

Returns the date and block letter for this block.

It is returned in the format of MM/DD B, like “9/1 B”

**Returns** The date and block letter.

**signup\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**signup\_time\_future () → bool**

Returns whether the block closes in the future.

**Returns** Whether the block’s signup time is in the future.

**class** `intranet.apps.eighth.models.EighthBlockManager`

Bases: `django.db.models.manager.Manager`

**get\_blocks\_this\_year () → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthBlock]]**

Gets a QuerySet of blocks that occur this school year.

**Returns** A QuerySet of all the blocks that occur during this school year.

**get\_blocks\_today () → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthBlock]]**

Gets a QuerySet of blocks that occur today.

**Returns** A QuerySet of all the blocks that occur today.

**get\_first\_upcoming\_block () → intranet.apps.eighth.models.EighthBlock**

Gets the first upcoming block (the first block that will take place in the future).

**Returns** The first upcoming EighthBlock object, or None if there are none upcoming.

**get\_next\_upcoming\_blocks () → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthBlock]]**

Gets the next upccoming blocks.

It finds the other blocks that are occurring on the day of the first upcoming block.

**Returns** A QuerySet of the next upcoming EighthBlock objects.

**get\_queryset ()**

**get\_upcoming\_blocks (max\_number: int = -1) → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthBlock]]**

Gets the given number of upcoming blocks that will take place in the future.

If there is no block in the future, the most recent block will be returned.

**Returns** A QuerySet of the X upcoming EighthBlock objects.

**class** `intranet.apps.eighth.models.EighthBlockQuerySet (model=None, query=None, using=None, hints=None)`

Bases: `django.db.models.query.QuerySet`

**filter\_today () → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthBlock]]**

Gets EighthBlocks that occur today.

**Returns** A QuerySet containing all of the blocks selected by this QuerySet that occur today.

**this\_year () → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthBlock]]**

Get EighthBlocks from this school year only.

**Returns** A QuerySet containing all of the blocks selected by this QuerySet that occur during this school year.

```
class intranet.apps.eighth.models.EighthBlock_override_blocks(id,
                                                               from_eighthblock,
                                                               to_eighthblock)
Bases: django.db.models.base.Model
exception DoesNotExist
Bases: django.core.exceptions.ObjectDoesNotExist
exception MultipleObjectsReturned
Bases: django.core.exceptions.MultipleObjectsReturned
from_eighthblock
Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.
```

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**from\_eighthblock\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**to\_eighthblock**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**to\_eighthblock\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class intranet.apps.eighth.models.EighthRoom(\*args, \*\*kwargs)**

Bases: *intranet.apps.eighth.models.AbstractBaseEighthModel*

Represents a room in which an eighth period activity can be held.

**name**

The name of the room.

**Type** str

**capacity**

The maximum capacity of the room (-1 for unlimited, 0 to prevent student signup)

**Type** int

**available\_for\_eighth**  
Whehther the room is available for eighth period signups.

**Type** bool

**exception DoesNotExist**  
Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**  
Bases: django.core.exceptions.MultipleObjectsReturned

**available\_for\_eighth**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**capacity**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighthactivity\_set**  
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.  
Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**eightscheduledactivity\_set**  
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.  
Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**property formatted\_name**  
The formatted name of the room.  
If it looks like the room is a numbered room – the name starts with either a number or with the text “Room” – returns “Rm. <room number>.”

**Returns** The formatted name of the Room.

**history = <simple\_history.manager.HistoryManager object>**

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```

objects = <django.db.models.manager.Manager object>
save_without_historical_record(*args, **kwargs)
    Save model without saving a historical record

    Make sure you know what you're doing before you use this method.

property to_be_determined
    Whether the Room needs to be assigned.

static total_capacity_of_rooms(rooms: Iterable[EighthRoom]) → int
    Returns the total capacity of the provided rooms.

    Parameters rooms – Rooms to determine total capacity for.

    Returns The total capacity of the provided rooms.

unique_together = (('name', 'capacity'),)

class intranet.apps.eighth.models.EighthScheduledActivity(*args, **kwargs)
Bases: intranet.apps.eighth.models.AbstractBaseEighthModel

Represents the relationship between an activity and a block in which it has been scheduled.

block
    EighthBlock The EighthBlock during which an EighthActivity has been scheduled

activity
    The scheduled EighthActivity

members
    The Users who have signed up for an EighthBlock

both_blocks
    If True, a signup for an EighthScheduledActivity during an A or B block will enforce and automatically trigger a signup on the other block. Does not enforce signups for blocks other than A and B.

comments
    Notes for students

admin_comments
    Notes for the Eighth Office

sponsors
    EighthSponsors that will override the EighthActivity's default sponsors

rooms
    EighthRooms that will override the EighthActivity's default rooms

attendance_taken
    Whether the EighthSponsor for the scheduled EighthActivity has taken attendance yet

special
    Whether this scheduled instance of the activity is special. If not set, falls back on the EighthActivity's special setting.

cancelled
    whether the EighthScheduledActivity has been cancelled

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

```

### activity

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

### activity\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**add\_user** (*user: get\_user\_model(), request: Optional[django.http.request.HttpRequest] = None, force: bool = False, no\_after\_deadline: bool = False, add\_to\_waitlist: bool = False*)

Signs up a user to this scheduled activity if possible. This is where the magic happens.

Raises an exception if there's a problem signing the user up unless the signup is forced and the requesting user has permission.

#### Parameters

- **user** – The user to add to the scheduled activity.
- **request** – The request object associated with the signup action. Should always be passed if applicable, as some information is extracted from the request.
- **force** – Whether to force the signup.
- **no\_after\_deadline** – Whether to mark the user as not having signed up after the deadline, regardless of whether they did or not.
- **add\_to\_waitlist** – Explicitly add the user to the waitlist.

### admin\_comments

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### administrative

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### archived\_member\_count

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### attendance\_taken

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### block

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**block\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**both\_blocks**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**cancel()**

Cancel an EighthScheduledActivity and send a notification email to signed-up students. This method should be always be called instead of setting the ‘cancelled’ flag manually. (Note: To avoid spamming students signed up for both-block activities, an email is not sent for the B-block activity in both-block activities.)

**cancelled**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**capacity**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**comments**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighthsignup\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**eighthwaitlist\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**event\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**property full\_title**

Gets the full title for the activity, appending the title of the scheduled activity to the activity's name.

**Returns** The full title for the scheduled activity, without flags.

**get\_administrative() → bool**

Returns whether this scheduled activity is administrative.

**Returns** Whether this activity is administrative

**get\_all\_associated\_rooms() → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthRoom]]**

Returns a QuerySet of all the rooms associated with either this EighthScheduledActivity or its EighthActivity.

**Returns** A QuerySet of all the rooms associated with either this EighthScheduledActivity or its EighthActivity.

**get\_both\_blocks\_sibling() → Optional[intranet.apps.eighth.models.EighthScheduledActivity]**

If this is a both-blocks activity, get the other EighthScheduledActivity object that occurs on the other block.

both\_blocks means A and B block, NOT all of the blocks on that day.

**Returns** EighthScheduledActivity object if found. None, if the activity cannot have a sibling.

**get\_finance() → str**

Retrieves the name of this activity's account with the finance office, if any.

**Returns** The name of this activity's account with the finance office.

**get\_hidden\_members(user: Optional[intranet.apps.users.models.User] = None) → Union[django.db.models.query.QuerySet, Collection[intranet.apps.users.models.User]]**

Returns a QuerySet of the members that you do not have permission to view.

**Parameters user** – The user who is attempting to view the member list.

**Returns** Unsorted QuerySet of the members that you do not have permission to view.

**get\_restricted() → bool**

Gets whether this scheduled activity is restricted.

**Returns** Whether this scheduled activity is restricted.

**get\_special() → bool**

Returns whether this scheduled activity is special.

**Returns** Whether this scheduled activity is special.

**get\_sticky() → bool**

Gets whether this scheduled activity is sticky.

**Returns** Whether this scheduled activity is sticky.

**get\_true\_capacity() → int**

Retrieves the capacity for the scheduled activity, taking into account activity defaults and overrides.

**Returns** The true capacity of the scheduled activity.

**get\_true\_rooms() → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthRoom]]**

Retrieves the rooms for the scheduled activity, taking into account activity defaults and overrides.

**Returns** The true room list of the scheduled activity.

**get\_true\_sponsors()** → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthSponsor]]

Retrieves the sponsors for the scheduled activity, taking into account activity defaults and overrides.

**Returns** The sponsors for this scheduled activity.

**get\_viewable\_members(user: Optional[intranet.apps.users.models.User] = None)**

→ Union[django.db.models.query.QuerySet, Collection[intranet.apps.users.models.User]]

Returns a QuerySet of the members that you have permission to view, sorted alphabetically.

**Parameters user** – The user who is attempting to view the member list.

**Returns** QuerySet of the members that you have permission to view, sorted alphabetically.

**get\_viewable\_members\_serializer(request) → Union[django.db.models.query.QuerySet, Collection[intranet.apps.users.models.User]]**

Given a request, returns an unsorted QuerySet of the members that the requesting user has permission to view.

**Parameters request** – The request object associated with the member list query.

**Returns** Unsorted QuerySet of the members that you have permssion to view.

**has\_open\_passes() → bool**

Returns whether there are passes that have not been acknowledged.

**Returns** Whether this activity has open passes.

**history = <simple\_history.manager.HistoryManager object>**

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_almost\_full() → bool**

Returns whether the scheduled activity is almost full (>=90%).

**Returns** Whether this scheduled activity is at least 90% full.

**is\_both\_blocks() → bool**

Gets whether this scheduled activity runs both blocks.

**Returns** Whether this scheduled activity runs both blocks.

**is\_full(nocache: bool = False) → bool**

Returns whether the scheduled activity is full.

**Parameters nocache** – Whether to disable caching for the query that checks the scheduled activity's current capacity.

**Returns** Whether this scheduled activity is full.

**is\_overbooked() → bool**

Returns whether the activity is overbooked (>100%) capacity.

**Returns** Whether this scheduled activity is overbooked.

**is\_too\_early\_to\_signup(now: Optional[datetime.datetime] = None) → bool**

Returns whether it is too early to sign up for the activity if it is a presign.

This contains the 48 hour presign logic.

**Parameters now** – A datetime object to use for the check instead of the current time.

**Returns** Whether it is too early to sign up for this scheduled activity.

### **members**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

### **notify\_waitlist (waitlists: Iterable[EighthWaitlist])**

Notifies all users on the given EighthWaitlist objects that the activity they are on the waitlist for has an open spot.

**Parameters** `waitlists` – The EighthWaitlist objects whose users should be notified that the activity has an open slot.

### **objects = <intranet.apps.eighth.models.EighthScheduledActivityManager object>**

### **restricted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **rooms**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

### **save (\*args, \*\*kwargs)**

### **save\_without\_historical\_record (\*args, \*\*kwargs)**

Save model without saving a historical record

Make sure you know what you're doing before you use this method.

### **special**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **sponsors**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**sticky**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**title**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property title\_with\_flags**

Gets the title for the activity, appending the title of the scheduled activity to the activity's name and flags.

**Returns** The full title for the scheduled activity, with flags.

**uncancel()**

Uncancel an EighthScheduledActivity.

This does nothing besides unset the cancelled flag and save the object.

**user\_is\_sponsor(user: intranet.apps.users.models.User) → bool**

Returns whether the given user is a sponsor of the activity.

**Parameters** **user** – The user to check for sponsorship of this activity.

**Returns** Whether the given user is a sponsor of the activity.

**waitlist**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**class intranet.apps.eighth.models.EighthScheduledActivityManager**

Bases: django.db.models.manager.Manager

Model Manager for EighthScheduledActivity.

```
for_sponsor(sponsor:     intranet.apps.eighth.models.EighthSponsor,      include_cancelled:
            bool      = False)   → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthScheduledActivity]]
```

Returns a QuerySet of EighthScheduledActivities where the given EighthSponsor is sponsoring.

If a sponsorship is defined in an EighthActivity, it may be overridden on a block by block basis in an EighthScheduledActivity. Sponsors from the EighthActivity do not carry over.

EighthScheduledActivities that are deleted or cancelled are also not counted.

**Parameters**

- **sponsor** – The sponsor to search for.
- **include\_cancelled** – Whether to include cancelled activities. Deleted activities are always excluded.

**Returns**

A QuerySet of EighthScheduledActivities where the given EighthSponsor is sponsoring.

```
class intranet.apps.eighth.models.EighthScheduledActivity_rooms (id, eighth-
    scheduledac-
        tivity, eighth-
            room)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**eighthroom**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child (Model) :
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthroom\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eightscheduledactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child (Model) :
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eightscheduledactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

```
class intranet.apps.eighth.models.EighthScheduledActivity_sponsors (id, eighth-
    sched-
        uledac-
            tivity,
                eighth-
                    sponsor)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**eighthscheduledactivity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthscheduledactivity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighthsponsor**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eighthsponsor\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**class** intranet.apps.eighth.models.EighthSignup(\*args, \*\*kwargs)  
Bases: *intranet.apps.eighth.models.AbstractBaseEighthModel*

Represents a signup/membership in an eighth period activity.

**user**

The *User* who has signed up.

**scheduled\_activity**

The *EighthScheduledActivity* for which the user has signed up.

**after\_deadline**

Whether the signup was after deadline.

**previous\_activity\_name**

The name of the activity the student was previously signed up for (used for passes)

**previous\_activity\_sponsors**

The sponsors of the activity the student was previously signed up for.

**pass\_accepted**

Whether the pass was accepted

**was\_absent**

Whether the student was absent.

**absence\_acknowledged**

Whether the student has dismissed the absence notification.

**absence\_email**

Whether the student has been emailed about the absence.

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**absence\_acknowledged**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**absence\_email**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**accept\_pass()**

Accepts an eighth period pass for the EighthSignup object.

**after\_deadline**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**archive\_remove\_absence()**

If user was absent, archives the absence.

**archived\_was\_absent**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_next\_by\_time(\*, field=<django.db.models.fields.DateTimeField: time>, is\_next=True, \*\*kwargs)**

**get\_previous\_by\_time(\*, field=<django.db.models.fields.DateTimeField: time>, is\_next=False, \*\*kwargs)**

**has\_conflict(nocache: bool = False) → bool**

Returns True if another EighthSignup object exists for the same user in the same block.

**Parameters** `nocache` – Whether to explicitly disable caching for this check.

**Returns** Whether there is another EighthSignup for the same user in the same block.

**history = <simple\_history.manager.HistoryManager object>**

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**in\_clear\_absence\_period() → bool**

Returns whether the block for this signup is in the clear absence period.

**Returns** Whether the block for this signup is in the clear absence period.

**objects = <intranet.apps.eighth.models.EighthSignupManager object>**

**own\_signup**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**pass\_accepted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**previous\_activity\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**previous\_activity\_sponsors**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**reject\_pass()**

Rejects an eighth period pass for the EighthSignup object.

**remove\_signup(user: Optional[intranet.apps.users.models.User] = None, force: bool = False,**

*dont\_run\_waitlist: bool = False*) → str

Attempts to remove the EighthSignup if the user has permission to do so.

**Parameters**

- **user** – The user who is attempting to remove the EighthSignup.
- **force** – Whether to force removal.
- **dont\_run\_waitlist** – Whether to skip notifying users on the activity's waitlist.

**Returns** A message to be displayed to the user indicating successful removal.

**save(\*args, \*\*kwargs)****save\_without\_historical\_record(\*args, \*\*kwargs)**

Save model without saving a historical record

Make sure you know what you're doing before you use this method.

**scheduled\_activity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**scheduled\_activity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**validate\_unique (\*args, \*\*kwargs)**

Checked whether more than one EighthSignup exists for a User on a given EighthBlock.

**was\_absent**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** intranet.apps.eighth.models.EighthSignupManager

Bases: django.db.models.manager.Manager

Model manager for EighthSignup.

**create\_signup (user: intranet.apps.users.models.User, scheduled\_activity: intranet.apps.eighth.models.EighthScheduledActivity, \*\*kwargs) → intranet.apps.eighth.models.EighthSignup**

Creates an EighthSignup for the given user in the given activity after checking for duplicate signups.

This raises an error if there are duplicate signups.

**Parameters**

- **user** – The user to create the EighthSignup for.
- **scheduled\_activity** – The EighthScheduledActivity to sign the user up for.

**get\_absences () → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthSignup]]**

Returns all EighthSignups for which the student was marked as absent.

**Returns** A QuerySet of all the EighthSignups for which the student was marked as absent.

**class** intranet.apps.eighth.models.EighthSponsor (\*args, \*\*kwargs)

Bases: *intranet.apps.eighth.models.AbstractBaseEighthModel*

Represents a sponsor for an eighth period activity.

A sponsor could be linked to an actual user or just a name.

**first\_name**

The first name of the sponsor.

**Type** str

**last\_name**

The last name of the sponsor.

**Type** str

**user**

A users.User object linked to the sponsor.

**Type** User

**department**

The sponsor's department.

**Type** str

**full\_time**

Whether the sponsor is full-time.

**Type** bool

**online\_attendance**  
Whether the sponsor takes attendance online.

**Type** bool

**contracted\_eighth**  
Whether the sponsor is contracted to supervise 8th periods.

**Type** bool

**show\_full\_name**  
Whether to always show the sponsor's full name (e.g. because there are two teachers named Lewis).

**Type** bool

```
DEPARTMENTS = (('general', 'General'), ('math_cs', 'Math/CS'), ('english', 'English'))
```

**exception DoesNotExist**  
Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**  
Bases: django.core.exceptions.MultipleObjectsReturned

**contracted\_eighth**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**department**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighthactivity\_set**  
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.  
Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**eightscheduledactivity\_set**  
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.  
Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**first\_name**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**full\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_department\_display (\*, field=<django.db.models.fields.CharField: department>)**

**history = <simple\_history.manager.HistoryManager object>**

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**last\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property name**

If show\_full\_name is set, returns “last name, first name”. Otherwise, returns last name only.

**Returns** The name to display for the sponsor, omitting the first name unless explicitly requested.

**objects = <django.db.models.manager.Manager object>**

**online\_attendance**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**save\_without\_historical\_record (\*args, \*\*kwargs)**

Save model without saving a historical record

Make sure you know what you’re doing before you use this method.

**show\_full\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property to\_be\_assigned**

Returns True if the sponsor’s name contains “to be assigned” or similar.

**Returns** Whether the sponsor is a “to be assigned” sponsor.

**user**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Restaurant.place is a ForwardOneToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.eighth.models.EighthWaitlist (id, created_time, last_modified_time,
                                                 time, user, block, scheduled_activity)
Bases: intranet.apps.eighth.models.AbstractBaseEighthModel
```

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**block**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**block\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_next_by_time(*, field=<django.db.models.fields.DateTimeField: time>, is_next=True,
                 **kwargs)
```

```
get_previous_by_time(*, field=<django.db.models.fields.DateTimeField: time>, is_next=False,
                      **kwargs)
```

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <intranet.apps.eighth.models.EighthWaitlistManager object>
```

**scheduled\_activity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**scheduled\_activity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.eighth.models.EighthWaitlistManager
Bases: django.db.models.manager.Manager

Model manager for EighthWaitlist.

check_for_presence (activity: intranet.apps.eighth.models.EighthScheduledActivity, user: intranet.apps.users.models.User) → bool
    Returns whether the given user is in a waitlist for the given activity.
```

#### Parameters

- **activity** – The activity for which the waitlist should be queried.
- **user** – The user who should be searched for in the activity’s waitlist.

**Returns** Whether the given user is in a waitlist for the given activity.

```
get_next_waitlist (activity: intranet.apps.eighth.models.EighthScheduledActivity)
    → Union[django.db.models.query.QuerySet, Collection[intranet.apps.eighth.models.EighthWaitlist]]
    Returns a QuerySet of all the EighthWaitlist objects for the given activity, ordered by signup time.
```

**Parameters** **activity** – The activity to list the EighthWaitlist objects for.

**Returns** A QuerySet of all the EighthWaitlist objects for the given activity, ordered by signup time.

```
position_in_waitlist (aid: int, uid: int) → int
```

Given an activity ID and a user ID, returns the user’s position in the waitlist (starting at 1). If the user is not in the waitlist, returns 0.

#### Parameters

- **aid** – The ID of the EighthScheduledActivity for which the waitlist should be queried.
- **uid** – The ID of the user whose position in the waitlist should be found.

**Returns** The user’s position in the waitlist, starting at 1, or 0 if the user is not in the waitlist.

## [intranet.apps.eighth.notifications module](#)

```
intranet.apps.eighth.notifications.absence_email (signup, use_celery=True)
```

```
intranet.apps.eighth.notifications.activity_cancelled_email (sched_act: intranet.apps.eighth.models.EighthScheduledActivity)
```

Notifies all the users signed up for the given EighthScheduledActivity that it has been cancelled.

**Parameters** **sched\_act** – The activity that has been cancelled.

```
intranet.apps.eighth.notifications.signup_status_email (user, next_blocks, use_celery=True)
```

## intranet.apps.eighth.serializers module

```

class intranet.apps.eighth.serializers.EighthActivityDetailSerializer(instance=None,
                                                                    data=<class
                                                                    'rest_framework.fields.empty'>,
                                                                    **kwargs)
Bases: rest_framework.serializers.HyperlinkedModelSerializer

class Meta
    Bases: object

        fields = ('id', 'name', 'description', 'administrative', 'restricted', 'presign', 'is_restricted')
        model
            alias of intranet.apps.eighth.models.EighthActivity

        fetch_scheduled_on(act)

class intranet.apps.eighth.serializers.EighthActivityListSerializer(instance=None,
                                                                    data=<class
                                                                    'rest_framework.fields.empty'>,
                                                                    **kwargs)
Bases: rest_framework.serializers.HyperlinkedModelSerializer

class Meta
    Bases: object

        fields = ('id', 'url', 'name')
        model
            alias of intranet.apps.eighth.models.EighthActivity

class intranet.apps.eighth.serializers.EighthAddSignupSerializer(instance=None,
                                                                data=<class
                                                                'rest_framework.fields.empty'>,
                                                                **kwargs)
Bases: rest_framework.serializers.Serializer

class Meta
    Bases: object

        validators = [<function add_signup_validator>]

class intranet.apps.eighth.serializers.EighthBlockDetailSerializer(instance=None,
                                                                data=<class
                                                                'rest_framework.fields.empty'>,
                                                                **kwargs)
Bases: rest_framework.serializers.Serializer

class Meta
    Bases: object

        fields = ('id', 'activities', 'date', 'block_letter')

        fetch_activity_list_with_metadata(block)
        get_activity(user, favored_activities, recommended_activities, available_restrictedActs,
                     block_id, activity_id, scheduled_activity=None)
        get_scheduled_activity(scheduled_activity_id)
        process_scheduled_activity(scheduled_activity, request=None, user=None, favored_activities=None,
                                   recommended_activities=None, available_restrictedActs=None)

```

```
class intranet.apps.eighth.serializers.EighthBlockListSerializer(instance=None,
                                                                data=<class
'rest_framework.fields.empty'>,
                                                                **kwargs)
Bases: rest_framework.serializers.HyperlinkedModelSerializer

class Meta
    Bases: object

    fields = ('id', 'url', 'date', 'block_letter', 'locked')

    model
        alias of intranet.apps.eighth.models.EighthBlock

class intranet.apps.eighth.serializers.EighthScheduledActivitySerializer(*args,
                                                                       **kwargs)
Bases: rest_framework.serializers.ModelSerializer

class Meta
    Bases: object

    fields = ('id', 'name', 'block', 'activity', 'signups', 'capacity')

    model
        alias of intranet.apps.eighth.models.EighthScheduledActivity

activity_info(scheduled_activity)
block_info(scheduled_activity)
get_capacity(scheduled_activity)
get_name(scheduled_activity)
num_signups(scheduled_activity)
signups_info(scheduled_activity)

class intranet.apps.eighth.serializers.EighthSignupSerializer(instance=None,
                                                               data=<class
'rest_framework.fields.empty'>,
                                                               **kwargs)
Bases: rest_framework.serializers.ModelSerializer

class Meta
    Bases: object

    fields = ('id', 'block', 'activity', 'scheduled_activity', 'user')

    model
        alias of intranet.apps.eighth.models.EighthSignup

activity_info(signup)
block_info(signup)
scheduled_activity_info(signup)

class intranet.apps.eighth.serializers.EighthToggleFavoriteSerializer(instance=None,
                                                                     data=<class
'rest_framework.fields.empty'>,
                                                                     **kwargs)
Bases: rest_framework.serializers.Serializer

class intranet.apps.eighth.serializers.FallbackDict(fallback)
Bases: dict
```

```

class intranet.apps.eighth.serializers.UserSerializer (instance=None, data=<class
'rest_framework.fields.empty'>,
**kwargs)
    Bases: rest_framework.serializers.ModelSerializer

    class Meta
        Bases: object

        fields = ('id', 'full_name', 'username', 'url')

        model
            alias of intranet.apps.users.models.User

        get_url (user)
            intranet.apps.eighth.serializers.add_signup_validator (value)

```

## **intranet.apps.eighth.tasks module**

### **intranet.apps.eighth.tests module**

```

class intranet.apps.eighth.tests.EighthAbstractTest (methodName='runTest')
    Bases: intranet.test.ion_test.IonTestCase

    add_activity (**args)
    add_block (**args)
    add_room (**args)

class intranet.apps.eighth.tests.EighthAdminTest (methodName='runTest')
    Bases: intranet.apps.eighth.tests.EighthAbstractTest

    add_activity (**args)
    test_eighth_admin_dashboard_view ()

class intranet.apps.eighth.tests.EighthExceptionTest (methodName='runTest')
    Bases: intranet.test.ion_test.IonTestCase

    test_signup_exception ()

class intranet.apps.eighth.tests.EighthTest (methodName='runTest')
    Bases: intranet.apps.eighth.tests.EighthAbstractTest

    Tests for the eighth module.

    create_sponsor ()
    schedule_activity (block_id, activity_id)
    setUp ()
    test_absence_email ()
    test_active_schedulings ()
    test_add_sponsor_form ()
    test_add_user ()
        Tests adding a user to a EighthScheduledActivity.

    test_all_associated_rooms ()
        Make sure EighthScheduledActivities can return all associated rooms.

```

```
test_blacklist()
    Make sure users cannot sign up for blacklisted activities.

test_both_blocks()
    Make sure that signing up for a both blocks activity works.

test_cancel_uncancel()

test_passes()

test_past_activities_listed_properly()

test_room_formatting()
    Make sure a room name formatting is correct.

test_room_use()
    Make sure EighthScheduledActivities return the correct room.

test_signup_status_email()

test_signups()
    Do some sample signups.

test_sponsor()

test_switch_cancelled_sticky()
    Make sure users can switch out of cancelled activities even if they are stickied in.

test_take_attendance_cancelled()
    Make sure students in a cancelled activity are marked as absent when the button is pressed.

test_take_attendance_zero()
    Make sure all activities with zero students are marked as having attendance taken when button is pressed.

test_total_capacity()

test_true_capacity()

verify_signup(user, schact)
```

## intranet.apps.eighth.urls module

## intranet.apps.eighth.utils module

```
intranet.apps.eighth.utils.get_start_date(request)
intranet.apps.eighth.utils.set_start_date(request, start_date)
```

## Module contents

```
class intranet.apps.eighth.HistoricalEighthActivity(id, created_time,  

                                                    last_modified_time, name, de-  

                                                    scription, default_capacity, pre-  

                                                    sign, one_a_day, both_blocks,  

                                                    sticky, special, administra-  

                                                    tive, finance, restricted,  

                                                    freshmen_allowed, sopho-  

                                                    mores_allowed, juniors_allowed,  

                                                    seniors_allowed, wed_a, wed_b,  

                                                    fri_a, fri_b, admin_comments,  

                                                    deleted, history_id, history_date,  

                                                    history_change_reason, his-  

                                                    tory_type, history_user)  

Bases: simple_history.models.HistoricalChanges, django.db.models.base.Model
```

**exception DoesNotExist**  
Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**  
Bases: django.core.exceptions.MultipleObjectsReturned

**admin\_comments**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**administrative**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**both\_blocks**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**created\_time**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**default\_capacity**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**deleted**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**description**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**finance**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**freshmen\_allowed**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**fri\_a**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**fri\_b**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_history\_type\_display**(\**, field=<django.db.models.fields.CharField: history\_type>*)

**get\_next\_by\_history\_date**(\**, field=<django.db.models.fields.DateTimeField: history\_date>, is\_next=True, \*\*kwargs*)

**get\_previous\_by\_history\_date**(\**, field=<django.db.models.fields.DateTimeField: history\_date>, is\_next=False, \*\*kwargs*)

**history\_change\_reason**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**history\_user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property instance**

**instance\_type**

alias of `intranet.apps.eighth.models.EighthActivity`

**juniors\_allowed**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**last\_modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

---

**name**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property next\_record**  
Get the next history record for the instance. *None* if last.

**objects = <django.db.models.manager.Manager object>**

**one\_a\_day**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**presign**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property prev\_record**  
Get the previous history record for the instance. *None* if first.

**restricted**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**revert\_url()**  
URL for this change in the default admin site.

**seniors\_allowed**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**sophomores\_allowed**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**special**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**sticky**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**wed\_a**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**wed\_b**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class intranet.apps.eighth.HistoricalEighthBlock** (*id, created\_time, last\_modified\_time, date, signup\_time, block\_letter, locked, comments, history\_id, history\_date, history\_change\_reason, history\_type, history\_user*)  
Bases: simple\_history.models.HistoricalChanges, django.db.models.base.Model

**exception DoesNotExist**  
Bases: django.core.exceptions.ObjectDoesNotExist

```
exception MultipleObjectsReturned
Bases: django.core.exceptions.MultipleObjectsReturned

block_letter
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

comments
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

created_time
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

date
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

get_history_type_display(*, field=<django.db.models.fields.CharField: history_type>)
get_next_by_date(*, field=<django.db.models.fields.DateField: date>, is_next=True, **kwargs)
get_next_by_history_date(*, field=<django.db.models.fields.DateTimeField: history_date>,
                        is_next=True, **kwargs)
get_previous_by_date(*, field=<django.db.models.fields.DateField: date>, is_next=False,
                     **kwargs)
get_previous_by_history_date(*, field=<django.db.models.fields.DateTimeField: history_date>, is_next=False, **kwargs)

history_change_reason
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

history_date
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

history_id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

history_type
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

history_user
Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOne-
ToOneDescriptor subclass) relation.

In the example:
```

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

```
history_user_id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.
```

```

id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

property instance

instance_type
alias of intranet.apps.eighth.models.EighthBlock

last_modified_time
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

locked
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

property next_record
Get the next history record for the instance. None if last.

objects = <django.db.models.manager.Manager object>

property prev_record
Get the previous history record for the instance. None if first.

revert_url()
URL for this change in the default admin site.

signup_time
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

class intranet.apps.eighth.HistoricalEighthRoom(id, created_time, last_modified_time, name, capacity, available_for_eighth, history_id, history_date, history_change_reason, history_type, history_user)
Bases: simple_history.models.HistoricalChanges, django.db.models.base.Model

exception DoesNotExist
Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
Bases: django.core.exceptions.MultipleObjectsReturned

available_for_eighth
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

capacity
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

created_time
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

get_history_type_display(*, field=<django.db.models.fields.CharField: history_type>)

get_next_by_history_date(*, field=<django.db.models.fields.DateTimeField: history_date>, is_next=True, **kwargs)

get_previous_by_history_date(*, field=<django.db.models.fields.DateTimeField: history_date>, is_next=False, **kwargs)

```

**history\_change\_reason**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**history\_user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property instance**

**instance\_type**

alias of `intranet.apps.eighth.models.EighthRoom`

**last\_modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property next\_record**

Get the next history record for the instance. *None* if last.

`objects = <django.db.models.manager.Manager object>`

**property prev\_record**

Get the previous history record for the instance. *None* if first.

**revert\_url()**

URL for this change in the default admin site.

```
class intranet.apps.eighth.HistoricalEighthScheduledActivity(id, created_time,  

last_modified_time,  

admin_comments,  

title, com-  

ments, capac-  

ity, both_blocks,  

special, adminis-  

trative, restricted,  

sticky, atten-  

dance_taken,  

cancelled,  

archived_member_count,  

block, activ-  

ity, history_id,  

history_date, his-  

tory_change_reason,  

history_type, his-  

tory_user)
```

Bases: simple\_history.models.HistoricalChanges, django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**activity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**activity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**admin\_comments**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**administrative**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**archived\_member\_count**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**attendance\_taken**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**block**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**block\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**both\_blocks**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**cancelled**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**capacity**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**comments**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_history\_type\_display**(\**, field=<django.db.models.fields.CharField: history\_type>)*

**get\_next\_by\_history\_date**(\**, field=<django.db.models.fields.DateTimeField: history\_date>,  
is\_next=True, \*\*kwargs)*

**get\_previous\_by\_history\_date**(\**, field=<django.db.models.fields.DateTimeField: history\_date>, is\_next=False, \*\*kwargs)*

**history\_change\_reason**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **history\_user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **property instance**

#### **instance\_type**

alias of `intranet.apps.eighth.models.EighthScheduledActivity`

#### **last\_modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **property next\_record**

Get the next history record for the instance. *None* if last.

#### **objects = <django.db.models.manager.Manager object>**

#### **property prev\_record**

Get the previous history record for the instance. *None* if first.

#### **restricted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **revert\_url()**

URL for this change in the default admin site.

#### **special**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **sticky**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **title**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.eighth.HistoricalEighthSignup(id, created_time,
                                                 last_modified_time, time,
                                                 after_deadline, previ-
                                                 ous_activity_name, pre-
                                                 vious_activity_sponsors,
                                                 pass_accepted, was_absent,
                                                 absence_acknowledged,
                                                 absence_email,
                                                 archived_was_absent, own_signup,
                                                 user, scheduled_activity, history_id,
                                                 history_date, history_change_reason, history_type,
                                                 history_user)
Bases: simple_history.models.HistoricalChanges, django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

absence_acknowledged
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

absence_email
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

after_deadline
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

archived_was_absent
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

created_time
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

get_history_type_display(*, field=<django.db.models.fields.CharField: history_type>)
get_next_by_history_date(*, field=<django.db.models.fields.DateTimeField: history_date>,
                        is_next=True, **kwargs)
get_next_by_time(*, field=<django.db.models.fields.DateTimeField: time>, is_next=True,
                  **kwargs)
get_previous_by_history_date(*, field=<django.db.models.fields.DateTimeField: history_date>, is_next=False, **kwargs)
get_previous_by_time(*, field=<django.db.models.fields.DateTimeField: time>, is_next=False,
                     **kwargs)

history_change_reason
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

history_date
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.
```

**history\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**history\_user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property instance****instance\_type**

alias of `intranet.apps.eighth.models.EighthSignup`

**last\_modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property next\_record**

Get the next history record for the instance. *None* if last.

```
objects = <django.db.models.manager.Manager object>
```

**own\_signup**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**pass\_accepted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property prev\_record**

Get the previous history record for the instance. *None* if first.

**previous\_activity\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**previous\_activity\_sponsors**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**revert\_url()**

URL for this change in the default admin site.

**scheduled\_activity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**scheduled\_activity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**was\_absent**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.eighth.HistoricalEighthSponsor(id, created_time,
                                                    last_modified_time, first_name,
                                                    last_name, department, full_time,
                                                    online_attendance, contracted_eighth, show_full_name,
                                                    user, history_id, history_date, history_change_reason, history_type,
                                                    history_user)
```

Bases: simple\_history.models.HistoricalChanges, django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**contracted\_eighth**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**department**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**first\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**full\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_department_display(*, field=<django.db.models.fields.CharField: department>)
```

```
get_history_type_display(*, field=<django.db.models.fields.CharField: history_type>)
```

```
get_next_by_history_date(*, field=<django.db.models.fields.DateTimeField: history_date>,  
is_next=True, **kwargs)
```

```
get_previous_by_history_date(*, field=<django.db.models.fields.DateTimeField: history_date>, is_next=False, **kwargs)
```

**history\_change\_reason**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**history\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**history\_user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property instance****instance\_type**

alias of `intranet.apps.eighth.models.EighthSponsor`

**last\_modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**last\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property next\_record**

Get the next history record for the instance. *None* if last.

**objects = <django.db.models.manager.Manager object>**

**online\_attendance**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property prev\_record**

Get the previous history record for the instance. *None* if first.

**revert\_url()**

URL for this change in the default admin site.

**show\_full\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## intranet.apps.emailfwd package

### Submodules

#### intranet.apps.emailfwd.apps module

```
class intranet.apps.emailfwd.apps.EmailfwdConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig
    name = 'emailfwd'
```

## intranet.apps.emailfwd.forms module

```
class intranet.apps.emailfwd.forms.SeniorEmailForwardForm(data=None, files=None,
auto_id='id_%s', prefix=None, initial=None,
error_class=<class django.forms.utils.ErrorList>,
label_suffix=None,
empty_permitted=False,
instance=None,
use_required_attribute=None,
renderer=None)
```

Bases: django.forms.models.ModelForm

```
class Meta
    Bases: object
        fields = ['email']

        model
            alias of intranet.apps.emailfwd.models.SeniorEmailForward

        declared_fields = {}
```

## intranet.apps.emailfwd.models module

```
class intranet.apps.emailfwd.models.SeniorEmailForward(id, user, email)
    Bases: django.db.models.base.Model

    exception DoesNotExist
        Bases: django.core.exceptions.ObjectDoesNotExist

    exception MultipleObjectsReturned
        Bases: django.core.exceptions.MultipleObjectsReturned

    email
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

    id
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

    objects = <django.db.models.manager.Manager object>

    user
        Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.
```

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

```
user_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.
```

## intranet.apps.emailfwd.tests module

```
class intranet.apps.emailfwd.tests.EmailFwdTest (methodName='runTest')
    Bases: intranet.test.ion_test.IonTestCase
    test_email_fwd()
        Email Forward sanity check.
```

## intranet.apps.emailfwd.urls module

## intranet.apps.emailfwd.views module

### Module contents

## intranet.apps.emerg package

### Submodules

#### intranet.apps.emerg.api module

```
intranet.apps.emerg.api.emerg_status (self, request, *args, **kwargs)
```

#### intranet.apps.emerg.tasks module

#### intranet.apps.emerg.views module

```
intranet.apps.emerg.views.check_emerg()
```

Fetch from FCPS' emergency announcement page.

URL defined in settings.FCPS\_EMERGENCY\_PAGE

Request timeout defined in settings.FCPS\_EMERGENCY\_TIMEOUT

```
intranet.apps.emerg.views.get_emerg()
```

Get the cached FCPS emergency page, or check it again.

Timeout defined in settings.CACHE\_AGE["emerg"]

```
intranet.apps.emerg.views.get_emerg_result (*, custom_logger=None)
```

Run the fetch command from FCPS.

```
intranet.apps.emerg.views.update_emerg_cache (*, custom_logger=None) → None
```

Updates the cached contents of FCPS emergency page.

This forces a cache update, regardless of whether or not the cache has expired. However, it does set the cache entry to expire in settings.CACHE\_AGE ["emerg"] seconds.

**Parameters** `custom_logger` – A custom `logging.Logger` instance to use for log messages relating to the cache update.

## Module contents

### intranet.apps.error package

#### Submodules

##### intranet.apps.error.tests module

```
class intranet.apps.error.tests.ErrorPageTest (methodName='runTest')
    Bases: intranet.test.io_TestCase

    Tests that the error pages (currently just 404 errors) render properly.

    test_404_page()
```

##### intranet.apps.error.views module

```
intranet.apps.error.views.handle_404_view (request, exception)
intranet.apps.error.views.handle_500_view (request)
intranet.apps.error.views.handle_503_view (request)
intranet.apps.error.views.handle_csrf_view (request, reason)
```

## Module contents

### intranet.apps.events package

#### Submodules

##### intranet.apps.events.admin module

##### intranet.apps.events.forms module

```
class intranet.apps.events.forms.AdminEventForm (*args, all_groups=False, **kwargs)
    Bases: django.forms.models.ModelForm

    class Meta
        Bases: object

        fields = ['title', 'description', 'time', 'location', 'scheduled_activity', 'announcement']

        help_texts = {'announcement': 'OPTIONAL: Enter the ID of the announcement -- it will be used to link the event to the announcement.'}

        model
            alias of intranet.apps.events.models.Event

        widgets = {'announcement': <django.forms.widgets.NumberInput object>, 'scheduled_activity': <django.forms.widgets.Select object>}

    declared_fields = {}

class intranet.apps.events.forms.EventForm (*args, all_groups=False, **kwargs)
    Bases: django.forms.models.ModelForm
```

```
class Meta
    Bases: object

    fields = ['title', 'description', 'time', 'location', 'groups', 'show_attending',
              'model']
    alias of intranet.apps.events.models.Event

    clean_time()

    declared_fields = {}
```

## intranet.apps.events.models module

```
class intranet.apps.events.models.Event(*args, **kwargs)
    Bases: django.db.models.base.Model
```

An event available to the TJ community.

### **title**

The title for the event.

**Type** str

### **description**

A description about the event.

**Type** str

### **links**

Links to be attached to the event. Not currently used.

**Type** LinksQuerySet

### **added**

Time created (automatically set).

**Type** datetime.datetime

### **updated**

Time last modified (automatically set).

**Type** datetime.datetime

### **time**

The date and time of the event.

**Type** datetime.datetime

### **location**

Where the event is located.

**Type** str

### **user**

The user who created the event.

**Type** User

### **scheduled\_activity**

An EighthScheduledActivity that should be linked with the event.

**Type** EighthScheduledActivity

**announcement**

An Announcement that should be linked with the event.

**Type** *Announcement*

**groups**

Groups that the event is visible to.

**Type** *GroupQuerySet*

**attending**

Users that are attending the event.

**Type** *UserQuerySet*

**show\_attending**

Whether users can mark if they are attending or not attending.

**Type** *bool*

**show\_on\_dashboard**

Whether the event will be shown on the dashboard.

**Type** *bool*

**approved**

Whether the event has been approved and will be displayed.

**Type** *bool*

**approved\_by**

The user who approved the event.

**Type** *User*

**rejected**

Whether the event was rejected and shouldn't be shown in the list of events that need to be approved.

**Type** *bool*

**rejected\_by**

The user who rejected the event.

**Type** *User*

**public**

Whether the event is public and can be shown on the login page.

**Type** *bool*

**category**

The category of the event, used for ordering on the login page.

**Type** *str*

**open\_to**

Whether this event is open to parents, students, or both, shown on the login page.

**Type** *bool*

**exception DoesNotExist**

Bases: *django.core.exceptions.ObjectDoesNotExist*

**exception MultipleObjectsReturned**

Bases: *django.core.exceptions.MultipleObjectsReturned*

**added**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**announcement**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**announcement\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**approved**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**approved\_by**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**approved\_by\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**attending**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**category**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**created\_hook (*request*)**

Run when an event is created.

**property dashboard\_type**

Return what type of object it is

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_category_display(*, field=<django.db.models.fields.CharField: category>)
```

```
get_next_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=True,  
**kwargs)
```

```
get_next_by_time(*, field=<django.db.models.fields.DateTimeField: time>, is_next=True,  
**kwargs)
```

```
get_next_by_updated(*, field=<django.db.models.fields.DateTimeField: updated>, is_next=True,  
**kwargs)
```

```
get_open_to_display(*, field=<django.db.models.fields.CharField: open_to>)
```

```
get_previous_by_added(*, field=<django.db.models.fields.DateTimeField: added>,  
is_next=False, **kwargs)
```

```
get_previous_by_time(*, field=<django.db.models.fields.DateTimeField: time>, is_next=False,  
**kwargs)
```

```
get_previous_by_updated(*, field=<django.db.models.fields.DateTimeField: updated>,  
is_next=False, **kwargs)
```

**groups**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):  
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property is\_this\_year**

Return whether the event was created after the start of the school year.

**links**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):  
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**location**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <intranet.apps.events.models.EventManager object>
```

**open\_to**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property pinned**

implement event pinning

**Type** TODO

**public**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**rejected**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**rejected\_by**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**rejected\_by\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**scheduled\_activity**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**scheduled\_activity\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**show\_attending**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**show\_fuzzy\_date()**

Checks whether the event is in the next or previous 2 weeks.

**Returns** Whether to display the fuzzy date.

**show\_on\_dashboard**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**title**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**updated**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property user\_map**

Return or create an EventUserMap

**class** intranet.apps.events.models.**EventManager**

Bases: django.db.models.manager.Manager

**get\_queryset()****hidden\_events (user)**

Get a list of events marked as hidden for a given user (usually request.user).

These are all events visible to the user – they have just decided to hide them.

**Parameters** **user** (`User`) – A User to check for

**Returns** Events a user has hid.

**visible\_to\_user (user)**

Get a list of visible events for a given user (usually request.user).

These visible events will be those that either have no groups assigned to them (and are therefore public) or those in which the user is a member. It also includes all events created by the user.

**Parameters** **user** (`User`) – A User to check for

**Returns** Events that either have no groups assigned to them (and are therefore public), were created by the user, or are in a group.

**class** intranet.apps.events.models.**EventQuerySet** (`model=None`, `query=None`, `using=None`, `hints=None`)

Bases: django.db.models.query.QuerySet

**this\_year()**

Get Events created during this school year.

**Returns** Events created during this school year.

```
class intranet.apps.events.models.EventUserMap(*args, **kwargs)
```

Bases: django.db.models.base.Model

Represents a mapping between events and users.

These attributes would be a part of the Event model, but if they are, the last updated date is changed whenever a student sees or hides an event.

Access these through event.user\_map

If you are checking to see whether a user has hidden an event, use: >>> Event.objects.hidden\_events(user)

#### event

The one-to-one mapping between this object and the Event it is for

Type *Event*

#### users\_hidden

A many-to-many field of Users who have hidden this event

Type UserQuerySet

#### exception DoesNotExist

Bases: django.core.exceptions.ObjectDoesNotExist

#### exception MultipleObjectsReturned

Bases: django.core.exceptions.MultipleObjectsReturned

#### event

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Restaurant.place is a ForwardOneToOneDescriptor instance.

#### event\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

#### users\_hidden

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

```
class intranet.apps.events.models.EventUserMap_users_hidden(id, eventusermap,
                                                               user)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**eventusermap**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**eventusermap\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.Manager object>

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** intranet.apps.events.models.Event\_attending(*id, event, user*)

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**event**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**event\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class intranet.apps.events.models.Event\_groups (id, event, group)**

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**event**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**event\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**group\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

```
class intranet.apps.events.models.Event_links(id, event, link)
Bases: django.db.models.base.Model
```

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**event**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**event\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**link**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**link\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

```
class intranet.apps.events.models.Link(*args, **kwargs)
Bases: django.db.models.base.Model
```

A link about an item (Facebook event link, etc).

**url**

The URL to link to

**Type** str

**title**  
The text associated with the link

**Type** str

**exception DoesNotExist**  
Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**  
Bases: `django.core.exceptions.MultipleObjectsReturned`

**event\_set**  
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <`django.db.models.manager.Manager` object>

**title**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**url**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** intranet.apps.events.models.**TJStarUUIDMap**(\*args, \*\*kwargs)  
Bases: `django.db.models.base.Model`

A mapping between a user and UUID for the tjSTAR widget.

**user**  
The associated user.

**uuid**  
The tjSTAR UUUID

**exception DoesNotExist**  
Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**  
Bases: `django.core.exceptions.MultipleObjectsReturned`

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <`django.db.models.manager.Manager` object>

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**uuid**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`intranet.apps.events.models.clear_event_cache(sender, **kwargs)`

Clears any cached event data.

## intranet.apps.events.notifications module

`intranet.apps.events.notifications.event_approval_request(request, event)`

## intranet.apps.events.tests module

`class intranet.apps.events.tests.EventsTest(methodName='runTest')`

Bases: `intranet.test.ion_test.IonTestCase`

Tests for the events module.

```
create_random_event(user, approved=False, time=datetime.datetime(2020, 4, 24, 2, 19, 1,
                                                               890081, tzinfo=<UTC>), show_attending=True)

test_add_event()
test_delete_event()
test_event_model()
test_events_root_non_admin()
test_join_event()
test_modify_event()
test_request_event()
test_show_hide_event()
test_show_hide_event_no_auth()
test_view_roster()
```

## intranet.apps.events.urls module

## intranet.apps.events.views module

### Module contents

## intranet.apps.features package

### Submodules

#### intranet.apps.features.admin module

#### intranet.apps.features.context\_processors module

`intranet.apps.features.context_processors.feature_announcements(request)`

Adds a list of feature announcements that should be displayed on the current page to the context.

#### intranet.apps.features.helpers module

`intranet.apps.features.helpers.get_feature_context(request) → Optional[str]`

Given a Django request, returns the ‘context’ that should be used to select feature announcements to display (one of dashboard, login, eighth\_signup, or None).

**Parameters** `request` – The current request object.

**Returns** The “context” that should be used to select feature announcements for the page requested by `request`.

#### intranet.apps.features.models module

`class intranet.apps.features.models.FeatureAnnouncement(*args, **kwargs)`

Bases: `django.db.models.base.Model`

Represents an announcement about a new feature on Ion that should be shown to the school.

##### `activation_date`

The date on which this feature announcement should first appear.

**Type** `datetime.date`

##### `expiration_date`

The date on which this feature announcement should last appear.

**Type** `datetime.date`

##### `context`

The “context” (essentially the page) in which this feature announcement should be shown. Currently supported: dashboard, login, eighth\_signup

**Type** `str`

##### `announcement_html`

The HTML of the actual announcement. WARNING: This is rendered as ‘safe’ to allow things like links. Do NOT allow untrusted content here.

**Type** str

**users\_seen**  
The users who have seen this feature announcement.

**Type** list of User

**users\_dismissed**  
The users who have dismissed this feature announcement (clicked the close button). Used to hide feature announcements the user has dismissed.

**Type** list of User

```
CONTEXTS = (('dashboard', 'dashboard'), ('login', 'login'), ('eighth_signup', 'eighth_signup'))
```

**exception DoesNotExist**  
Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**  
Bases: django.core.exceptions.MultipleObjectsReturned

**activation\_date**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**announcement\_html**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**context**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**expiration\_date**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_context_display(*, field=<django.db.models.fields.CharField: context>)
get_next_by_activation_date(*, field=<django.db.models.fields.DateField: activation_date>, is_next=True, **kwargs)
get_next_by_expiration_date(*, field=<django.db.models.fields.DateField: expiration_date>, is_next=True, **kwargs)
get_previous_by_activation_date(*, field=<django.db.models.fields.DateField: activation_date>, is_next=False, **kwargs)
get_previous_by_expiration_date(*, field=<django.db.models.fields.DateField: expiration_date>, is_next=False, **kwargs)
```

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <[django.db.models.manager.ManagerFromFeatureAnnouncementQuerySet](#) object>

**users\_dismissed**  
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **users\_seen**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

```
class intranet.apps.features.models.FeatureAnnouncementQuerySet(model=None,
                                                                query=None,
                                                                using=None,
                                                                hints=None)
```

Bases: django.db.models.query.QuerySet

#### **filter\_active()**

Filter to just the feature announcements that are currently ‘active’.

**Returns** The QuerySet of just ``FeatureAnnouncement``s that are currently ‘active’ (past their activation date, but not their expiration date).

#### **filter\_for\_context(context: str)**

Filter to just the feature announcements that should be shown for the given ‘context’.

**Parameters** **context** – The name of the ‘context’ to filter feature announcements for, as returned by helpers.get\_feature\_context().

**Returns** The QuerySet of ``FeatureAnnouncement``s filtered for the given ‘context’.

#### **filter\_for\_request(request)**

Filter to just the feature announcements that should be shown for the given request.

This calls filter\_active(), filter\_show\_for\_user(), and filter\_for\_context().

**Parameters** **request** – The request object to filter the feature announcements to show for.

**Returns** The QuerySet of ``FeatureAnnouncement``s filtered for the given request.

#### **filter\_show\_for\_user(user)**

Filter to just the feature announcements that should be shown for the given user.

For example, this excludes users who have “dismissed” the feature announcement.

**Parameters** **user** – The user to filter the feature announcements to show for.

**Returns** The QuerySet of just ``FeatureAnnouncement``s that should be shown for the given user.

```
class intranet.apps.features.models.FeatureAnnouncement_users_dismissed(id,
                                                                       fea-
                                                                       ture-
                                                                       an-
                                                                       nounce-
                                                                       ment,
                                                                       user)
```

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**featureannouncement**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**featureannouncement\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.features.models.FeatureAnnouncement_users_seen(id, featureannouncement, user)
```

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**featureannouncement**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

### **featureannouncement\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **objects = <django.db.models.manager.Manager object>**

### **user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## **intranet.apps.features.tests module**

```
class intranet.apps.features.tests.FeaturesTest(methodName='runTest')
Bases: intranet.test.io_test.IoTestCase
```

### **test\_anonymous\_feature\_list()**

Tests listing features on the login page as an anonymous user.

### **test\_login\_feature\_list()**

Tests listing features on the login/dashboard/eighth signup pages as an authenticated user.

## **intranet.apps.features.urls module**

## **intranet.apps.features.views module**

### **Module contents**

## **intranet.apps.feedback package**

### **Submodules**

## intranet.apps.feedback.admin module

```
class intranet.apps.feedback.admin.FeedbackAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    list_display = ('user', 'date', 'comments')
    ordering = ('-date',)
    raw_id_fields = ('user',)
```

## intranet.apps.feedback.forms module

```
class intranet.apps.feedback.forms.FeedbackForm(data=None, files=None,
    auto_id='id_%s', prefix=None,
    initial=None, error_class=<class
    'django.forms.utils.ErrorList'>,
    label_suffix=None,
    empty_permitted=False,
    field_order=None,
    use_required_attribute=None, renderer=None)
Bases: django.forms.Form
A form for sending comments to the Intranet team.

declared_fields = {'comments': <django.forms.fields.CharField object>}
```

## intranet.apps.feedback.models module

```
class intranet.apps.feedback.models.Feedback(id, user, comments, date)
    Bases: django.db.models.base.Model

    exception DoesNotExist
        Bases: django.core.exceptions.ObjectDoesNotExist

    exception MultipleObjectsReturned
        Bases: django.core.exceptions.MultipleObjectsReturned

    comments
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
        executed.

    date
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
        executed.

    get_next_by_date(*, field=<django.db.models.fields.DateTimeField: date>, is_next=True,
        **kwargs)

    get_previous_by_date(*, field=<django.db.models.fields.DateTimeField: date>, is_next=False,
        **kwargs)

    id
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
        executed.

    objects = <django.db.models.manager.Manager object>
```

#### **user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **intranet.apps.feedback.tests module**

```
class intranet.apps.feedback.tests.FeedbackTest(methodName='runTest')
Bases: intranet.test.io_test.IoTestCase

test_send_feedback_unauthenticated()
test_send_feedback_view()
```

### **intranet.apps.feedback.urls module**

### **intranet.apps.feedback.views module**

```
intranet.apps.feedback.views.send_feedback_email(request, data)
intranet.apps.feedback.views.send_feedback_view(request)
```

## **Module contents**

### **intranet.apps.files package**

#### **Submodules**

### **intranet.apps.files.forms module**

```
class intranet.apps.files.forms.UploadFileForm(data=None, files=None,
                                                auto_id='id_%s', prefix=None, initial=None, error_class=<class
                                                'django.forms.utils.ErrorList'>, label_suffix=None,
                                                empty_permitted=False, field_order=None,
                                                use_required_attribute=None, renderer=None)
Bases: django.forms.forms.Form

declared_fields = {'file': <django.forms.fields.FileField object>}
validate_size()
```

**intranet.apps.files.models module**

```
class intranet.apps.files.models.Host (id, name, code, address, directory, windows, linux,
available_to_all)
Bases: django.db.models.base.Model

exception DoesNotExist
Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
Bases: django.core.exceptions.MultipleObjectsReturned

address
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

available_to_all
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

code
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

directory
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

groups_visible
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:



class Pizza (Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')



Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create_forward_many_to_many_manager() defined below.

id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

linux
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

name
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <intranet.apps.files.models.HostManager object>

visible_to(user)

windows
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.
```

```
class intranet.apps.files.models.HostManager
Bases: django.db.models.manager.Manager

visible_to_user(user)
    Get a list of hosts available to a given user.

    Same logic as Announcements and Events.

class intranet.apps.files.models.Host_groups_visible(id, host, group)
Bases: django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

group
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

    In the example:

    class Child(Model):
        parent = ForeignKey(Parent, related_name='children')

Child.parent is a ForwardManyToOneDescriptor instance.

group_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

host
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

    In the example:

    class Child(Model):
        parent = ForeignKey(Parent, related_name='children')

Child.parent is a ForwardManyToOneDescriptor instance.

host_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>
```

## intranet.apps.files.tests module

Tests for the filecenter.

```
class intranet.apps.files.tests.FilesTest (methodName='runTest')
```

Bases: `intranet.test.io_TestCase`

```
test_delete_file (m_sftp)
```

Tests deleting a file in the filecenter.

## intranet.apps.files.urls module

### intranet.apps.files.views module

```
intranet.apps.files.views.create_session (hostname, username, password)
```

```
intranet.apps.files.views.get_authinfo (request)
```

Get authentication info from the encrypted message.

```
intranet.apps.files.views.handle_file_upload (file, fsdir, sftp, request=None)
```

```
intranet.apps.files.views.windows_dir_format (host_dir, user)
```

Format a string for the location of the user's folder on the Windows (TJ03) filesserver.

## Module contents

### intranet.apps.groups package

#### Submodules

##### intranet.apps.groups.forms module

```
class intranet.apps.groups.forms.GroupForm (data=None, files=None, auto_id='id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None, renderer=None)
```

Bases: `django.forms.models.ModelForm`

```
class Meta
```

Bases: `object`

```
fields = ['name', 'permissions']
```

```
model
```

alias of `intranet.apps.groups.models.Group`

```
declared_fields = {}
```

## intranet.apps.groups.models module

```
class intranet.apps.groups.models.Group(*args, **kwargs)
    Bases: django.contrib.auth.models.Group
```

This Group model is really just the default Django `django.contrib.auth.models.Group`, but with a “`properties`” property which returns or creates the `GroupProperties` field for that group. Because `GroupProperties` objects are only created here when they are first accessed, and not on creation or edit, you must *always* access them directly through the `Group` object, and not through `GroupProperties`.

This presents some complications. All model-level relationships for a group should use the *Django contrib.auth.models.Group object*, and not the custom one defined here. You will see this done, to avoid confusion, like:

```
from django.contrib.auth.models import Group as DjangoGroup
```

with `DjangoGroup` being referenced in the `OneToOne` or `ManyToMany` relationship.

**e.x.:** `Group.objects.get(id=9).properties.student_visible`

**exception DoesNotExist**

```
Bases: django.contrib.auth.models.DoesNotExist
```

**exception MultipleObjectsReturned**

```
Bases: django.contrib.auth.models.MultipleObjectsReturned
```

```
objects = <intranet.apps.groups.models.GroupManager object>
```

**property properties**

```
class intranet.apps.groups.models.GroupManager
```

```
Bases: django.contrib.auth.models.GroupManager
```

This `GroupManager` model is really just the default Django `django.contrib.auth.models.GroupManager`, just with an extra method.

**student\_visible()**

Return a QuerySet of groups that are student-visible.

```
class intranet.apps.groups.models.GroupProperties(*args, **kwargs)
```

```
Bases: django.db.models.base.Model
```

The `GroupProperties` model contains a `OneToOneField` with the `intranet.apps.groups.models.Group` object (really just the default `django.contrib.auth.models.Group`), and contains properties and other app-specific options about a group.

**group** A `OneToOneField` with a `Group` object.

**student\_visible** Whether the group should be visible to students in group selections.

**exception DoesNotExist**

```
Bases: django.core.exceptions.ObjectDoesNotExist
```

**exception MultipleObjectsReturned**

```
Bases: django.core.exceptions.MultipleObjectsReturned
```

**group**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

`Restaurant.place` is a `ForwardOneToOneDescriptor` instance.

#### `group_id`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### `id`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### `objects = <django.db.models.manager.Manager object>`

#### `student_visible`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## [intranet.apps.groups.tests module](#)

```
class intranet.apps.groups.tests.GroupsTest (methodName='runTest')
    Bases: intranet.test.ion\_test.IonTestCase
    test_add_group_view()
    test_groups_view()
```

## [intranet.apps.groups.urls module](#)

## [intranet.apps.groups.views module](#)

### Module contents

## [intranet.apps.itemreg package](#)

### Subpackages

#### [intranet.apps.itemreg.templatetags package](#)

### Submodules

## [intranet.apps.itemreg.templatetags.texthighlight module](#)

```
intranet.apps.itemreg.templatetags.texthighlight.highlight (str1, str2)
    Highlight str1 with the contents of str2.
```

## Module contents

### Submodules

#### intranet.apps.itemreg.admin module

```
class intranet.apps.itemreg.admin.CalculatorRegistrationAdmin(model,      ad-
                                                               min_site)
    Bases: django.contrib.admin.options.ModelAdmin

    list_display = ('calc_type', 'calc_serial', 'calc_id', 'user', 'added')
    list_filter = ('calc_type', 'added')
    ordering = ('-added',)
    raw_id_fields = ('user',)

class intranet.apps.itemreg.admin.ComputerRegistrationAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    list_display = ('manufacturer', 'model', 'serial', 'description', 'user', 'added')
    list_filter = ('added', 'manufacturer')
    ordering = ('-added',)
    raw_id_fields = ('user',)

class intranet.apps.itemreg.admin.PhoneRegistrationAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    list_display = ('manufacturer', 'model', 'serial', 'description', 'user', 'added')
    list_filter = ('added', 'manufacturer')
    ordering = ('-added',)
    raw_id_fields = ('user',)
```

#### intranet.apps.itemreg.apps module

```
class intranet.apps.itemreg.apps.ItemregConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig

    name = 'itemreg'
```

#### intranet.apps.itemreg.forms module

```
class intranet.apps.itemreg.forms.CalculatorRegistrationForm(*args, **kwargs)
    Bases: django.forms.models.ModelForm

    class Meta
        Bases: object

        fields = ['calc_type', 'calc_serial', 'calc_id']

        model
            alias of intranet.apps.itemreg.models.CalculatorRegistration

        declared_fields = {}
```

```

class intranet.apps.itemreg.forms.ComputerRegistrationForm(data=None,
                                                               files=None,
                                                               auto_id='id_%s',
                                                               prefix=None,      initial=None,      error_class=<class django.forms.utils.ErrorList>,
                                                               label_suffix=None, empty_permitted=False,
                                                               instance=None, use_required_attribute=None,
                                                               renderer=None)
Bases: django.forms.models.ModelForm

class Meta
    Bases: object
    fields = ['manufacturer', 'model', 'screen_size', 'serial', 'description']
    model
        alias of intranet.apps.itemreg.models.ComputerRegistration
    declared_fields = {}

class intranet.apps.itemreg.forms.PhoneRegistrationForm(data=None, files=None,
                                                               auto_id='id_%s', prefix=None, initial=None,
                                                               error_class=<class django.forms.utils.ErrorList>,
                                                               label_suffix=None, empty_permitted=False,
                                                               instance=None, use_required_attribute=None,
                                                               renderer=None)
Bases: django.forms.models.ModelForm

class Meta
    Bases: object
    fields = ['manufacturer', 'model', 'serial', 'description']
    model
        alias of intranet.apps.itemreg.models.PhoneRegistration
    declared_fields = {}

```

## **intranet.apps.itemreg.models module**

```

class intranet.apps.itemreg.models.CalculatorRegistration(id, user, calc_serial,
                                                               calc_id, calc_type,
                                                               added)
Bases: django.db.models.base.Model

CALC_CHOICES = (('ti83', 'TI-83'), ('ti83p', 'TI-83+'), ('ti84p', 'TI-84+'), ('ti84pse'
exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

```

**added**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**calc\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**calc\_serial**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**calc\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_calc\_type\_display** (\*, *field=<django.db.models.fields.CharField: calc\_type>*)

**get\_next\_by\_added** (\*, *field=<django.db.models.fields.DateTimeField: added>, is\_next=True, \*\*kwargs*)

**get\_previous\_by\_added** (\*, *field=<django.db.models.fields.DateTimeField: added>, is\_next=False, \*\*kwargs*)

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <*django.db.models.manager.Manager object*>

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.itemreg.models.ComputerRegistration(id, user, manufacturer,
                                                       model, serial, description,
                                                       screen_size, added)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

```
MANUF_CHOICES = (('acer', 'Acer'), ('apple', 'Apple'), ('asus', 'Asus'), ('dell', 'Dell'))
```

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**added**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property computer\_name**

Returns a description of the computer, formatted as <screen size>" <manufacturer> <model>.

**Returns** A nicely formatted description of the computer.

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_manufacturer\_display**(\**, field=<django.db.models.fields.CharField: manufacturer>*)

**get\_next\_by\_added**(\**, field=<django.db.models.fields.DateTimeField: added>, is\_next=True, \*\*kwargs*)

**get\_previous\_by\_added**(\**, field=<django.db.models.fields.DateTimeField: added>, is\_next=False, \*\*kwargs*)

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**manufacturer**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**model**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**screen\_size**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**serial**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** intranet.itemreg.models.PhoneRegistration(*id, user, manufacturer, model, serial, description, added*)

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**MANUF\_CHOICES = (('samsung', 'Samsung'), ('apple', 'Apple'), ('motorola', 'Motorola'))**

```
exception MultipleObjectsReturned
Bases: django.core.exceptions.MultipleObjectsReturned

added
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

description
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

get_manufacturer_display(*, field=<django.db.models.fields.CharField: manufacturer>)
get_next_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=True,
                  **kwargs)
get_previous_by_added(*, field=<django.db.models.fields.DateTimeField: added>,
                      is_next=False, **kwargs)

id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

manufacturer
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

model
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

objects = <django.db.models.manager.Manager object>
property phone_name
Returns a description of the phone, formatted as <manufacturer> <model>.

    Returns A nicely formatted description of the phone.

serial
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.

user
Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOne-
ToOneDescriptor subclass) relation.

In the example:

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')

Child.parent is a ForwardManyToOneDescriptor instance.

user_id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
executed.
```

[intranet.apps.itemreg.urls module](#)[intranet.apps.itemreg.views module](#)[Module contents](#)[intranet.apps.lostfound package](#)[Submodules](#)[intranet.apps.lostfound.admin module](#)

```
class intranet.apps.lostfound.admin.FoundItemAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

    list_display = ('title', 'description', 'user', 'found', 'added')
    list_filter = ('added', 'found')
    ordering = ('-added',)
    raw_id_fields = ('user',)

class intranet.apps.lostfound.admin.LostItemAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

    list_display = ('title', 'description', 'user', 'last_seen', 'added')
    list_filter = ('added', 'last_seen')
    ordering = ('-added',)
    raw_id_fields = ('user',)
```

[intranet.apps.lostfound.apps module](#)

```
class intranet.apps.lostfound.apps.LostfoundConfig(app_name, app_module)
Bases: django.apps.config.AppConfig

    name = 'lostfound'
```

[intranet.apps.lostfound.forms module](#)

```
class intranet.apps.lostfound.forms.FoundItemForm(data=None, files=None,
                                                    auto_id='id_%s', prefix=None,
                                                    initial=None, error_class=<class
                                                    'django.forms.utils.ErrorList'>,
                                                    label_suffix=None,
                                                    empty_permitted=False,
                                                    instance=None,
                                                    use_required_attribute=None,
                                                    renderer=None)
Bases: django.forms.models.ModelForm

class Meta
Bases: object
```

```
    fields = ['title', 'description', 'found', 'retrieved']
    model
        alias of intranet.apps.lostfound.models.FoundItem
    declared_fields = {}

class intranet.apps.lostfound.forms.LostItemForm(data=None, files=None,
                                                 auto_id='id_%s', prefix=None,
                                                 initial=None, error_class=<class
                                                 'django.forms.utils.ErrorList'>,
                                                 label_suffix=None,
                                                 empty_permitted=False,
                                                 instance=None,
                                                 use_required_attribute=None,
                                                 renderer=None)

Bases: django.forms.ModelForm

class Meta
    Bases: object

    fields = ['title', 'description', 'last_seen', 'found']

    model
        alias of intranet.apps.lostfound.models.LostItem

    declared_fields = {}
```

## intranet.apps.lostfound.models module

```
class intranet.apps.lostfound.models.FoundItem(id, user, title, description, found, added,
                                                retrieved)
Bases: django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

added
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

description
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

found
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

get_next_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=True,
                  **kwargs)
get_next_by_found(*, field=<django.db.models.fields.DateField: found>, is_next=True,
                  **kwargs)
get_previous_by_added(*, field=<django.db.models.fields.DateTimeField: added>,
                      is_next=False, **kwargs)
```

```
get_previous_by_found(*, field=<django.db.models.fields.DateField: found>, is_next=False,
**kwargs)
```

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**retrieved**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**title**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**  
Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.lostfound.models.LostItem(id, user, title, description, last_seen,
added, found)
Bases: django.db.models.base.Model
```

**exception DoesNotExist**  
Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**  
Bases: django.core.exceptions.MultipleObjectsReturned

**added**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**description**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**found**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_next_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=True,
**kwargs)
```

```
get_next_by_last_seen(*, field=<django.db.models.fields.DateField: last_seen>, is_next=True,
**kwargs)
```

```
get_previous_by_added(*, field=<django.db.models.fields.DateTimeField: added>,
is_next=False, **kwargs)
```

```
get_previous_by_last_seen(*, field=<django.db.models.fields.DateField:      last_seen>,
                           is_next=False, **kwargs)

id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

last_seen
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>

title
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

user
Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')

Child.parent is a ForwardManyToOneDescriptor instance.

user_id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.
```

## [intranet.apps.lostfound.urls module](#)

## [intranet.apps.lostfound.views module](#)

### **Module contents**

## [intranet.apps.nomination package](#)

### **Submodules**

## [intranet.apps.nomination.apps module](#)

```
class intranet.apps.nomination.apps.NominationConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig

    name = 'nomination'
```

**intranet.apps.nomination.models module**

```
class intranet.apps.nomination.models.Nomination(*args, **kwargs)
Bases: django.db.models.base.Model
```

Represents a user nominating another user for a position

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**nominator**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**nominator\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**nominee**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**nominee\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**position**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**position\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** `intranet.apps.nomination.models.NominationPosition(*args, **kwargs)`  
Bases: `django.db.models.base.Model`

Represents a position that people will be nominated for

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**nominations**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**objects = <django.db.models.manager.Manager object>**

**position\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**intranet.apps.nomination.tests module**

**intranet.apps.nomination.urls module**

**intranet.apps.nomination.views module**

**Module contents**

**intranet.apps.notifications package**

**Submodules**

## intranet.apps.notifications.emails module

```
intranet.apps.notifications.emails.email_send(text_template: str, html_template: str, data: Mapping[str, object], subject: str, emails: Collection[str], headers: Mapping[str, str] = None, bcc: bool = False, *, custom_logger: logging.Logger = None) → django.core.mail.message.EmailMultiAlternatives
```

Send an HTML/Plaintext email with the following fields. If we are not in production and settings.FORCE\_EMAIL\_SEND is not set, does not actually send the email

### Parameters

- **text\_template** – URL to a Django template for the text email's contents
- **html\_template** – URL to a Django template for the HTML email's contents
- **data** – The context to pass to the templates
- **subject** – The subject of the email
- **emails** – The addresses to send the email to
- **headers** – A dict of additional headers to send to the message
- **custom\_logger** – An optional logger to use instead of the Django logger

**Returns** The email object that was created (and sent if we're in production or settings.FORCE\_EMAIL\_SEND is set)

## intranet.apps.notifications.models module

```
class intranet.apps.notifications.models.GCMNotification(id,           multicast_id,
                                                       num_success,
                                                       num_failure,  sent_data,
                                                       time, user)

Bases: django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

property data

get_next_by_time(*, field=<django.db.models.fields.DateTimeField: time>, is_next=True,
                  **kwargs)
get_previous_by_time(*, field=<django.db.models.fields.DateTimeField: time>, is_next=False,
                     **kwargs)

id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

multicast_id
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.
```

**num\_failure**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**num\_success**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**sent\_data**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**sent\_to**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.notifications.models.GCMNotification_sent_to(id, gcmno-
                                                               tification,
                                                               notification-
                                                               config)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**gcmnotification**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **gcmnotification\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **notificationconfig**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **notificationconfig\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **objects = <django.db.models.manager.Manager object>**

```
class intranet.apps.notifications.models.NotificationConfig(id, user, gcm_token,
                                                               gcm_time,
                                                               gcm_optout,      an-
                                                               droid_gcm_rand)
```

Bases: django.db.models.base.Model

#### **exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

#### **exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

#### **android\_gcm\_rand**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **gcm\_optout**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **gcm\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **gcm\_token**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **property gcm\_token\_sha256**

#### **gcmnotification\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

#### **user**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Restaurant.place is a ForwardOneToOneDescriptor instance.

#### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## **intranet.apps.notifications.tasks module**

## **intranet.apps.notifications.urls module**

## **intranet.apps.notifications.views module**

### **intranet.apps.notifications.views.android\_setup\_view(request)**

Set up a GCM session. This does *not* require a valid login session. Instead, a token from the client session is sent to the Android backend, which queries a POST request to this view.

The “android\_gcm\_rand” is randomly set when the Android app is detected through the user agent. If it has the same value, it is assumed to be correct.

### **intranet.apps.notifications.views.chrome\_getdata\_view(request)**

Get the data of the last notification sent to the current user.

This is needed because Chrome, as of version 44, doesn’t support sending a data payload to a notification. Thus, information on what the notification is actually for must be manually fetched.

### **intranet.apps.notifications.views.chrome\_setup\_view(request)**

Set up a browser-side GCM session. This *requires* a valid login session. A “token” POST parameter is saved under the “gcm\_token” parameter in the logged in user’s NotificationConfig.

### **intranet.apps.notifications.views.gcm\_list\_view(request)**

### **intranet.apps.notifications.views.gcm\_post(nc\_users, data, user=None, request=None)**

```
intranet.apps.notifications.views.gcm_post_view(request)
intranet.apps.notifications.views.get_gcm_schedule_uids()
```

## Module contents

### intranet.apps.oauth package

#### Submodules

##### intranet.apps.oauth.admin module

##### intranet.apps.oauth.apps module

```
class intranet.apps.oauth.apps.OauthConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig
    name = 'oauth'
```

##### intranet.apps.oauth.models module

##### intranet.apps.oauth.tests module

##### intranet.apps.oauth.views module

```
class intranet.apps.oauth.views.ApplicationUpdateView(**kwargs)
    Bases: oauth2_provider.views.application.ApplicationUpdate
    fields = ['name', 'client_id', 'client_secret', 'client_type', 'authorization_grant_ty
```

## Module contents

### intranet.apps.parking package

#### Submodules

##### intranet.apps.parking.admin module

```
class intranet.apps.parking.admin.CarAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
    list_display = ('license_plate', 'user', 'make', 'model', 'year')
    list_filter = ('added', 'updated')
    ordering = ('-added',)
    raw_id_fields = ('user',)

class intranet.apps.parking.admin.ParkingAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
```

```
actions = [ <function export_csv_action.<locals>.export_as_csv> ]
filter_horizontal = ('cars',)
get_absences(obj)
get_cars(obj)
get_joint_user(obj)
get_user(obj)
list_display = ('get_user', 'get_joint_user', 'get_absences', 'mentorship', 'email', ' ')
list_filter = ('added', 'updated')
ordering = ('-added',)
raw_id_fields = ('user', 'joint_user')
```

## intranet.apps.parking.apps module

```
class intranet.apps.parking.apps.ParkingConfig(app_name, app_module)
Bases: django.apps.config.AppConfig
name = 'parking'
```

## intranet.apps.parking.forms module

```
class intranet.apps.parking.forms.CarApplicationForm(data=None, files=None,
auto_id='id_%s', prefix=None, initial=None,
error_class=<class 'django.forms.utils.ErrorList'>,
label_suffix=None,
empty_permitted=False,
instance=None,
use_required_attribute=None,
renderer=None)
Bases: django.forms.models.ModelForm
class Meta
Bases: object
fields = ['license_plate', 'make', 'model', 'year']
model
alias of intranet.apps.parking.models.CarApplication
declared_fields = {}
```

```
class intranet.apps.parking.forms.ParkingApplicationForm(data=None, files=None,  

    auto_id='id_%s', prefix=None, initial=None,  

    error_class=<class 'django.forms.utils.ErrorList'>,  

    label_suffix=None,  

    empty_permitted=False,  

    instance=None,  

    use_required_attribute=None,  

    renderer=None)
```

Bases: django.forms.models.ModelForm

#### **class Meta**

Bases: object

**fields** = ['email', 'mentorship']

#### **model**

alias of *intranet.apps.parking.models.ParkingApplication*

**declared\_fields** = {}

## **intranet.apps.parking.models module**

```
class intranet.apps.parking.models.CarApplication(id, user, license_plate, make, model,  

    year, added, updated)
```

Bases: django.db.models.base.Model

#### **exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

#### **exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

#### **added**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_next\_by\_added**(\*, *field=<django.db.models.fields.DateTimeField: added>*, *is\_next=True*,  
 \*\*kwargs)

**get\_next\_by\_updated**(\*, *field=<django.db.models.fields.DateTimeField: updated>*, *is\_next=True*,  
 \*\*kwargs)

**get\_previous\_by\_added**(\*, *field=<django.db.models.fields.DateTimeField: added>*,  
*is\_next=False*, \*\*kwargs)

**get\_previous\_by\_updated**(\*, *field=<django.db.models.fields.DateTimeField: updated>*,  
*is\_next=False*, \*\*kwargs)

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **license\_plate**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **make**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**model**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**parkingapplication\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**updated**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**year**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class intranet.apps.parking.models.ParkingApplication(id, user, joint\_user, email, mentorship, added, updated)**

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**added**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**cars**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### email

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_next_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=True,
                  **kwargs)
get_next_by_updated(*, field=<django.db.models.fields.DateTimeField: updated>, is_next=True,
                     **kwargs)
get_previous_by_added(*, field=<django.db.models.fields.DateTimeField: added>, is_next=False, **kwargs)
get_previous_by_updated(*, field=<django.db.models.fields.DateTimeField: updated>, is_next=False, **kwargs)
```

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### joint\_user

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### joint\_user\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### mentorship

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

#### updated

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### user

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.parking.models.ParkingApplication_cars (id, parkingapplication, carapplication)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**carapplication**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**carapplication\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**parkingapplication**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**parkingapplication\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## intranet.apps.parking.tests module

```
class intranet.apps.parking.tests.ParkingTest (methodName='runTest')
    Bases: intranet.test.ion\_test.IonTestCase

    Tests for the parking module.

    login_with_args (uname, grad_year)
    test_invalid_user()
    test_parking_form_junior()
```

## intranet.apps.parking.urls module

## intranet.apps.parking.views module

### Module contents

## intranet.apps.polls package

### Submodules

#### intranet.apps.polls.admin module

#### intranet.apps.polls.forms module

```
class intranet.apps.polls.forms.PollForm (data=None, files=None, auto_id='id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None, renderer=None)
    Bases: django.forms.models.ModelForm

    class Meta
        Bases: object

        fields = ['title', 'description', 'start_time', 'end_time', 'visible', 'is_secret']
        help_texts = {'is_secret': "This will prevent Ion administrators from viewing individual poll results."}
        labels = {'is_secret': 'Secret'}
        model
        alias of intranet.apps.polls.models.Poll
        widgets = {'description': <django.forms.widgets.Textarea object>}
        clean_description()
        declared_fields = {}
```

## intranet.apps.polls.models module

```
class intranet.apps.polls.models.Answer(id, question, user, choice, answer, clear_vote,
                                         weight)
Bases: django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned
```

### answer

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### choice

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

### choice\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### clear\_vote

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### objects = <django.db.models.manager.Manager object>

### question

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

### question\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### user

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **weight**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** intranet.apps.polls.models.AnswerVote (*id, question, choice, votes, is\_writing*)

Bases: django.db.models.base.Model

#### **exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

#### **exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

#### **choice**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **choice\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **is\_writing**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.Manager object>

#### **question**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **question\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **users**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **votes**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.polls.models.AnswerVote_users(id, answervote, user)
Bases: django.db.models.base.Model
```

#### **exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

#### **exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

#### **answervote**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **answervote\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

#### **user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

---

```
class intranet.apps.polls.models.Choice(*args, **kwargs)
```

Bases: django.db.models.base.Model

A choice for a Question.

**question**

A ForeignKey to the question this choice is for.

**num**

An integer order in which the question should appear; the primary sort.

**info**

Textual information about this answer choice.

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**answer\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**answervote\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**info**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**num**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**question**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**question\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**trunc\_info()**

```
class intranet.apps.polls.models.Poll(*args, **kwargs)
```

Bases: django.db.models.base.Model

A Poll, for the TJ community.

**title**

A title for the poll, that will be displayed to identify it uniquely.

**description**

A longer description, possibly explaining how to complete the poll.

**start\_time**

A time that the poll should open.

**end\_time**

A time that the poll should close.

**visible**

Whether the poll is visible to the users it is for.

**is\_secret**

Whether the poll is a ‘secret’ poll. Poll admins will not be able to view individual user responses for secret polls.

**groups**

The Group’s that can view—and vote in—the poll. Like Announcements, if there are none set, then it is public to all.

Access questions for the poll through poll.question\_set.all()

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**before\_end\_time()**

Has the poll not ended yet?

**before\_start\_time()**

Has the poll not started yet?

**can\_vote (user)**

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**end\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_next_by_end_time(*, field=<django.db.models.fields.DateTimeField: end_time>,  
                      is_next=True, **kwargs)  
get_next_by_start_time(*, field=<django.db.models.fields.DateTimeField: start_time>,  
                      is_next=True, **kwargs)  
get_previous_by_end_time(*, field=<django.db.models.fields.DateTimeField: end_time>,  
                      is_next=False, **kwargs)  
get_previous_by_start_time(*, field=<django.db.models.fields.DateTimeField: start_time>,  
                      is_next=False, **kwargs)  
get_users_voted()
```

**groups**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):  
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**has\_user\_voted(user)**

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**in\_time\_range()**

Is it within the poll time range?

**is\_secret**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <intranet.apps.polls.models.PollManager object>**

**question\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**start\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**title**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**visible**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** `intranet.apps.polls.models.PollManager`

Bases: `django.db.models.manager.Manager`

**get\_queryset()**

**visible\_to\_user(user)**

Get a list of visible polls for a given user (usually `request.user`).

These visible polls will be those that either have no groups assigned to them (and are therefore public) or those in which the user is a member.

**class** `intranet.apps.polls.models.PollQuerySet(model=None, query=None, using=None, hints=None)`

Bases: `django.db.models.query.QuerySet`

**this\_year()**

Get `AnnouncementRequests` from this school year only.

**class** `intranet.apps.polls.models.Poll_groups(id, poll, group)`

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**group\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**poll**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**poll\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.polls.models.Question(*args, **kwargs)
Bases: django.db.models.base.Model
```

A question for a Poll.

**poll**

A ForeignKey to the Poll object the question is for.

**question**

A text field for entering the question, of which there are choices the user can make.

**num**

An integer order in which the question should appear; the primary sort.

**type**

**One of:** Question.STD: Standard Question.ELECTION: Election (randomized choice order) Question.APP: Approval (can select up to max\_choices entries) Question.SPLIT\_APP: Split approval Question.FREE\_RESP: Free response Question.STD\_OTHER: Standard Other field

**max\_choices**

The maximum number of choices that can be selected. Only applies for approval questions.

```
Access possible choices for this question through question.choice_set.all()
```

```
APP = 'APP'
```

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

```
ELECTION = 'ELC'
```

```
FREE_RESP = 'FRE'
```

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

```
SHORT_RESP = 'SRE'
```

```
SPLIT_APP = 'SAP'
```

```
STD = 'STD'
```

```
STD_OTHER = 'STO'
```

```
TYPE = (('STD', 'Standard'), ('ELC', 'Election'), ('APP', 'Approval'), ('SAP', 'Split'))
```

**answer\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**answervote\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**choice\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**classmethod get\_question\_types()****get\_type\_display(\*, field=<django.db.models.fields.CharField: type>)****get\_users\_voted()****id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_choice()****is\_many\_choice()****is\_single\_choice()****is\_writing()****max\_choices**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**num**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****poll**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**poll\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**question**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property random\_choice\_set****trunc\_question()****type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**intranet.apps.polls.tests module**

**class** `intranet.apps.polls.tests.ApiTest (methodName='runTest')`

Bases: `intranet.test.ion_test.IonTestCase`

Tests for the polls module.

**test\_can\_vote()****test\_poll()****intranet.apps.polls.urls module****intranet.apps.polls.views module**

`intranet.apps.polls.views.fmt (num)`

`intranet.apps.polls.views.generate_choice (name, votes, total_count, do_gender=True, show_answers=False)`

`intranet.apps.polls.views.handle_choice (q, do_gender=True, show_answers=False)`

`intranet.apps.polls.views.handle_sap (q)`

`intranet.apps.polls.views.perc (num, den)`

`intranet.apps.polls.views.process_question_data (instance, question_data)`

**Module contents****intranet.apps.preferences package****Submodules****intranet.apps.preferences.fields module**

**class** `intranet.apps.preferences.fields.PhoneField (*args, **kwargs)`

Bases: `django.db.models.fields.Field`

Model field for a phone number

```
deconstruct()
formfield(**kwargs)
get_internal_type()

class intranet.apps.preferences.fields.PhoneFormField(*args, **kwargs)
Bases: django.forms.fields.Field

default_error_messages = {'incomplete': 'Please enter a phone number.', 'invalid': ''}

static prepare_value(value)

to_python(value)
    Returns a Unicode object.

widget
    alias of django.forms.widgets.TextInput

static widget_attrs(_)
```

## intranet.apps.preferences.forms module

```
class intranet.apps.preferences.forms.BusRouteForm(*args, **kwargs)
Bases: django.forms.forms.Form

declared_fields = {}

class intranet.apps.preferences.forms.DarkModeForm(user, *args, **kwargs)
Bases: django.forms.forms.Form

declared_fields = {}

class intranet.apps.preferences.forms.EmailForm(data=None, files=None,
                                                auto_id='id_%s', prefix=None,
                                                initial=None, error_class=<class
                                                'django.forms.utils.ErrorList'>,
                                                label_suffix=None,
                                                empty_permitted=False,
                                                instance=None,
                                                use_required_attribute=None, renderer=None)
Bases: django.forms.models.ModelForm

class Meta
    Bases: object

    fields = ['address']

    model
        alias of intranet.apps.users.models.Email

clean_address()

declared_fields = {}

class intranet.apps.preferences.forms.NotificationOptionsForm(user, *args,
                                                               **kwargs)
Bases: django.forms.forms.Form

declared_fields = {}
```

```

class intranet.apps.preferences.forms.PhoneForm(data=None, files=None,
auto_id='id_%s', prefix=None,
initial=None, error_class=<class
'django.forms.utils.ErrorList'>,
label_suffix=None,
empty_permitted=False,
instance=None,
use_required_attribute=None, ren-
derer=None)

Bases: django.forms.models.ModelForm

Represents a phone number (number + purpose)

class Meta
    Bases: object

    fields = ['purpose', '_number']

    model
        alias of intranet.apps.users.models.Phone

    declared_fields = {'_number': <django.forms.fields.CharField object>}

class intranet.apps.preferences.forms.PreferredPictureForm(user, *args,
**kwargs)
    Bases: django.forms.Form

    declared_fields = {}

class intranet.apps.preferences.forms.PrivacyOptionsForm(user, *args, **kwargs)
    Bases: django.forms.Form

    declared_fields = {}

class intranet.apps.preferences.forms.WebsiteForm(data=None, files=None,
auto_id='id_%s', prefix=None,
initial=None, error_class=<class
'django.forms.utils.ErrorList'>,
label_suffix=None,
empty_permitted=False,
instance=None,
use_required_attribute=None,
render=None)

Bases: django.forms.models.ModelForm

class Meta
    Bases: object

    fields = ['url']

    model
        alias of intranet.apps.users.models.Website

    declared_fields = {}

```

## intranet.apps.preferences.tests module

```
class intranet.apps.preferences.tests.PreferencesFormTest (methodName='runTest')
    Bases: intranet.test/ion_test.IonTestCase

    test_email_form()

class intranet.apps.preferences.tests.PreferencesTest (methodName='runTest')
    Bases: intranet.test/ion_test.IonTestCase

    setUp()
    test_clear_preferences()
    test_get_preferences()
    test_save_bus_route()
    test_set_preferences()
```

## intranet.apps.preferences.urls module

### intranet.apps.preferences.views module

```
intranet.apps.preferences.views.get_bus_route(user)
    Get a user's bus route to pass as an initial value to a BusRouteForm.

intranet.apps.preferences.views.get_notification_options(user)
    Get a user's notification options to pass as an initial value to a NotificationOptionsForm.

intranet.apps.preferences.views.get_personal_info(user)
    Get a user's personal info attributes to pass as an initial value to a PersonalInformationForm.

intranet.apps.preferences.views.get_preferred_pic(user)
    Get a user's preferred picture attributes to pass as an initial value to a PreferredPictureForm.

intranet.apps.preferences.views.get_privacy_options(user)
    Get a user's privacy options to pass as an initial value to a PrivacyOptionsForm.

intranet.apps.preferences.views.preferences_view(request)
    View and process updates to the preferences page.

intranet.apps.preferences.views.privacy_options_view(request)
    View and edit privacy options for a user.

intranet.apps.preferences.views.save_bus_route(request, user)
intranet.apps.preferences.views.save_dark_mode_settings(request, user)
intranet.apps.preferences.views.save_gcm_options(request, user)
intranet.apps.preferences.views.save_notification_options(request, user)
intranet.apps.preferences.views.save_personal_info(request, user)
intranet.apps.preferences.views.save_preferred_pic(request, user)
intranet.apps.preferences.views.save_privacy_options(request, user)
```

## Module contents

### intranet.apps.printing package

#### Submodules

##### intranet.apps.printing.admin module

```
class intranet.apps.printing.admin.PrintJobAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    static formatted_page_range(obj)

    list_display = ('time', 'printer', 'user', 'file', 'num_pages', 'formatted_page_range')
    list_filter = ('time', 'printer', 'num_pages')
    ordering = ('-time',)
    raw_id_fields = ('user',)
```

##### intranet.apps.printing.forms module

```
class intranet.apps.printing.forms.PrintJobForm(*args, **kwargs)
    Bases: django.forms.models.ModelForm

    class Meta
        Bases: object

        fields = ['file', 'printer', 'page_range', 'duplex', 'fit']

        model
            alias of intranet.apps.printing.models.PrintJob

    declared_fields = {'file': <django.forms.fields.FileField object>, 'page_range': <django.forms.fields.CharField object>}
    validate_size()
```

##### intranet.apps.printing.models module

```
class intranet.apps.printing.models.PrintJob(*args, **kwargs)
    Bases: django.db.models.base.Model
```

Represents a submitted print job to Ion printing.

#### user

The user submitting the job.

**Type** User

#### printer

The printer to run the job on.

**Type** str

#### file

The file that the user submitted.

**Type** File

**page\_range**

The page range to print.

**Type** str

**time**

The time the job was submitted.

**Type** datetime.datetime

**printed**

Whether the job was printed.

**Type** bool

**num\_pages**

The number of pages in this job. This is calculated after converting the job.

**Type** int

**duplex**

Whether to print duplex.

**Type** bool

**fit**

Whether to fit to page.

**Type** bool

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**duplex**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**file**

The descriptor for the file attribute on the model instance. Return a FieldFile when accessed so you can write code like:

```
>>> from myapp.models import MyModel  
>>> instance = MyModel.objects.get(pk=1)  
>>> instance.file.size
```

Assign a file object on assignment so you can do:

```
>>> with open('/path/to/hello.world', 'r') as f:  
...     instance.file = File(f)
```

**fit**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_next\_by\_time**(\*  
    field=<django.db.models.fields.DateTimeField: time>,  
    \*\*kwargs)

**get\_previous\_by\_time**(\*  
    field=<django.db.models.fields.DateTimeField: time>,  
    \*\*kwargs)

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**num\_pages**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**page\_range**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**printed**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**printer**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## intranet.apps.printing.tests module

```
class intranet.apps.printing.tests.PrintingTest (methodName='runTest')
    Bases: intranet.test.io\_TestCase
        test_printing_view()
```

## intranet.apps.printing.urls module

## intranet.apps.printing.views module

```
exception intranet.apps.printing.views.InvalidInputPrintingError
    Bases: Exception
```

An error occurred while printing, but it was due to invalid input from the user and is not worthy of a CRITICAL log message.

```
intranet.apps.printing.views.check_page_range (page_range: str, max_pages: int) → Optional[int]
```

Returns the number of pages included in the range, or None if it is an invalid range.

### Parameters

- **page\_range** – The page range as a string, such as “1-5” or “1,2,3”.
- **max\_pages** – The number of pages in the submitted document. If the number of pages in the given range exceeds this, it will be considered invalid.

**Returns** The number of pages in the range, or None if it is an invalid range.

```
intranet.apps.printing.views.convert_file (tmpfile_name: str, orig_fname: str) → Optional[str]
```

```
intranet.apps.printing.views.convert_pdf (tmpfile_name: str, cmdname: str = 'ps2pdf') → Optional[str]
```

```
intranet.apps.printing.views.convert_soffice (tmpfile_name: str) → Optional[str]
```

Converts a doc or docx to a PDF with soffice.

**Parameters** **tmpfile\_name** – The path to the file to print.

**Returns** The path to the converted file. If it fails, false.

```
intranet.apps.printing.views.get_mimetype (tmpfile_name: str) → str
```

```
intranet.apps.printing.views.get_numpages (tmpfile_name: str) → int
```

```
intranet.apps.printing.views.get_printers () → Dict[str, str]
```

Returns a dictionary mapping name:description for available printers.

This requires that a CUPS client be configured on the server. Otherwise, this returns an empty dictionary.

**Returns** description for available printers.

**Return type** A dictionary mapping name

```
intranet.apps.printing.views.print_job (obj: intranet.apps.printing.models.PrintJob,
                                         do_print: bool = True)
```

## Module contents

[intranet.apps.schedule package](#)

### Subpackages

[intranet.apps.schedule.management package](#)

### Subpackages

[intranet.apps.schedule.management.commands package](#)

### Submodules

[intranet.apps.schedule.management.commands.schedule\\_notify module](#)

```
class intranet.apps.schedule.management.commands.schedule_notify.Command(stdout=None,
                                                               stderr=None,
                                                               no_color=False,
                                                               force_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
do_notify(pd_data)
handle(*args, **options)
help = 'Send Google Cloud Messaging notifications at needed times at the beginning and end of days.'
```

## Module contents

[Module contents](#)

### Submodules

[intranet.apps.schedule.admin module](#)

[intranet.apps.schedule.api module](#)

```
class intranet.apps.schedule.api.DayDetail(**kwargs)
Bases: rest_framework.generics.RetrieveAPIView
get_object()
lookup_field = 'date'
permission_classes = (<class 'rest_framework.permissions.AllowAny'>,)
queryset
serializer_class
alias of intranet.apps.schedule.serializers.DaySerializer
```

```
class intranet.apps.schedule.api.DayList(**kwargs)
Bases: rest_framework.generics.ListAPIView

get_queryset()
pagination_class
    alias of OnePagePagination

permission_classes = (<class 'rest_framework.permissions.AllowAny'>,)

serializer_class
    alias of intranet.apps.schedule.serializers.DaySerializer

class intranet.apps.schedule.api.OnePagePagination
Bases: rest_framework.pagination.PageNumberPagination

max_page_size = 7
page_size = 1
page_size_query_param = 'page_size'
```

## intranet.apps.schedule.forms module

```
class intranet.apps.schedule.forms.DayForm(data=None, files=None, auto_id='id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None, renderer=None)
Bases: django.forms.models.ModelForm

class Meta
    Bases: object

    fields = ['date', 'day_type']

    model
        alias of intranet.apps.schedule.models.Day

    declared_fields = {}

class intranet.apps.schedule.forms.DayTypeForm(data=None, files=None, auto_id='id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None, renderer=None)
Bases: django.forms.models.ModelForm

class Meta
    Bases: object

    fields = ['name', 'special', 'codenames', 'blocks']

    model
        alias of intranet.apps.schedule.models.DayType

    declared_fields = {}
```

**intranet.apps.schedule.models module**

```
class intranet.apps.schedule.models.Block (id, name, start, end, order)
    Bases: django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

daytype_set
    Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.
```

In the example:

```
class Pizza (Model) :
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**end**  
Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child (Model) :
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**end\_id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.Manager object>

**order**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**start**  
Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child (Model) :
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**start\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.schedule.models.CodeName (id, name)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**daytype\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza (Model) :  
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

```
class intranet.apps.schedule.models.Day (id, date, day_type, comment)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**comment**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**day\_type**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child (Model) :  
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**day\_type\_id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property end\_time**  
Return time the school day ends

```
get_next_by_date(*, field=<django.db.models.fields.DateField: date>, is_next=True, **kwargs)
get_previous_by_date(*, field=<django.db.models.fields.DateField: date>, is_next=False,
                     **kwargs)
```

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <intranet.apps.schedule.models.DayManager object>**

**property start\_time**  
Return time the school day begins

**class intranet.apps.schedule.models.DayManager**  
Bases: `django.db.models.manager.Manager`

**get\_future\_days()**  
Return only future Day objects.

**today()**  
Return the Day for the current day

**class intranet.apps.schedule.models.DayType (id, name, special)**  
Bases: `django.db.models.base.Model`

**exception DoesNotExist**  
Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**  
Bases: `django.core.exceptions.MultipleObjectsReturned`

**blocks**  
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**property class\_name**

**codenames**  
Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**day\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**property end\_time**

Returns Time the school day ends. Returns None if there are no blocks.

**Returns** The Time at which the school day ends, or None if there are no blocks.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property no\_school**

Returns True if no blocks are scheduled.

**Returns** Whether there are no blocks scheduled.

```
objects = <django.db.models.manager.Manager object>
```

**special**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property start\_time**

Returns Time the school day begins. Returns None if there are no blocks.

**Returns** The Time at which the school day starts, or None if there are no blocks.

```
class intranet.apps.schedule.models.DayType_blocks(id, daytype, block)
```

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**block**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

#### **block\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **daytype**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

#### **daytype\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

```
class intranet.apps.schedule.models.DayType_codenames(id, daytype, codename)
Bases: django.db.models.base.Model
```

#### **exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

#### **exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

#### **codename**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

#### **codename\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **daytype**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**daytype\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**class** intranet.apps.schedule.models.**Time** (*id, hour, minute*)  
Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**blockend**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**blockstart**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**date\_obj(date)**

**hour**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**minute**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**str\_12\_hr()**

**intranet.apps.schedule.notifications module**

```
intranet.apps.schedule.notifications.at_period_point (blocks)
intranet.apps.schedule.notifications.chrome_getdata_check (request)
intranet.apps.schedule.notifications.period_start_end_data (request)
```

**intranet.apps.schedule.serializers module**

```
class intranet.apps.schedule.serializers.BlockSerializer (instance=None,
                                                       data=<class
                                                       'rest_framework.fields.empty'>,
                                                       **kwargs)
Bases: rest_framework.serializers.ModelSerializer

class Meta
    Bases: object

    fields = ('order', 'name', 'start', 'end')

    model
        alias of intranet.apps.schedule.models.Block

class intranet.apps.schedule.serializers.DaySerializer (instance=None,
                                                       data=<class
                                                       'rest_framework.fields.empty'>,
                                                       **kwargs)
Bases: rest_framework.serializers.HyperlinkedModelSerializer

class Meta
    Bases: object

    fields = ('url', 'date', 'day_type')

    model
        alias of intranet.apps.schedule.models.Day

class intranet.apps.schedule.serializers.DayTypeSerializer (instance=None,
                                                       data=<class
                                                       'rest_framework.fields.empty'>,
                                                       **kwargs)
Bases: rest_framework.serializers.ModelSerializer

class Meta
    Bases: object

    fields = ('name', 'special', 'blocks')

    model
        alias of intranet.apps.schedule.models.DayType

class intranet.apps.schedule.serializers.TimeSerializer (instance=None,
                                                       data=<class
                                                       'rest_framework.fields.empty'>,
                                                       **kwargs)
Bases: rest_framework.serializers.ModelSerializer

class Meta
    Bases: object
```

```
    fields = ('hour', 'minute')
    model
        alias of intranet.apps.schedule.models.Time
```

## intranet.apps.schedule.tests module

```
class intranet.apps.schedule.tests.ScheduleTest (methodName='runTest')
    Bases: intranet.test.io_TestCase
    Tests schedules.

    test_day()
```

## intranet.apps.schedule.urls module

### intranet.apps.schedule.views module

```
intranet.apps.schedule.views.calendar_view(request)
intranet.apps.schedule.views.date_format(date)
intranet.apps.schedule.views.decode_date(date)
intranet.apps.schedule.views.delete_cache()
intranet.apps.schedule.views.get_day_data(firstday, daynum)
intranet.apps.schedule.views.is_weekday(date)
intranet.apps.schedule.views.month_data(request)
intranet.apps.schedule.views.schedule_context(request=None, date=None, use_cache=True, show_tomorrow=True)
intranet.apps.schedule.views.schedule_embed(request)
intranet.apps.schedule.views.schedule_view(request)
intranet.apps.schedule.views.schedule_widget_view(request)
intranet.apps.schedule.views.week_data(request, date=None)
```

## Module contents

### intranet.apps.search package

#### Submodules

##### intranet.apps.search.urls module

##### intranet.apps.search.utils module

```
intranet.apps.search.utils.get_query(query_string, search_fields)
    Returns a query, that is a combination of Q objects.
```

That combination aims to search keywords within a model by testing the given search fields.

```
intranet.apps.search.utils.normalize_query(query_string,
                                             findterms=<built-in
                                             method findall of re.Pattern object>,
                                             normspace=<built-in method sub of re.Pattern
                                             object>)
```

Splits the query string in individual keywords, getting rid of unnecessary spaces and grouping quoted words together. Example:

```
>>> normalize_query(' some random words "with quotes" and spaces')
['some', 'random', 'words', 'with quotes', 'and', 'spaces']
```

## **intranet.apps.search.views module**

```
intranet.apps.search.views.do_activities_search(q)
intranet.apps.search.views.do_announcements_search(q)
intranet.apps.search.views.do_courses_search(q)
intranet.apps.search.views.do_events_search(q)
intranet.apps.search.views.get_search_results(q, admin=False)
intranet.apps.search.views.query(q, admin=False)
```

### **Module contents**

#### **intranet.apps.seniors package**

##### **Subpackages**

##### **intranet.apps.seniors.management package**

##### **Subpackages**

##### **intranet.apps.seniors.management.commands package**

##### **Submodules**

##### **intranet.apps.seniors.management.commands.import\_colleges module**

```
class intranet.apps.seniors.management.commands.import_colleges.Command(stdout=None,
                                                                     stderr=None,
                                                                     no_color=False,
                                                                     force_color=False)

Bases: django.core.management.base.BaseCommand

handle(*args, **options)

help = 'Import colleges from ceeb.csv file'
```

## Module contents

### Module contents

#### Submodules

##### **intranet.apps.seniors.admin module**

##### **intranet.apps.seniors.forms module**

```
class intranet.apps.seniors.forms.SeniorForm(*args, **kwargs)
    Bases: django.forms.models.ModelForm

    class Meta
        Bases: object

        fields = ['college', 'college_sure', 'major', 'major_sure']

        model
            alias of intranet.apps.seniors.models.Senior

        declared_fields = {}
```

##### **intranet.apps.seniors.models module**

```
class intranet.apps.seniors.models.College(id, name, ceeb)
    Bases: django.db.models.base.Model

    exception DoesNotExist
        Bases: django.core.exceptions.ObjectDoesNotExist

    exception MultipleObjectsReturned
        Bases: django.core.exceptions.MultipleObjectsReturned

    ceeb
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

    id
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

    name
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

    objects = <django.db.models.manager.Manager object>
    senior_set
        Accessor to the related objects manager on the reverse side of a many-to-one relation.
```

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class intranet.apps.seniors.models.Senior(id, user, college, major, college_sure, major_sure)
    Bases: django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

MAJORS = ['Computer Science', 'Engineering', 'Education', 'Mathematics', 'Physics', 'Biology']
```

```
exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned
```

#### college

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

#### college\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### college\_sure

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_major_display(*, field=<django.db.models.fields.CharField: major>)
```

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### major

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### major\_sure

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <intranet.apps.seniors.models.SeniorManager object>
```

#### user

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

`Restaurant.place` is a `ForwardOneToOneDescriptor` instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.seniors.models.SeniorManager  
    Bases: django.db.models.manager.Manager  
    filled()
```

[intranet.apps.seniors.urls module](#)

[intranet.apps.seniors.views module](#)

**Module contents**

[intranet.apps.sessionmgmt package](#)

**Submodules**

[intranet.apps.sessionmgmt.admin module](#)

[intranet.apps.sessionmgmt.helpers module](#)

`intranet.apps.sessionmgmt.helpers.trust_session(request) → None`

Creates a TrustedSession object for a given request's session, populating all the fields properly.

**Parameters** `request` – A request from the device/session that should be trusted.

[intranet.apps.sessionmgmt.models module](#)

```
class intranet.apps.sessionmgmt.models.TrustedSession(id, description, device_type, user, session_key, first_trusted_date)  
    Bases: django.db.models.base.Model  
  
    DEVICE_TYPES = (('mobile', 'Mobile'), ('tablet', 'Tablet'), ('computer', 'Computer'))  
  
    exception DoesNotExist  
        Bases: django.core.exceptions.ObjectDoesNotExist  
  
    exception MultipleObjectsReturned  
        Bases: django.core.exceptions.MultipleObjectsReturned  
  
    classmethod delete_expired_sessions(*, user=None) → None  
        Deletes all expired trusted sessions for the given user. If user is None or not given, deletes all expired trusted sessions.  
  
        Parameters user – The user to delete all expired trusted sessions for, or None to delete all expired trusted sessions  
  
    description  
        A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.
```

**device\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**first\_trusted\_date**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
get_device_type_display(*, field=<django.db.models.fields.CharField: device_type>)
```

```
get_next_by_first_trusted_date(*, field=<django.db.models.fields.DateTimeField: first_trusted_date>, is_next=True, **kwargs)
```

```
get_previous_by_first_trusted_date(*, field=<django.db.models.fields.DateTimeField: first_trusted_date>, is_next=False, **kwargs)
```

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**session\_key**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## intranet.apps.sessionmgmt.tests module

### intranet.apps.sessionmgmt.urls module

### intranet.apps.sessionmgmt.views module

```
intranet.apps.sessionmgmt.views.global_logout_view(request)
```

```
intranet.apps.sessionmgmt.views.index_view(request)
```

```
intranet.apps.sessionmgmt.views.revoke_session_view(request)
```

```
intranet.apps.sessionmgmt.views.trust_session_view(request)
```

## Module contents

### intranet.apps.signage package

#### Subpackages

##### intranet.apps.signage.templatetags package

#### Submodules

##### intranet.apps.signage.templatetags.signage module

```
intranet.apps.signage.templatetags.signage.render_page(page, page_args)  
    Renders the template at page.template
```

## Module contents

#### Submodules

##### intranet.apps.signage.admin module

```
class intranet.apps.signage.admin.PageAdmin(model, admin_site)  
    Bases: django.contrib.admin.options.ModelAdmin  
    list_display = ('name',)  
  
class intranet.apps.signage.admin.SignAdmin(model, admin_site)  
    Bases: django.contrib.admin.options.ModelAdmin  
    list_display = ('name', 'display')
```

##### intranet.apps.signage.consumers module

```
class intranet.apps.signage.consumers.SignageConsumer(*args, **kwargs)  
    Bases: channels.generic.websocket.JsonWebSocketConsumer  
  
    connect() → None  
    disconnect(code: int) → None  
    receive_json(content) → None
```

## intranet.apps.signage.models module

```
class intranet.apps.signage.models.Page (*args, **kwargs)
    Bases: django.db.models.base.Model

    iframe: True if page is just an iframe url: url for iframe (if iframe is True) sandbox: whether the iframe should be sandboxed

        https://developer.mozilla.org/en-US/docs/Web/HTML/Element/iframe#attr-sandbox

    template: the path to the template (for server side rendering) button: the name of the fontawesome icon (ex: "fa-chrome") order: index at which button should be placed

    strip_links: whether we strip the links in the iframe (to prevent navigation away)

    signs: set of signs which display this Page

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

button
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

deploy_to (displays=None, exclude=None)
    Deploys page to listed display (specify with display). If display is None, deploy to all display. Can specify exclude for which display to exclude. This overwrites the first argument.

function
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

iframe
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

name
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.ManagerFromPageQuerySet object>

order
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

sandbox
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

signs
    Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

    In the example:
```

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **strip\_links**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **template**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.signage.models.PageQuerySet(model=None, query=None, using=None, hints=None)
```

Bases: `django.db.models.query.QuerySet`

#### **order\_properly() → models.query.QuerySet[Page]**

Returns a QuerySet containing all the pages in this QuerySet, but sorted in ascending order by their `order` field (falling back on `id` when the `order` fields for two pages are the same).

**Returns** A QuerySet containing all the pages in this QuerySet sorted by their `order` and `id` fields in ascending order.

```
class intranet.apps.signage.models.Sign(*args, **kwargs)
```

Bases: `django.db.models.base.Model`

`name`: friendly display name [required] `display`: unique name (should match hostname of pi/compute stick) [required]

`eighth_block_increment`: ... `landscape`: if `display` is in landscape orientation `map_location`: location of display on map

`lock_page`: if set, the signage will only display this page `default_page`: if set, the signage will revert to this page after a set

amount of time

`day_end_switch_page`: A page to switch to near the end of the day `day_end_switch_minutes`: The number of minutes before the end of the day to switch

to `day_end_switch_page`. Can be negative to switch after the end of the day.

**latest\_heartbeat\_time: If the sign has an open websocket connection to a SignageConsumer**, this is the time at which the last message was received from it. If the sign does not have such a connection open, this is None (even if the sign previously had an open connection).

`pages`: a list of pages

#### **exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

#### **exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**day\_end\_switch\_minutes**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**day\_end\_switch\_page**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**day\_end\_switch\_page\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**default\_page**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**default\_page\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**display**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**eighth\_block\_increment**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**img\_path**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property is\_offline****landscape**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**latest\_heartbeat\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**lock\_page**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**lock\_page\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**map\_location**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.ManagerFromSignQuerySet object>

**pages**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**class** intranet.apps.signage.models.SignQuerySet (*model=None*, *query=None*, *using=None*, *hints=None*)

Bases: django.db.models.query.QuerySet

**filter\_offline()** → models.query.QuerySet[Sign]

**filter\_online()** → models.query.QuerySet[Sign]

**class** intranet.apps.signage.models.Sign\_pages (*id*, *sign*, *page*)

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.Manager object>

**page**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**page\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**sign**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**sign\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## intranet.apps.signage.pages module

`intranet.apps.signage.pages.announcements(page, sign, request)`

`intranet.apps.signage.pages.bus(page, sign, request)`

`intranet.apps.signage.pages.hello_world(page, sign, request)`

## intranet.apps.signage.urls module

### intranet.apps.signage.views module

`intranet.apps.signage.views.check_internal_ip(request)`

`intranet.apps.signage.views.eighth(request)`

Displays the eighth period signage page. This cannot be a regular signage page because it needs to reload in order to switch blocks or update information..

`intranet.apps.signage.views.prometheus_metrics(request)`

Prometheus metrics for signage displays. Currently just whether or not they are online.

`intranet.apps.signage.views.signage_display(request, display_id)`

## Module contents

### intranet.apps.templatetags package

#### Submodules

##### intranet.apps.templatetags.dates module

`intranet.apps.templatetags.dates.fuzzy_date(date)`  
Formats a `datetime.datetime` object relative to the current time.

`intranet.apps.templatetags.dates.fuzzy_time(time)`  
Formats a `datetime.time` object relative to the current time.

`intranet.apps.templatetags.dates.time_to_date(time)`  
Returns a `datetime.datetime` object from a `datetime.time` object using the current date.

##### intranet.apps.templatetags.dictionaries module

`intranet.apps.templatetags.dictionaries.lookup(d, key)`

##### intranet.apps.templatetags.form\_field module

`intranet.apps.templatetags.form_field.field_(self, name)`  
From <https://github.com/halfnibble/django-underscore-filters>

Get a form field starting with `_`. Taken near directly from Django > forms. Returns a BoundField with the given name.

##### intranet.apps.templatetags.forms module

`intranet.apps.templatetags.forms.field_array_index(field)`

`intranet.apps.templatetags.forms.field_array_size(field)`

`intranet.apps.templatetags.forms.is_array_field(field)`

##### intranet.apps.templatetags.math module

`intranet.apps.templatetags.math.divide(dividend, divisor)`  
Returns the quotient of the arguments as a float.

`intranet.apps.templatetags.math.maximum(num1, num2)`  
Returns smaller of two numbers.

`intranet.apps.templatetags.math.minimum(num1, num2)`  
Returns smaller of two numbers.

`intranet.apps.templatetags.math.multiply(num1, num2)`  
Returns the product of the arguments.

```
intranet.apps.templatetags.math.round_num(number, precision=0)
```

Rounds a number to a given precision in decimal digits (default 0 digits) and returns the integer value.

Precision may be negative. A precision of 1 will round to the tenths place and a precision of -1 will round to the tens place.

Returns: Float

```
intranet.apps.templatetags.math.to_int(num)
```

Converts a number to an integer.

## intranet.apps.templatetags.newtab\_links module

```
intranet.apps.templatetags.newtab_links.replace_newtab_links(value)
```

## intranet.apps.templatetags.strings module

```
intranet.apps.templatetags.strings.contains_digit(s)
```

```
intranet.apps.templatetags.strings.endswith(val, arg)
```

## intranet.apps.templatetags.tests module

```
class intranet.apps.templatetags.tests.TemplateTest(methodName='runTest')
```

Bases: *intranet.test.io\_test.IoTestCase*

Tests for the templates.

```
test_validate_templates()
```

Validates all the templates.

## Module contents

### intranet.apps.users package

#### Subpackages

##### intranet.apps.users.management package

#### Subpackages

##### intranet.apps.users.management.commands package

#### Submodules

## intranet.apps.users.management.commands.import\_groups module

```
class intranet.apps.users.management.commands.import_groups.Command(stdout=None,
                                                               stderr=None,
                                                               no_color=False,
                                                               force_color=False)
Bases: django.core.management.base.BaseCommand
handle(*args, **options)
help = 'Import groups from CSV'
```

## intranet.apps.users.management.commands.lock module

```
class intranet.apps.users.management.commands.lock.Command(stdout=None,
                                                               stderr=None,
                                                               no_color=False,
                                                               force_color=False)
Bases: django.core.management.base.BaseCommand
args = '<u>'
handle(*args, **options)
help = 'Lock account'
```

### Module contents

#### Module contents

## intranet.apps.users.templatetags package

### Submodules

## intranet.apps.users.templatetags.grades module

intranet.apps.users.templatetags.grades.to\_grade\_name(year)  
Returns a *Grade* object for a year.

intranet.apps.users.templatetags.grades.to\_grade\_number(year)  
Returns a *Grade* object for a year.

## intranet.apps.users.templatetags.phone\_numbers module

intranet.apps.users.templatetags.phone\_numbers.dashes(phone)  
Returns the phone number formatted with dashes.

## intranet.apps.users.templatetags.users module

`intranet.apps.users.templatetags.users.argument_request_user(obj, func_name)`  
 Pass `request.user` as an argument to the given function call.

`intranet.apps.users.templatetags.users.user_attr(username, attribute)`  
 Gets an attribute of the user with the given username.

## Module contents

### Submodules

#### intranet.apps.users.admin module

#### intranet.apps.users.api module

```
class intranet.apps.users.api.ProfileDetail(**kwargs)
Bases: rest_framework.generics.RetrieveAPIView

API endpoint that retrieves an Ion profile.

/api/profile: retrieve your profile /api/profile/<pk>: retrieve the profile of the user with id <pk>
/api/profile/<username>: retrieve the profile of the user with username <username>

permission_classes = (<class 'rest_framework.permissions.IsAuthenticated'>,)
retrieve(request, *args, **kwargs)

serializer_class
alias of intranet.apps.serializers.UserSerializer

class intranet.apps.users.api.ProfilePictureDetail(**kwargs)
Bases: rest_framework.generics.RetrieveAPIView

API endpoint that retrieves an Ion profile picture.

/api/profile/<pk>/picture: retrieve default profile picture /api/profile/<pk>/picture/<photo_year>: retrieve profile
picture for year <photo_year>

permission_classes = (<class 'intranet.apps.auth.rest_permissions.DenyRestrictedPermissions'>,)
renderer_classes = (<class 'intranet.apps.users.renderers.JPEGRenderer'>,)
retrieve(request, *args, **kwargs)

serializer_class
alias of intranet.apps.serializers.UserSerializer

class intranet.apps.users.api.Search(**kwargs)
Bases: rest_framework.generics.RetrieveAPIView

API endpoint that retrieves the results of a search for Ion users.

Paginated using ?page=<page>

permission_classes = (<class 'intranet.apps.auth.rest_permissions.DenyRestrictedPermissions'>,)
queryset
retrieve(request, *args, **kwargs)
```

**intranet.apps.users.courses\_urls module****intranet.apps.users.forms module**

```
class intranet.apps.users.forms.AddressForm(data=None, files=None,
                                              auto_id='id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None, renderer=None)
Bases: django.forms.models.ModelForm

Form for user address

class Meta
    Bases: object

    fields = ['street', 'city', 'state', 'postal_code']

    model
        alias of intranet.apps.users.models.Address

    declared_fields = {'city': <django.forms.fields.CharField object>, 'postal_code': <django.forms.fields.CharField object>}

class intranet.apps.forms.ProfileEditForm(data=None, files=None,
                                            auto_id='id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None, renderer=None)
Bases: django.forms.models.ModelForm

A form containing editable fields in the User model.

GENDERS = ((True, 'Male'), (False, 'Female'))

class Meta
    Bases: object

    fields = ['admin_comments', 'student_id', 'first_name', 'middle_name', 'last_name']

    model
        alias of intranet.apps.users.models.User

    declared_fields = {'admin_comments': <django.forms.fields.CharField object>, 'birthday': <django.forms.fields.DateField object>}

class intranet.apps.forms.SortedTeacherMultipleChoiceField(*args, **kwargs)
Bases: django.forms.models.ModelMultipleChoiceField

A ModelMultipleChoiceField that returns a user's Last, First initial instead of their TJ username (which is the default string representation).

label_from_instance(obj)
```

```
class intranet.apps.users.forms.SortedUserChoiceField(queryset, *, empty_label='-----', required=True, widget=None, label=None, initial=None, help_text='', to_field_name=None, limit_choices_to=None, **kwargs)
```

Bases: django.forms.models.ModelChoiceField

A ModelChoiceField that returns a user's Last, First name instead of their TJ username (which is the default string representation).

**label\_from\_instance**(obj)

```
class intranet.apps.users.forms.SortedUserMultipleChoiceField(queryset, **kwargs)
```

Bases: django.forms.models.ModelMultipleChoiceField

A ModelMultipleChoiceField that returns a user's Last, First name instead of their TJ username (which is the default string representation).

**label\_from\_instance**(obj)

```
class intranet.apps.users.forms.UserChoiceField(queryset, *, empty_label='-----', required=True, widget=None, label=None, initial=None, help_text='', to_field_name=None, limit_choices_to=None, **kwargs)
```

Bases: django.forms.models.ModelChoiceField

A ModelChoiceField that returns a user's full name instead of their TJ username (which is the default string representation).

**label\_from\_instance**(obj)

```
class intranet.apps.users.forms.UserMultipleChoiceField(queryset, **kwargs)
```

Bases: django.forms.models.ModelMultipleChoiceField

A ModelMultipleChoiceField that returns a user's full name instead of their TJ username (which is the default string representation).

**label\_from\_instance**(obj)

## intranet.apps.users.models module

```
class intranet.apps.users.models.Address(*args, **kwargs)
```

Bases: django.db.models.base.Model

Represents a user's address.

**street**

The street name of the address.

**city**

The city name of the address.

**state**

The state name of the address.

**postal\_code**

The zip code of the address.

```
exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

__str__()
    Returns full address string.

city
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>

postal_code
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

state
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

street
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

userproperties
    Accessor to the related object on the reverse side of a one-to-one relation.

In the example:

class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')

Place.restaurant is a ReverseOneToOneDescriptor instance.

class intranet.apps.users.models.Course(*args, **kwargs)
    Bases: django.db.models.base.Model

    Represents a course at TJ (not to be confused with section)

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

course_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

name
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.
```

```
objects = <django.db.models.manager.Manager object>
```

#### **sections**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class intranet.apps.users.models.Email(*args, **kwargs)
```

Bases: django.db.models.base.Model

Represents an email address

#### **exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

#### **exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

#### **address**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

#### **user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.users.models.Grade(grade)
Bases: object
```

Represents a user's grade.

#### **\_\_int\_\_()**

Return the grade as a number (9-12).

#### **\_\_str\_\_()**

Return name of the grade.

```
classmethod grade_from_year(grade: int) → int
```

```
property name
    Return the grade's name (e.g. senior)

property name_plural
    Return the grade's plural name (e.g. freshmen)

names = ['freshman', 'sophomore', 'junior', 'senior', 'staff']

property number
    Return the grade as a number (9-12).

For use in templates since there is no nice integer casting. In Python code you can also use int() on a Grade object.

static number_from_name(name: str) → Optional[int]

property text
    Return the grade's number as a string (e.g. Grade 12, Graduate)

classmethod year_from_grade(grade: int) → int

class intranet.apps.users.models.Phone(*args, **kwargs)
Bases: django.db.models.base.Model

Represents a phone number

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

PURPOSES = (('h', 'Home Phone'), ('m', 'Mobile Phone'), ('o', 'Other Phone'))

get_purpose_display(*, field=<django.db.models.fields.CharField: purpose>)

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>

purpose
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

user
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')

Child.parent is a ForwardManyToOneDescriptor instance.

user_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

class intranet.apps.users.models.Photo(*args, **kwargs)
Bases: django.db.models.base.Model

Represents a user photo
```

```
exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

base64
    Returns base64 encoded binary data for a user's picture.

    Returns Base 64-encoded binary data for a user's picture.

get_grade_number_display(*, field=<django.db.models.fields.IntegerField: grade_number>)

grade_number
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

objects = <django.db.models.manager.Manager object>

user
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOne-
    ToOneDescriptor subclass) relation.

    In the example:

    

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')



    Child.parent is a ForwardManyToOneDescriptor instance.

user_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.

class intranet.apps.users.models.Section(*args, **kwargs)
    Bases: django.db.models.base.Model

    Represents a section - a class with teacher, period, and room assignments

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

course
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOne-
    ToOneDescriptor subclass) relation.

    In the example:

    

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')



    Child.parent is a ForwardManyToOneDescriptor instance.

course_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is
    executed.
```

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****period**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**room**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**section\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**sem**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**teacher**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**teacher\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class intranet.apps.users.models.User(\*args, \*\*kwargs)**

Bases: django.contrib.auth.base\_user.AbstractBaseUser, django.contrib.auth.models.PermissionsMixin

Django User model subclass

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**TITLES = (('mr', 'Mr.'), ('ms', 'Ms.'), ('mrs', 'Mrs.'), ('dr', 'Dr.'))**

**USERNAME\_FIELD = 'username'**

Override default Model Manager (objects) with custom UserManager to add table-level functionality.

**USER\_TYPES = (('student', 'Student'), ('teacher', 'Teacher'), ('counselor', 'Counselor'))**

**absence\_count() → int**

Return the user's absence count.

If the user has no absences or is not a signup user, returns 0.

**Returns** The number of absences this user has.

**absence\_info()**

Returns a QuerySet of the ``EighthSignup``s for which this user was absent.

**Returns** A QuerySet of the ``EighthSignup``s for which this user was absent.

**property address**

Returns the Address object representing this user's address, or None if it is not set or the current user does not have permission to access it.

**Returns** The Address representing this user's address, or None if that is unavailable to the current user.

**admin\_comments**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property age**

Returns a user's age, based on their birthday.

**Returns** The user's age as an integer, or None if their birthday is not set.

**announcement\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**announcements\_hidden**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**announcements\_seen**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**answer\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **answervote\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **approved\_event**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **archive\_admin\_comments()**

#### **attending**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **property birthday**

Returns a datetime.date representing this user's birthday, or None if it is not set or the current user does not have permission to access it.

**Returns** A datetime.date representing this user's birthday, or None if it is not set or the current user does not have permission to access it.

#### **bus\_route**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### bus\_route\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### calculatorregistration\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### property can\_request\_parking

Checks if user can view the parking interface.

**Returns** Whether this user can view the parking interface and request a parking spot.

#### property can\_view\_eighth

Checks if a user has the show\_eighth permission.

**Returns** Whether this user has made their eighth period signups public.

#### property can\_view\_phone

Checks if a user has the show\_telephone permission.

**Returns** Whether this user has made their phone number public.

#### carapplication

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### computerregistration\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### counselor

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### counselor\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### dark\_mode\_properties

Accessor to the related object on the reverse side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Place.restaurant is a ReverseOneToOneDescriptor instance.

#### property default\_photo

Returns default photo (in binary) that should be used

**Returns** The binary representation of the user's default photo.

#### property display\_name

Returns self.full\_name.

**Returns** The user's full name.

#### eighthactivity\_set

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### eightscheduledactivity\_scheduledactivity\_set

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**eightscheduledactivity\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**eightsignup\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**eighthsponsor**

Accessor to the related object on the reverse side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Place.restaurant is a ReverseOneToOneDescriptor instance.

**eighthwaitlist\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**emails**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **event\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **events\_hidden**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **favorited\_activity\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **feature\_announcements\_dismissed**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **feature\_announcements\_seen**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **feedback\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **first\_login**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **first\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **founditem\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **property frequent\_signups**

Return a `QuerySet` of activity id's and counts for the activities that a given user has signed up for more than `settings.SIMILAR_THRESHOLD` times

#### **property full\_name**

Return full name, e.g. Angela William.

This is required for subclasses of User.

**Returns** The user's full name (first + " " + last).

#### **property full\_name\_nick**

If the user has a nickname, returns their name in the format "Nickname Lastname." Otherwise, this is identical to `full_name`.

**Returns** The user's full name, with their nickname substituted for their first name if it is set.

#### **gcmnotification\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**gender**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_eighth\_sponsor()**

Return the `EighthSponsor` that this user is associated with.

**Returns** The `EighthSponsor` that this user is associated with.

**get\_full\_name() → str**

Return full name, e.g. Angela William.

**Returns** The user's full name (see `full_name`).

**get\_short\_name() → str**

Get short (first) name of a user.

**Returns** The user's first name (see `short_name` and `first_name`).

**static get\_signage\_user() → intranet.apps.users.models.User**

Returns the user used to authenticate signage displays

**Returns** The user used to authenticate signage displays

**get\_title\_display(\*, field=<django.db.models.fields.CharField: title>)**

**get\_user\_type\_display(\*, field=<django.db.models.fields.CharField: user\_type>)**

**property grade**

Returns the grade of a user.

**Returns** A `Grade` object representing the user's current grade.

**property grade\_number**

Returns the number of the grade this user is currently in (9, 10, 11, or 12 for students).

**Returns** The number of the grade this user is currently in.

**graduation\_year**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**groups**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**handle\_delete()**

Handle a graduated user being deleted.

**has\_admin\_permission(perm: str) → bool**

Returns whether a user has an admin permission (explicitly, or implied by being in the “admin\_all” group)

**Parameters** `perm` – The admin permission to check for.

**Returns** Whether the user has the given admin permission (either explicitly or implicitly)

**property** `has_print_permission`

Checks if user has the admin permission ‘printing’.

**Returns** Whether this user is a printing administrator.

**property** `has_senior`

Checks if a Senior model (see `intranet.apps.seniors.models.Senior`) exists for the current user.

**Returns** Whether a Senior model (see `intranet.apps.seniors.models.Senior`) exists for the current user.

**has\_unvoted\_polls()** → bool

Returns whether there are open polls that this user has not yet voted in.

**Returns** Whether there are open polls that this user has not yet voted in.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property** `icon_username`

Returns this user’s username.

**Returns** This user’s username (see `username`).

**property** `is_active`

Checks if the user is active.

This is currently used to catch invalid logins.

**Returns** Whether the user is “active” – i.e. their account is not locked.

**property** `is_alum`

Checks if user is an alumnus.

**Returns** Whether this user is an alumnus.

**property** `is_announcements_admin`

Checks if user is an announcements admin.

**Returns** Whether this user is an announcement admin.

**property** `is_attendance_taker`

Checks if this user can take attendance for an eighth activity.

**Returns** Whether this user can take attendance for an eighth activity.

**property** `is_attendance_user`

Checks if user is an attendance-only user.

**Returns** Whether this user is an attendance-only user.

**property** `is_board_admin`

Checks if user is a board admin.

**Returns** Whether this user is a board admin.

**property** `is_bus_admin`

Returns whether the user has the bus admin permission.

**Returns** Whether the user has the bus admin permission.

**property is\_eighth\_admin**

Checks if user is an eighth period admin.

**Returns** Whether this user is an eighth period admin.

**property is\_eighth\_sponsor**

Determine whether the given user is associated with an.

*intranet.apps.eighth.models.EighthSponsor* and, therefore, should view activity sponsoring information.

**Returns** Whether this user is an eighth period sponsor.

**property is\_eighthoffice**

Checks if user is an Eighth Period office user.

This is currently hardcoded, but is meant to be used instead of user.id == 9999 or user.username == “eighthoffice”.

**Returns** Whether this user is an Eighth Period office user.

**property is\_female**

Returns whether the user is female.

**Returns** Whether the user is female.

**property is\_male**

Returns whether the user is male.

**Returns** Whether the user is male.

**property is\_parking\_admin**

Checks if user has the admin permission ‘parking’.

**Returns** Whether this user is a parking administrator.

**property is\_restricted**

Checks if user needs the restricted view of Ion

This applies to users that are user\_type ‘user’, user\_type ‘alum’ or user\_type ‘service’

**Returns** Whether this user should see a restricted view of Ion.

**property is\_schedule\_admin**

Checks if user is a schedule admin.

**Returns** Whether this user is a schedule admin.

**property is\_senior**

Checks if user is a student in Grade 12.

**Returns** Whether this user is a senior.

**property is\_simple\_user**

Checks if user is a simple user (e.g. eighth office user)

**Returns** Whether this user is a simple user (e.g. eighth office user).

**property is\_staff**

Checks if a user should have access to the Django Admin interface.

This has nothing to do with staff at TJ - *is\_staff* has to be overridden to make this a valid user model.

**Returns** Whether the user should have access to the Django Admin interface.

**property is\_student**

Checks if user is a student.

**Returns** Whether this user is a student.

**property `is_teacher`**

Checks if user is a teacher.

**Returns** Whether this user is a teacher.

**property `last_first`**

Return a name in the format of: Lastname, Firstname [(Nickname)]

**property `last_first_id`**

Return a name in the format of: Lastname, Firstname [(Nickname)] (Student ID/ID/Username)

**property `last_first_initial`**

Return a name in the format of: Lastname, F [(Nickname)]

**last\_global\_logout\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**last\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**logentry\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**lostitem\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**member\_of (`group: Union[intranet.apps.groups.models.Group, str]`) → bool**

Returns whether a user is a member of a certain group.

**Parameters** `group` – Either the name of a group or a `Group` object.

**Returns** Whether the user is a member of the given group.

**middle\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**nickname**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **nomination\_votes**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **nomination\_votes\_received**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

#### **property non\_tj\_email**

Returns the user's first non-TJ email found, or None if none is found.

If a user has a primary email set and it is not their TJ email, use that. Otherwise, use the first email found that is not their TJ email.

**Returns** The first non-TJ email found for a user, or None if no such email is found.

#### **property notification\_email**

Returns the notification email.

If a primary email is set, use it. Otherwise, use the first email on file. If no email addresses exist, use the user's TJ email.

**Returns** A user's notification email address.

#### **notificationconfig**

Accessor to the related object on the reverse side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Place.restaurant is a ReverseOneToOneDescriptor instance.

#### **oauth2\_provider\_accesstoken**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**oauth2\_provider\_application**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**oauth2\_provider\_grant**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**oauth2\_provider\_refreshtoken**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**objects = <intranet.apps.users.models.UserManager object>****parkingapplication**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**parkingapplication\_joint**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **property permissions**

Dynamically generate dictionary of privacy options.

**Returns** A dictionary mapping the name of each privacy option to a boolean indicating whether it is enabled.

#### **phoneregistration\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **phones**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **photos**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **posted\_by**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**preferred\_photo**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Restaurant.place is a ForwardOneToOneDescriptor instance.

**preferred\_photo\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**primary\_email**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Restaurant.place is a ForwardOneToOneDescriptor instance.

**property primary\_email\_address****primary\_email\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**print\_job\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**properties**

Accessor to the related object on the reverse side of a one-to-one relation.

In the example:

```
class Restaurant(Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Place.restaurant is a ReverseOneToOneDescriptor instance.

**receive\_eighth\_emails**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**receive\_news\_emails**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**receive\_schedule\_notifications**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property recommended\_activities****rejected\_by**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**rejected\_event**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**restricted\_activity\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**property schedule**

Returns a QuerySet of the Section objects representing the classes this student is in, or None if the current user does not have permission to list this student's classes.

**Returns** Returns a QuerySet of the Section objects representing the classes this student is in, or None if the current user does not have permission to list this student's classes.

**section\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **seen>Welcome**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **senior**

Accessor to the related object on the reverse side of a one-to-one relation.

In the example:

```
class Restaurant (Model):
    place = OneToOneField(Place, related_name='restaurant')
```

`Place.restaurant` is a `ReverseOneToOneDescriptor` instance.

#### **senior\_emailforward\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child (Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **property sex**

Returns “Male” if this user is male, “Female” otherwise.

**Returns** “Male” if this user is male, “Female” otherwise.

#### **property short\_name**

Return short name (first name) of a user.

This is required for subclasses of User.

**Returns** The user’s fist name.

#### **signed\_up\_next\_few\_days** (\*, num\_days: int = 3) → bool

If the user is a student, returns whether they are signed up for an activity during all eighth period blocks in the next `num_days` days. Otherwise, returns True.

Today is counted as a day, so `signed_up_few_next_day(num_days=1)` is equivalent to `signed_up_today()`.

**Parameters** `num_days` – The number of days (including today) on which to search for blocks during which the user is signed up.

**Returns** If the user is a student, returns whether they are signed up for an activity during all eighth period blocks in the next `num_days` days. Otherwise, returns True.

#### **signed\_up\_today()** → bool

If the user is a student, returns whether they are signed up for an activity during all eighth period blocks that are scheduled today. Otherwise, returns True.

**Returns** If the user is a student, returns whether they are signed up for an activity during all eighth period blocks that are scheduled today. Otherwise, returns True.

**student\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**students**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**teachers\_approved**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**teachers\_requested**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

Pizza.toppings and Topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**title**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**property tj\_email**

Get (or guess) a user's TJ email.

If a fcps.edu or tjsst.edu email is specified in their email list, use that. Otherwise, append the user's username to the proper email suffix, depending on whether they are a student or teacher.

**Returns** The user's found or guessed FCPS/TJ email address.

**tjstaruuuidmap\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **trustedsession\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **user**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **user\_locked**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **user\_permissions**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`Pizza.toppings` and `Topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **user\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **username**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **websites**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**class** `intranet.apps.users.models.UserDarkModeProperties` (\*args, \*\*kwargs)

Bases: `django.db.models.base.Model`

Contains user properties relating to dark mode

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**dark\_mode\_enabled**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = `<django.db.models.manager.Manager object>`

**user**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant (Model):
    place = OneToOneField(Place, related_name='restaurant')
```

`Restaurant.place` is a `ForwardManyToOneDescriptor` instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** `intranet.apps.users.models.UserManager`

Bases: `django.contrib.auth.models.UserManager`

User model Manager for table-level User queries.

Provides an abstraction for the User model. If a call to a method fails for this Manager, the call is deferred to the default User model manager.

**exclude\_from\_search** (`existing_queryset: Union[Collection[get_user_model()], django.db.models.query.QuerySet, None] = None`)  
→ `Union[Collection[intranet.apps.users.models.User], django.db.models.query.QuerySet]`

**get\_students** () → `Union[Collection[intranet.apps.users.models.User], django.db.models.query.QuerySet]`  
Get user objects that are students (quickly).

**get\_teachers** () → `Union[Collection[intranet.apps.users.models.User], django.db.models.query.QuerySet]`  
Get user objects that are teachers (quickly).

**get\_teachers\_attendance\_users** () → `QuerySet[get_user_model()]`  
Like `get_teachers()`, but includes attendance-only users as well as teachers.

**Returns** A QuerySet of users who are either teachers or attendance-only users.

**get\_teachers\_attendance\_users\_sorted()** → QuerySet[get\_user\_model()]

Returns a QuerySet containing both teachers and attendance-only users sorted by last name, then first name.

This is used for the announcement request page.

**Returns** A QuerySet of teachers sorted by last name, then first name.

**get\_teachers\_sorted()** → Union[Collection[intranet.apps.users.models.User], django.db.models.query.QuerySet]

Returns a QuerySet of teachers sorted by last name, then first name.

**Returns** A QuerySet of teachers sorted by last name, then first name.

**user\_with\_ion\_id**(student\_id: Union[int, str]) → Optional[get\_user\_model()]

Get a unique user object by Ion ID. (Ex. 489)

**user\_with\_name**(given\_name: Optional[str] = None, last\_name: Optional[str] = None) → intranet.apps.users.models.User

Get a unique user object by given name (first/nickname) and/or last name.

#### Parameters

- **given\_name** – If given, users will be filtered to those who have either this first name or this nickname.
- **last\_name** – If given, users will be filtered to those who have this last name.

**Returns** The unique user object returned by filtering for the given first name/nickname and/or last name. Returns None if no results were returned or if the given parameters matched more than one user.

**user\_with\_student\_id**(student\_id: Union[int, str]) → Optional[get\_user\_model()]

Get a unique user object by FCPS student ID. (Ex. 1624472)

**users\_in\_year**(year: int) → Union[Collection[intranet.apps.users.models.User], django.db.models.query.QuerySet]

Get a list of users in a specific graduation year.

**users\_with\_birthday**(month: int, day: int) → Union[Collection[intranet.apps.users.models.User], django.db.models.query.QuerySet]

Return a QuerySet of user objects who have a birthday on a given date and have made their birthday public.

#### Parameters

- **month** – The month to check for a birthday.
- **day** – The day to check for a birthday.

**Returns** A QuerySet of user objects who have a birthday on a given date and have made their birthday public.

```
class intranet.apps.users.models.UserProperties (id,      user,      _address,      _birth-
                                                 day,           self_show_pictures,
                                                 parent_show_pictures,
                                                 self_show_address,      par-
                                                 ent_show_address,
                                                 self_show_telephone,      par-
                                                 ent_show_telephone,
                                                 self_show_birthday,      par-
                                                 ent_show_birthday,      self_show_eighth,
                                                 parent_show_eighth,
                                                 self_show_schedule,      par-
                                                 ent_show_schedule)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**  
Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**  
Bases: django.core.exceptions.MultipleObjectsReturned

**attribute\_is\_public**(permission: str) → bool  
Checks if attribute is visible to public (ignoring whether the user sending the HTTP request has permission to access it).

**Parameters** **permission** – The name of the permission to check.

**Returns** Whether the given permission is public.

**attribute\_is\_visible**(permission: str) → bool  
Checks privacy options to see if an attribute is visible to the user sending the current HTTP request.

**Parameters** **permission** – The name of the permission to check.

**Returns** Whether the user sending the current HTTP request has permission to view the given permission.

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_http\_request\_sender**() → bool  
Checks if a user the HTTP request sender (accessing own info)

Used primarily to load private personal information from the cache. (A student should see all info on his or her own profile regardless of how the permissions are set.)

**Returns** Whether the user is the sender of the current HTTP request.

**objects** = <django.db.models.manager.Manager object>

**parent\_show\_address**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**parent\_show\_birthday**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**parent\_show\_eighth**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**parent\_show\_pictures**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**parent\_show\_schedule**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**parent\_show\_telephone**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**self\_show\_address**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**self\_show\_birthday**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**self\_show\_eighth**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**self\_show\_pictures**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**self\_show\_schedule**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**self\_show\_telephone**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**set\_permission** (*permission: str, value: bool, parent: bool = False, admin: bool = False*) → bool

Sets permission for personal information.

Returns False silently if unable to set permission. Returns True if successful.

**Parameters**

- **permission** – The name of the permission to set.
- **value** – The value to set the permission to.
- **parent** – Whether to set the parent's permission instead of the student's permission. If parent is True and value is False, both the parent and the student's permissions will be set to False.
- **admin** – If set to True, this will allow changing the student's permission even if the parent's permission is set to False (normally, this causes an error).

**user**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant (Model):
    place = OneToOneField(Place, related_name='restaurant')
```

Restaurant.place is a ForwardOneToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** `intranet.apps.users.models.UserProperties__schedule(id, userproperties, section)`

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

**section**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**section\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**userproperties**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`Child.parent` is a `ForwardManyToOneDescriptor` instance.

**userproperties\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class** `intranet.apps.users.models.User_groups(id, user, group)`

Bases: `django.db.models.base.Model`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### group\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

#### user

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### user\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`class intranet.apps.users.models.UserUserPermissions (id, user, permission)`

Bases: django.db.models.base.Model

#### exception DoesNotExist

Bases: django.core.exceptions.ObjectDoesNotExist

#### exception MultipleObjectsReturned

Bases: django.core.exceptions.MultipleObjectsReturned

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

#### permission

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

#### permission\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class intranet.apps.users.models.Website(*args, **kwargs)
```

Bases: django.db.models.base.Model

Represents a user's website

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

Child.parent is a ForwardManyToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## intranet.apps.users.renderers module

```
class intranet.apps.users.renderers.JPEGRenderer
    Bases: rest_framework.renderers.BaseRenderer
    Renders binary JPEG data.

    charset = None
    format = 'jpg'
    media_type = 'image/jpg'
    render(data, accepted_media_type=None, renderer_context=None)
    render_style = 'binary'
```

## intranet.apps.users.serializers module

```
class intranet.apps.users.serializers.AddressSerializer(instance=None,
    data=<class
    'rest_framework.fields.empty'>,
    **kwargs)
    Bases: rest_framework.serializers.ModelSerializer

    class Meta
        Bases: object
        fields = ('street', 'city', 'state', 'postal_code')
        model
            alias of intranet.apps.users.models.Address

class intranet.apps.users.serializers.CounselorTeacherSerializer(instance=None,
    data=<class
    'rest_framework.fields.empty'>,
    **kwargs)
    Bases: rest_framework.serializers.HyperlinkedModelSerializer

    class Meta
        Bases: object
        fields = ('id', 'url', 'user_type', 'username', 'full_name', 'first_name', 'last_name')
        model
            alias of intranet.apps.users.models.User

class intranet.apps.users.serializers.GradeSerializer(instance=None, data=<class
    'rest_framework.fields.empty'>,
    **kwargs)
    Bases: rest_framework.serializers.Serializer

class intranet.apps.users.serializers.HyperlinkedImageField(view_name=None,
    **kwargs)
    Bases: rest_framework.relations.HyperlinkedIdentityField
    get_url(obj, view_name, request, format)
```

```
class intranet.apps.users.serializers.StudentSerializer(instance=None,
    data=<class
        'rest_framework.fields.empty'>,
    **kwargs)
Bases: rest_framework.serializers.HyperlinkedModelSerializer

class Meta
    Bases: object

    fields = ('id', 'url', 'user_type', 'username', 'full_name', 'first_name', 'last_name',
    model
        alias of intranet.apps.users.models.User

class intranet.apps.users.serializers.UserSerializer(instance=None, data=<class
    'rest_framework.fields.empty'>,
    **kwargs)
Bases: rest_framework.serializers.ModelSerializer

class Meta
    Bases: object

    fields = ('id', 'ion_username', 'sex', 'title', 'display_name', 'full_name', 'short_name',
    model
        alias of intranet.apps.users.models.User
```

## intranet.apps.users.tests module

```
class intranet.apps.users.tests.CourseTest(methodName='runTest')
    Bases: intranet.test.ion_test.IonTestCase

    create_schedule_test()

    setUp()

    test_all_courses_view()
    test_course_info_view()
    test_courses_by_period_view()
    test_section_course_attributes()
    test_section_view()
    test_sections_by_room_view()

class intranet.apps.users.tests.ProfileTest(methodName='runTest')
    Bases: intranet.test.ion_test.IonTestCase

    make_token()

    setUp()

    test_get_profile_api()
    test_get_profile_picture_api()
    test_privacy_options()
    test_profile_view()

class intranet.apps.users.tests.UserTest(methodName='runTest')
    Bases: intranet.test.ion_test.IonTestCase
```

```
test_get_signage_user()
test_get_teachers()
test_has_unvoted_polls()
test_male_female()
    Tests all possible values of is_male/is_female.

test_name()
test_notification_email()
test_signed_up_next_few_days()
test_signed_up_today()
test_tj_email_non_tj_email()
test_user_with_name()
test_users_with_birthday()
```

## intranet.apps.users.urls module

### intranet.apps.users.views module

`intranet.apps.users.views.picture_view(request, user_id, year=None)`  
Displays a view of a user's picture.

#### Parameters

- `user_id (str)` – The ID of the user whose picture is being fetched.
- `year (str)` – The user's picture from this year is fetched. If not specified, use the preferred picture.

`intranet.apps.users.views.profile_view(request, user_id=None)`  
Displays a view of a user's profile.

**Parameters** `user_id` – The ID of the user whose profile is being viewed. If not specified, show the user's own profile.

## Module contents

### intranet.apps.welcome package

#### Submodules

### intranet.apps.welcome.tests module

```
class intranet.apps.welcome.tests.WelcomeTest(methodName='runTest')
Bases: intranet.test.io_test.IoTestCase

Tests for the welcome module.

test_welcome_done()
test_welcome_view_student()
```

`test_welcome_view_teacher()`

## `intranet.apps.welcome.urls module`

### `intranet.apps.welcome.views module`

#### **Module contents**

#### **Submodules**

### `intranet.apps.context_processors module`

`intranet.apps.context_processors.enable_dark_mode(request)`

Export whether dark mode is enabled.

`intranet.apps.context_processors.global_custom_theme(request)`

Add custom theme javascript and css.

`intranet.apps.context_processors.global_warning(request)`

Display a global warning on all pages throughout the application.

`intranet.apps.context_processors.icon_base_url(request)`

Return the base URL through request.build\_absolute\_uri for the index page.

`intranet.apps.context_processors.is_tj_ip(request)`

Return whether the request IP is in the TJ range.

**Returns** Whether the IP associated with a request is within the TJ IP range.

`intranet.apps.context_processors.mobile_app(request)`

Determine if the site is being displayed in a WebView from a native application.

`intranet.apps.context_processors.nav_categorizer(request)`

Determine which top-level nav category a request falls under for the purposes of the left nav bar.

`intranet.apps.context_processors.oauth_toolkit(request)`

Export application tokens arranged by application on OAuth pages.

`intranet.apps.context_processors.settings_export(request)`

Export all Django settings to templates

`intranet.apps.context_processors.show_bus_button(request)`

Export if user has access to view the bus button.

The user must either be a bus admin or be within an hour of the end

`intranet.apps.context_processors.show_homecoming(request)`

Return whether to show homecoming ribbon/scores

## Module contents

### intranet.middleware package

#### Submodules

##### intranet.middleware.access\_log module

```
class intranet.middleware.access_log.AccessLogMiddleWare(get_response)
Bases: object
```

##### intranet.middleware.ajax module

```
class intranet.middleware.ajax.AjaxNotAuthenticatedMiddleWare(get_response)
Bases: object
```

Django doesn't handle login redirects with AJAX very nicely, so we have to work around the default behavior a little.

If a user's session has expired, but they still have a window open, their client may send AJAX requests to a view wrapped in @login\_required or something similar. When this happens, Django 302 redirects to something like /login?next=/eighth/signup, which will show up to the client as a 200 OK GET request and proceed as if everything worked. To avoid this, we need to detect these types of requests and change their status code to 401 to let the client know that the request actually failed.

##### intranet.middleware.dark\_mode module

```
class intranet.middleware.dark_mode.DarkModeMiddleWare(get_response)
Bases: object
```

Set the 'dark-mode-enabled' cookie if the user is logged in and has enabled dark mode

##### intranet.middleware.monitoring module

```
class intranet.middleware.monitoring.PrometheusAccessMiddleWare(get_response)
Bases: object
```

Restricts access to Django Prometheus metrics to ALLOWED\_METRIC\_IPS and superusers.

##### intranet.middleware.profiler module

```
class intranet.middleware.profiler.ProfileMiddleWare
Bases: object
```

Displays timing or profiling for any view. <http://yoursite.com/yourview/?time> or <http://yoursite.com/yourview/?prof>

Record the time taken by Django and the project code to generate the web page and by the database to make the queries. Accumulate repeated web page visits and display the accumulated statistics in the web browser in place of the normal web page. The availability of this middleware is controlled by the DEBUG flag in settings.py. To time a page, add '?time' (or '&time'). To clear out accumulated timings, add '&reset'.

Alternatively, profile the python function calls executed to create the web page and display the profiling statistics in the web browser. To profile a page, add ‘?prof’ (or ‘&prof’) to the url. By default the statistics are sorted by cumulative time. To specify an alternative sort, add one or more ‘sort’ parameters, e.g., ‘&sort=time&sort=calls’. By default the display is limited to the first 40 function calls. To specify an alternative, add a limit parameter, e.g., ‘&limit=.50’. To write the profile data to a permanent file in *PROFILE\_LOG\_BASE* add ‘&log’. To strip the directory paths from the profile statistics, add ‘&strip’. (Note that the file and group summaries are also removed by ‘strip’.)

```
process_request(request)
process_response(request, response)
process_view(request, callback, callback_args, callback_kwargs)

intranet.middleware.profiler.get_log_file_path(log_file_path, called_time)
intranet.middleware.profiler.stdev(x)
Calculate standard deviation of data x[]: std = sqrt(sum_i (x_i - mean)^2 over n-1) https://wiki.python.org/moin/NumericAndScientificRecipes
```

## **intranet.middleware.same\_origin module**

```
class intranet.middleware.same_origin.SameOriginMiddleware(get_response)
Bases: object
```

Blocks requests that set an “Origin” header that’s different from the “Host” header

## **intranet.middleware.session\_management module**

```
class intranet.middleware.session_management.SessionManagementMiddleware(get_response)
Bases: object
```

Handles session management.

## **intranet.middleware.templates module**

```
class intranet.middleware.templates.AdminSelectizeLoadingIndicatorMiddleware(get_response)
Bases: object
```

Automatically add a loading placeholder for Selectize inputs in admin templates.

This is probably not a good practice, but it really needs to be done server-side for the loading indicators to show up instantly.

```
class intranet.middleware.templates.NoReferrerMiddleware(get_response)
Bases: object
```

Set all links to have rel=’noreferrer noopener’ to prevent malicious JS from editing what the user sees

```
class intranet.middleware.templates.StripNewlinesMiddleware(get_response)
Bases: object
```

Strip extra newlines from rendered templates to enhance readability.

```
__call__(request)
Process the response and strip extra newlines from HTML.
```

## intranet.middleware.threadlocals module

```
class intranet.middleware.threadlocals.ThreadLocalsMiddleware(get_response)
    Bases: object
```

Stores the current authorized User object in thread locals for access in models (and elsewhere) without passing the user around as an argument.

```
static process_view(req, *_)
    Adds the request to thread locals.
```

```
intranet.middleware.threadlocals.request()
```

Return the currently authorized User object.

**Returns** User object

## intranet.middleware.traceback module

```
class intranet.middleware.traceback.UserTracebackMiddleware(get_response)
    Bases: object
```

Adds the currently logged-in user to the request context, so that they show up in error emails.

```
process_exception(request, exception)
```

## intranet.middleware.url\_slashes module

```
class intranet.middleware.url_slashes.FixSlashes(get_response)
    Bases: object
```

```
__call__(request)
    Add or remove trailing slashes where needed.
```

Note that there is no HTTP redirection actually happening. This just fixes the trailing slashes before the URLs are matched to any URL patterns by changing the request's internal properties.

## Module contents

### intranet.settings package

#### Submodules

##### intranet.settings.travis\_secret module

## Module contents

```
intranet.settings.get_log(name)
```

```
intranet.settings.get_month_seconds()
```

## intranet.test package

### Submodules

#### intranet.test.ion\_test module

```
class intranet.test.ion_test.IonTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    login(username='awilliam')
    make_admin(username='awilliam')
    classmethod setUpClass()
    classmethod tearDownClass()
```

#### intranet.test.test\_suite module

```
intranet.test.test_suite.run_tests()
    Wrapper for ./setup.py test.
```

### Module contents

## intranet.utils package

### Submodules

#### intranet.utils.admin\_helpers module

```
intranet.utils.admin_helpers.export_csv_action(description='Export selected objects as
    CSV file', fields=None, exclude=None,
    header=True)
```

This function returns an export csv action.

‘fields’ and ‘exclude’ work like in django

ModelForm ‘header’ is whether or not to output the column names as the first row.

<https://djangosnippets.org/snippets/2369/>

#### intranet.utils.cache module

```
class intranet.utils.cache.DummyCache(host, *args, **kwargs)
    Bases: django.core.cache.backends.dummy.DummyCache

    delete_pattern(key, version=None)
```

## intranet.utils.date module

```
intranet.utils.date.get_date_range_this_year(now=None)
```

Return the starting and ending date of the current school year.

```
intranet.utils.date.is_current_year(date)
```

## intranet.utils.deletion module

```
intranet.utils.deletion.handle_eighth_sponsor_deletion(in_obj, eighth_sponsor)
```

```
intranet.utils.deletion.set_historical_user(collector, field, sub_objs, using)
```

## intranet.utils.helpers module

```
class intranet.utils.helpers.GlobList
```

Bases: `list`

A list of glob-style strings.

```
__contains__(key)
```

Check if a string matches a glob in the list.

```
class intranet.utils.helpers.InvalidString
```

Bases: `str`

An error for undefined context variables in templates.

```
class intranet.utils.helpers.MigrationMock
```

Bases: `object`

```
seen = {}
```

```
intranet.utils.helpers.dark_mode_enabled(request)
```

```
intranet.utils.helpers.debug_toolbar_callback(request)
```

Show the debug toolbar to those with the Django staff permission, excluding the Eighth Period office.

```
intranet.utils.helpers.get_ap_week_warning(request)
```

```
intranet.utils.helpers.get_current_commit_date()
```

```
intranet.utils.helpers.get_current_commit_github_url(workdir)
```

```
intranet.utils.helpers.get_current_commit_info()
```

```
intranet.utils.helpers.get_current_commit_long_hash(workdir)
```

```
intranet.utils.helpers.get_current_commit_short_hash(workdir)
```

```
intranet.utils.helpers.get_fcps_emerg(request)
```

Return FCPS emergency information.

```
intranet.utils.helpers.get_id(obj)
```

```
intranet.utils.helpers.is_entirely_digit(digit_str)
```

```
intranet.utils.helpers.join_nicely(items: Collection) → str
```

Joins together a list of items in a human-readable format. Examples: `>>> join_nicely([]) '' >>> join_nicely(['a']) 'a' >>> join_nicely(['a', 'b']) 'a and b' >>> join_nicely(['a', 'b', 'c']) 'a, b, and c'`

**Parameters** `items` – The items to join together.

**Returns** The resulting joined-together string.

```
intranet.utils.helpers.parse_db_url(db_url)
intranet.utils.helpers.single_css_map(name)
```

## intranet.utils.html module

```
intranet.utils.html.link_removal_callback(attrs: Mapping[Union[str, Tuple[Optional[str]]], str], new: bool = False) → Optional[Mapping[Union[str, Tuple[Optional[str]]], str]]
```

Internal callback for nullify\_links().

```
intranet.utils.html.nullify_links(text: str) → str
```

Given a string containing HTML, changes the href attribute of any links to “`javascript:void(0)`” to render the link useless.

**Parameters** `text` – The HTML string in which links should be nullified.

**Returns** The HTML string with all links nullified.

```
intranet.utils.html.safe_fcps_emerg_html(text: str, base_url: str) → str
```

```
intranet.utils.html.safe_html(txt)
```

## intranet.utils.locking module

```
intranet.utils.locking.lock_on(items: Iterable[Union[django.db.models.base.Model, django.db.models.manager.Manager, django.db.models.query.QuerySet]]) → None
```

Given an iterable of Model instances, Manager`s, and/or QuerySet`s, locks the corresponding database rows.

More specifically, this uses the Django ORM’s `select_for_update()` method, which translates to a SELECT FOR UPDATE SQL query. For more information on what this actually does in PostgreSQL (used as the database backend in all environments) see PostgreSQL’s documentation on locking at <https://www.postgresql.org/docs/current/explicit-locking.html#LOCKING-ROWS>.

As described in Django’s documentation at [https://docs.djangoproject.com/en/stable/ref/models/queryset/#django.db.models.query.QuerySet.select\\_for\\_update](https://docs.djangoproject.com/en/stable/ref/models/queryset/#django.db.models.query.QuerySet.select_for_update), the `select_for_update` locks prevent other transactions from acquiring locks until this transaction is complete.

This MUST be run in a transaction. A straightforward way to do this is to use the `django.db.transaction.atomic` wrapper.

**Parameters** `items` – An iterable of Model instances, Manager`s, and/or QuerySet`s representing the database rows to lock.

## intranet.utils.serialization module

```
intranet.utils.serialization.safe_json(obj)
```

## intranet.utils.session module

```
class intranet.utils.SessionStore(session_key=None)
    Bases: redis_sessions.session.SessionStore

    load()
```

### Module contents

#### Submodules

##### intranet.asgi module

Sets up application for channels

##### intranet.celery module

```
intranet.celery.setup_logger(logger, **kwargs)
```

##### intranet.routing module

Defines routes for channels <https://channels.readthedocs.io/en/latest/topics/routing.html>

```
class intranet.routing.WebsocketCloseConsumer(*args, **kwargs)
    Bases: channels.generic.websocket.WebsocketConsumer

    connect()
    disconnect(code)
    receive(text_data: Optional[str] = None, bytes_data: Optional[bytes] = None)
```

##### intranet.wsgi module

WSGI config for intranet project.

This module contains the WSGI application used by Django's development server and any production WSGI deployments. It should expose a module-level variable named `application`. Django's `runserver` and `runfcgi` commands discover this application via the `WSGI_APPLICATION` setting.

Usually you will have the standard Django WSGI application here, but it also might make sense to replace the whole Django WSGI application with a custom one that later delegates to the Django one. For example, you could introduce WSGI middleware here, or combine a Django application with an application of another framework.

## Module contents

## 2.5 Administration

### 2.5.1 Running manage.py

Note that when running `./manage.py` in production you must first export `PRODUCTION=TRUE`. Otherwise you will not be able to connect to the database.

## 2.6 Setup

- *Setting up the server*
- *Setting up a Vagrant development environment*

## 2.7 Architecture

Ion uses Django, Redis, Postgres, and many other Python frameworks and tools.

See the [Architecture documentation](#).

## 2.8 Developing for Intranet

- *Coding Style Guide*
- *Test Writing Guide*
- *Understanding the Eighth Models*

## 2.9 Using Intranet as a Developer

- API Root
- API Demo
- *OAuth Documentation*
- OAuth Demo

## 2.10 Source Code Documentation

More details can be found at [Sphinx Documentation](#)

Go to the [Source Code Documentation](#)

---

**CHAPTER  
THREE**

---

**INDICES**

- genindex
- modindex
- search



## PYTHON MODULE INDEX

i

intranet, 262  
intranet.apps, 255  
intranet.apps.announcements, 42  
intranet.apps.announcements.admin, 27  
intranet.apps.announcements.api, 28  
intranet.apps.announcements.forms, 28  
intranet.apps.announcements.models, 29  
intranet.apps.announcements.notifications,  
    40  
intranet.apps.announcements.serializers,  
    41  
intranet.apps.announcements.tests, 41  
intranet.apps.announcements.urls, 41  
intranet.apps.announcements.views, 41  
intranet.apps.api, 43  
intranet.apps.api.authentication, 42  
intranet.apps.api.tests, 42  
intranet.apps.api.urls, 43  
intranet.apps.api.utils, 43  
intranet.apps.api.views, 43  
intranet.apps.auth, 48  
intranet.apps.auth.apps, 44  
intranet.apps.auth.backends, 44  
intranet.apps.auth.decorators, 45  
intranet.apps.auth.forms, 46  
intranet.apps.auth.helpers, 46  
intranet.apps.auth.management, 44  
intranet.apps.auth.management.commands,  
    44  
intranet.apps.auth.management.commands.  
    43  
intranet.apps.auth.rest\_permissions, 46  
intranet.apps.auth.signals, 46  
intranet.apps.auth.tests, 46  
intranet.apps.auth.urls, 47  
intranet.apps.auth.views, 47  
intranet.apps.bus, 50  
intranet.apps.bus.admin, 48  
intranet.apps.bus.api, 48  
intranet.apps.bus.consumers, 48  
intranet.apps.bus.models, 49  
intranet.apps.bus.serializers, 50  
intranet.apps.bus.tasks, 50  
intranet.apps.bus.tests, 50  
intranet.apps.bus.urls, 50  
intranet.apps.bus.views, 50  
intranet.apps.context\_processors, 254  
intranet.apps.dashboard, 52  
intranet.apps.dashboard.views, 50  
intranet.apps.dataimport, 54  
intranet.apps.dataimport.apps, 53  
intranet.apps.dataimport.management, 53  
intranet.apps.dataimport.management.commands,  
    53  
intranet.apps.dataimport.management.commands.import  
    52  
intranet.apps.dataimport.management.commands.import  
    52  
intranet.apps.dataimport.management.commands.import  
    52  
intranet.apps.dataimport.management.commands.year\_  
    53  
intranet.apps.dataimport.tests, 53  
intranet.apps.eighth, 113  
intranet.apps.eighth.admin, 71  
intranet.apps.eighth.context\_processors,  
    72  
intranet.apps.eighth.exceptions, 72  
intranet.apps.eighth.forms, 60  
intranet.apps.eighth.forms.admin, 60  
intranet.apps.eighth.forms.admin.activities,  
    54  
intranet.apps.eighth.forms.admin.grant\_admin,  
    54  
intranet.apps.eighth.forms.admin.blocks,  
    56  
intranet.apps.eighth.forms.admin.general,  
    57  
intranet.apps.eighth.forms.admin.groups,  
    57  
intranet.apps.eighth.forms.admin.rooms,  
    59  
intranet.apps.eighth.forms.admin.scheduling,  
    59  
intranet.apps.eighth.forms.admin.sponsors,



intranet.apps.groups.tests, 153  
intranet.apps.groups.urls, 153  
intranet.apps.groups.views, 153  
intranet.apps.itemreg, 159  
intranet.apps.itemreg.admin, 154  
intranet.apps.itemreg.apps, 154  
intranet.apps.itemreg.forms, 154  
intranet.apps.itemreg.models, 155  
intranet.apps.itemreg.templatetags, 154  
intranet.apps.itemreg.templatetags.texthighlight, 153  
intranet.apps.itemreg.urls, 159  
intranet.apps.itemreg.views, 159  
intranet.apps.lostfound, 162  
intranet.apps.lostfound.admin, 159  
intranet.apps.lostfound.apps, 159  
intranet.apps.lostfound.forms, 159  
intranet.apps.lostfound.models, 160  
intranet.apps.lostfound.urls, 162  
intranet.apps.lostfound.views, 162  
intranet.apps.nomination, 164  
intranet.apps.nomination.apps, 162  
intranet.apps.nomination.models, 163  
intranet.apps.nomination.tests, 164  
intranet.apps.nomination.urls, 164  
intranet.apps.nomination.views, 164  
intranet.apps.notifications, 169  
intranet.apps.notifications.emails, 165  
intranet.apps.notifications.models, 165  
intranet.apps.notifications.tasks, 168  
intranet.apps.notifications.urls, 168  
intranet.apps.notifications.views, 168  
intranet.apps.oauth, 169  
intranet.apps.oauth.admin, 169  
intranet.apps.oauth.apps, 169  
intranet.apps.oauth.models, 169  
intranet.apps.oauth.tests, 169  
intranet.apps.oauth.views, 169  
intranet.apps.parking, 175  
intranet.apps.parking.admin, 169  
intranet.apps.parking.apps, 170  
intranet.apps.parking.forms, 170  
intranet.apps.parking.models, 171  
intranet.apps.parking.tests, 175  
intranet.apps.parking.urls, 175  
intranet.apps.parking.views, 175  
intranet.apps.polls, 185  
intranet.apps.polls.admin, 175  
intranet.apps.polls.forms, 175  
intranet.apps.polls.models, 176  
intranet.apps.polls.tests, 185  
intranet.apps.polls.urls, 185  
intranet.apps.polls.views, 185  
intranet.apps.preferences, 189  
intranet.apps.preferences.fields, 185  
intranet.apps.preferences.forms, 186  
intranet.apps.preferences.tests, 188  
intranet.apps.preferences.urls, 188  
intranet.apps.preferences.views, 188  
intranet.apps.printing, 193  
intranet.apps.printing.admin, 189  
intranet.apps.printing.forms, 189  
intranet.apps.printing.models, 189  
intranet.apps.printing.tests, 192  
intranet.apps.printing.urls, 192  
intranet.apps.printing.views, 192  
intranet.apps.schedule, 202  
intranet.apps.schedule.admin, 193  
intranet.apps.schedule.api, 193  
intranet.apps.schedule.forms, 194  
intranet.apps.schedule.management, 193  
intranet.apps.schedule.management.commands, 193  
intranet.apps.schedule.management.commands.schedule, 193  
intranet.apps.schedule.models, 195  
intranet.apps.schedule.notifications, 201  
intranet.apps.schedule.serializers, 201  
intranet.apps.schedule.tests, 202  
intranet.apps.schedule.urls, 202  
intranet.apps.schedule.views, 202  
intranet.apps.search, 203  
intranet.apps.search.urls, 202  
intranet.apps.search.utils, 202  
intranet.apps.search.views, 203  
intranet.apps.seniors, 206  
intranet.apps.seniors.admin, 204  
intranet.apps.seniors.forms, 204  
intranet.apps.seniors.management, 204  
intranet.apps.seniors.management.commands, 204  
intranet.apps.seniors.management.commands.import\_commands, 203  
intranet.apps.seniors.models, 204  
intranet.apps.seniors.urls, 206  
intranet.apps.seniors.views, 206  
intranet.apps.sessionmgmt, 208  
intranet.apps.sessionmgmt.admin, 206  
intranet.apps.sessionmgmt.helpers, 206  
intranet.apps.sessionmgmt.models, 206  
intranet.apps.sessionmgmt.tests, 207  
intranet.apps.sessionmgmt.urls, 207  
intranet.apps.sessionmgmt.views, 207  
intranet.apps.signage, 214  
intranet.apps.signage.admin, 208  
intranet.apps.signage.consumers, 208  
intranet.apps.signage.models, 209

intranet.apps.signage.pages, 213  
intranet.apps.signage.templatetags, 208  
intranet.apps.signage.templatetags.signage, 208  
intranet.apps.signage.urls, 213  
intranet.apps.signage.views, 213  
intranet.apps.templatetags, 215  
intranet.apps.templatetags.dates, 214  
intranet.apps.templatetags.dictionaries, 214  
intranet.apps.templatetags.form\_field, 214  
intranet.apps.templatetags.forms, 214  
intranet.apps.templatetags.math, 214  
intranet.apps.templatetags.newtab\_links, 215  
intranet.apps.templatetags.strings, 215  
intranet.apps.templatetags.tests, 215  
intranet.apps.users, 253  
intranet.apps.users.admin, 217  
intranet.apps.users.api, 217  
intranet.apps.users.courses\_urls, 218  
intranet.apps.users.forms, 218  
intranet.apps.users.management, 216  
intranet.apps.users.management.commands, 216  
intranet.apps.users.management.commands.import\_groups, 216  
intranet.apps.users.management.commands.lock, 216  
intranet.apps.users.models, 219  
intranet.apps.users.renderers, 251  
intranet.apps.users.serializers, 251  
intranet.apps.users.templatetags, 217  
intranet.apps.users.templatetags.grades, 216  
intranet.apps.users.templatetags.phone\_numbers, 216  
intranet.apps.users.templatetags.users, 217  
intranet.apps.users.tests, 252  
intranet.apps.users.urls, 253  
intranet.apps.users.views, 253  
intranet.apps.welcome, 254  
intranet.apps.welcome.tests, 253  
intranet.apps.welcome.urls, 254  
intranet.apps.welcome.views, 254  
intranet.asgi, 261  
intranet.celery, 261  
intranet.middleware, 257  
intranet.middleware.access\_log, 255  
intranet.middleware.ajax, 255  
intranet.middleware.dark\_mode, 255  
intranet.middleware.monitoring, 255  
intranet.middleware.profiler, 255  
intranet.middleware.same\_origin, 256  
intranet.middleware.session\_management, 256  
intranet.middleware.templates, 256  
intranet.middleware.threadlocals, 257  
intranet.middleware.traceback, 257  
intranet.middleware.url\_slashes, 257  
intranet.routing, 261  
intranet.settings, 257  
intranet.settings.travis\_secret, 257  
intranet.test, 258  
intranet.test.ion\_test, 258  
intranet.test.test\_suite, 258  
intranet.utils, 261  
intranet.utils.admin\_helpers, 258  
intranet.utils.cache, 258  
intranet.utils.date, 259  
intranet.utils.deletion, 259  
intranet.utils.helpers, 259  
intranet.utils.html, 260  
intranet.utils.locking, 260  
intranet.utils.serialization, 261  
intranet.utils.session, 261

# INDEX

## Symbols

—call\_\_() (*intranet.middleware.templates.StripNewlinesMiddleware*.*method*), 256  
—call\_\_() (*intranet.middleware.url\_slashes.FixSlashes*.*method*), 257  
—contains\_\_() (*intranet.utils.helpers.GlobList*.*method*), 259  
—int\_\_() (*intranet.apps.users.models.Grade*.*method*), 221  
—str\_\_() (*intranet.apps.users.models.Address*.*method*), 220  
—str\_\_() (*intranet.apps.users.models.Grade*.*method*), 221

**A**

about\_view() (*in module intranet.apps.auth.views*), 47  
absence\_acknowledged (*intranet.apps.eighth.HistoricalEighthSignup*.*attribute*), 122  
absence\_acknowledged (*intranet.apps.eighth.models.EighthSignup*.*attribute*), 101, 102  
absence\_count() (*in module intranet.apps.eighth.context\_processors*), 72  
absence\_count() (*intranet.apps.users.models.User*.*method*), 224  
absence\_email() (*in module intranet.apps.eighth.notifications*), 108  
absence\_emailed (*intranet.apps.eighth.HistoricalEighthSignup*.*attribute*), 122  
absence\_emailed (*intranet.apps.eighth.models.EighthSignup*.*attribute*), 102  
absence\_info() (*intranet.apps.users.models.User*.*method*), 224  
abstract (*intranet.apps.eighth.models.AbstractBaseEighthModel*.*attribute*), 73  
AbstractBaseEighthModel (*class in intranet.apps.eighth.models*), 73

AbstractBaseEighthModel.Meta (*class in intranet.apps.eighth.models*), 73  
accept\_all\_passes\_view() (*in module intranet.apps.eighth.views.attendance*), 70  
accept\_pass() (*intranet.apps.eighth.models.EighthSignup*.*method*), 102  
accept\_pass\_view() (*in module intranet.apps.eighth.views.attendance*), 70  
AccessLogMiddleWare (*class in intranet.middleware.access\_log*), 255  
actions (*intranet.apps.parking.admin.ParkingAdmin*.*attribute*), 169  
activation\_date (*intranet.apps.features.models.FeatureAnnouncement*.*attribute*), 142, 143  
activities (*intranet.apps.eighth.models.EighthBlock*.*attribute*), 86  
activities\_without\_attendance\_view() (*in module intranet.apps.eighth.views.admin.attendance*), 63  
activity (*intranet.apps.eighth.HistoricalEighthScheduledActivity*.*attribute*), 119  
activity (*intranet.apps.eighth.models.EighthScheduledActivity*.*attribute*), 93  
activity\_cancelled\_email() (*in module intranet.apps.eighth.notifications*), 108  
activity\_id (*intranet.apps.eighth.HistoricalEighthScheduledActivity*.*attribute*), 119  
activity\_id (*intranet.apps.eighth.models.EighthScheduledActivity*.*attribute*), 94  
activity\_info() (*intranet.apps.eighth.serializers.EighthScheduledActivitySerializer*.*method*), 110  
activity\_info() (*intranet.apps.eighth.serializers.EighthSignupSerializer*.*method*), 110  
activity\_set (*intranet.apps.eighth.models.EighthActivitySimilarity*.*attribute*), 80  
ActivityDisplayField (*class in intranet.apps.eighth.forms.admin.activities*),

54  
ActivityForm (class in *intranet.apps.eighth.forms.admin.activities*), 54  
ActivityForm.Meta (class in *intranet.apps.eighth.forms.admin.activities*), 54  
ActivityMultiDisplayField (class in *intranet.apps.eighth.forms.admin.activities*), 54  
ActivityMultiSelectForm (class in *intranet.apps.eighth.forms.admin.activities*), 54  
ActivitySelectionForm (class in *intranet.apps.eighth.forms.admin.activities*), 54  
add\_activity() (*intranet.apps.eighth.tests.EighthAbstractTest method*), 111  
add\_activity() (*intranet.apps.eighth.tests.EighthAdminTest method*), 111  
add\_activity\_view() (*in module intranet.apps.eighth.views.admin.activities*), 63  
add\_arguments() (*intranet.apps.auth.management.commands.grant\_admin.Command method*), 43  
add\_arguments() (*intranet.apps.dataimport.management.commands.import\_eighthdailyandmethod*), 52  
add\_arguments() (*intranet.apps.dataimport.management.commands.import\_photographCommand*), 52  
add\_arguments() (*intranet.apps.dataimport.management.commands.import\_usertostributeandmethod*), 52  
add\_arguments() (*intranet.apps.dataimport.management.commands.yieldcleanupinGameweappsevents.models.Event attribute*), 53  
add\_arguments() (*intranet.apps.eighth.management.commands.absence\_email.Cattribute*), 60  
add\_arguments() (*intranet.apps.eighth.management.commands.dev\_createblockinappmodels.itemreg.models.PhoneRegistration attribute*), 61  
add\_arguments() (*intranet.apps.eighth.management.commands.find\_duplicates.Cattribute*), 61  
add\_arguments() (*intranet.apps.eighth.management.commands.generate\_dissimilaritiesinappmodels.parking.models.CarApplication attribute*), 61  
add\_arguments() (*intranet.apps.eighth.management.commands.generate\_statisticstobemeand2*)

method), 62  
add\_arguments() (*intranet.apps.eighth.management.commands.signup\_status\_email.Cmethod*), 62  
add\_arguments() (*intranet.apps.eighth.management.commands.update\_counselors.Cmethod*), 62  
add\_arguments() (*intranet.apps.schedule.management.commands.schedule\_notify.Commethod*), 193  
add\_block() (*intranet.apps.eighth.tests.EighthAbstractTest method*), 111  
add\_block\_view() (*in module intranet.apps.eighth.views.admin.blocks*), 63  
add\_group\_view() (*in module intranet.apps.eighth.views.admin.groups*), 64  
add\_member\_to\_group\_view() (*in module intranet.apps.eighth.views.admin.groups*), 64  
add\_room() (*intranet.apps.eighth.tests.EighthAbstractTest method*), 111  
add\_room\_view() (*in module intranet.apps.eighth.views.admin.rooms*), 66  
add\_signup\_validator() (*in module intranet.apps.eighth.serializers*), 111  
add\_sponsor\_view() (*in module intranet.apps.eighth.views.admin.sponsors*), 67  
add\_user() (*intranet.apps.eighth.models.EighthScheduledActivity add\_userand*)  
add\_user\_view() (*in module intranet.apps.eighth.views.admin.users*), 67  
added (*intranet.apps.announcements.models.Announcement addedinattributeand*)  
added (*intranet.apps.announcements.models.AnnouncementRequest attribute*), 32  
added (*intranet.apps.itemreg.models.CalculatorRegistration addedinattributeand*), 155  
added (*intranet.apps.itemreg.models.ComputerRegistration attribute*), 156  
added (*intranet.apps.itemreg.models.PhoneRegistration attribute*), 158  
added (*intranet.apps.lostfound.models.FoundItem attribute*), 60  
added (*intranet.apps.lostfound.models.LostItem attribute*), 161  
added (*intranet.apps.parking.models.ParkingApplication attribute*), 171  
added (*intranet.apps.parking.models.ParkingApplication and2*)

Address (*class in intranet.apps.users.models*), 219  
address (*intranet.apps.files.models.Host attribute*), 149  
address (*intranet.apps.users.models.Email attribute*), 221  
address () (*intranet.apps.users.models.User property*), 225  
Address.DoesNotExist, 219  
Address.MultipleObjectsReturned, 220  
AddressForm (*class in intranet.apps.users.forms*), 218  
AddressForm.Meta (*class in intranet.apps.users.forms*), 218  
AddressSerializer (*class in intranet.apps.users.serializers*), 251  
AddressSerializer.Meta (*class in intranet.apps.users.serializers*), 251  
admin\_choose\_scheduled\_activity\_view() (*in module intranet.apps.eighth.views.attendance*), 70  
admin\_comments (*in intranet.apps.eighth.HistoricalEighthActivity attribute*), 113  
admin\_comments (*in intranet.apps.eighth.HistoricalScheduledActivity attribute*), 119  
admin\_comments (*in intranet.apps.eighth.models.EighthActivity attribute*), 75  
admin\_comments (*in intranet.apps.eighth.models.EighthScheduledActivity attribute*), 93, 94  
admin\_comments (*intranet.apps.users.models.User attribute*), 225  
admin\_email\_sent (*in intranet.apps.announcements.models.Announcement attribute*), 32  
admin\_request\_announcement\_email() (*in module intranet.apps.announcements.notifications*), 40  
admin\_required() (*in module intranet.apps.auth.decorators*), 45  
AdminEventForm (*class in intranet.apps.events.forms*), 129  
AdminEventForm.Meta (*class in intranet.apps.events.forms*), 129  
administrative (*in intranet.apps.eighth.HistoricalEighthActivity attribute*), 113  
administrative (*in intranet.apps.eighth.HistoricalScheduledActivity attribute*), 119  
administrative (*in intranet.apps.eighth.models.EighthActivity attribute*), 74, 76  
administrative (*in intranet.apps.eighth.models.EighthScheduledActivity attribute*), 94  
AdminSelectizeLoadingIndicatorMiddleware (*class in intranet.middleware.templates*), 256  
after\_deadline (*in intranet.apps.eighth.HistoricalEighthSignup attribute*), 122  
after\_deadline (*in intranet.apps.eighth.models.EighthSignup attribute*), 101, 102  
after\_deadline\_signup\_view() (*in module intranet.apps.eighth.views.admin.attendance*), 63  
age () (*intranet.apps.users.models.User property*), 225  
aid() (*intranet.apps.eighth.models.EighthActivity property*), 76  
AjaxNotAuthenticatedMiddleWare (*class in intranet.middleware.ajax*), 255  
android\_gcm\_rand (*in intranet.apps.notifications.models.NotificationConfig attribute*), 167  
android\_setup\_view() (*in module intranet.apps.notifications.views*), 168  
Announcement (*class in intranet.apps.announcements.models*), 29  
announcement (*intranet.apps.announcements.models.Announcement\_group attribute*), 39  
announcement (*intranet.apps.announcements.models.AnnouncementUser attribute*), 37  
announcement (*intranet.apps.events.models.Event attribute*), 130, 132  
Announcement.DoesNotExist, 29  
Announcement.MultipleObjectsReturned,  
AnnouncementRequest 29  
announcement\_approved\_email() (*in module intranet.apps.announcements.notifications*), 40  
announcement\_approved\_hook() (*in module intranet.apps.announcements.views*), 41  
Announcement\_groups (*class in intranet.apps.announcements.models*), 39  
Announcement\_groups.DoesNotExist, 39  
Announcement\_groups.MultipleObjectsReturned, 39  
announcement\_html (*in intranet.apps.features.models.FeatureAnnouncement attribute*), 142, 143  
announcement\_id (*in intranet.apps.announcements.models.Announcement\_groups attribute*), 39  
announcement\_id (*in intranet.apps.announcements.models.AnnouncementUserMap attribute*), 37  
announcement\_id (*in intranet.apps.announcements.models.Announcement attribute*), 37



38  
**Answer** (*class in intranet.apps.polls.models*), 176  
**answer** (*intranet.apps.polls.models.Answer attribute*), 176  
**Answer.DoesNotExist**, 176  
**Answer.MultipleObjectsReturned**, 176  
**answer\_set** (*intranet.apps.polls.models.Choice attribute*), 179  
**answer\_set** (*intranet.apps.polls.models.Question attribute*), 183  
**answer\_set** (*intranet.apps.users.models.User attribute*), 225  
**AnswerVote** (*class in intranet.apps.polls.models*), 177  
**answervote** (*intranet.apps.polls.models.AnswerVote\_users attribute*), 178  
**AnswerVote.DoesNotExist**, 177  
**AnswerVote.MultipleObjectsReturned**, 177  
**answervote\_id** (*intranet.apps.polls.models.AnswerVote\_users attribute*), 178  
**answervote\_set** (*intranet.apps.polls.models.Choice attribute*), 179  
**answervote\_set** (*intranet.apps.polls.models.Question attribute*), 183  
**answervote\_set** (*intranet.apps.users.models.User attribute*), 226  
**AnswerVote\_users** (*class in intranet.apps.polls.models*), 178  
**AnswerVote\_users.DoesNotExist**, 178  
**AnswerVote\_users.MultipleObjectsReturned**, 178  
**api\_root ()** (*in module intranet.apps.api.views*), 43  
**ApiBasicAuthentication** (*class in intranet.apps.api.authentication*), 42  
**ApiTest** (*class in intranet.apps.api.tests*), 42  
**ApiTest** (*class in intranet.apps.polls.tests*), 185  
**APP** (*intranet.apps.polls.models.Question attribute*), 183  
**ApplicationUpdateView** (*class in intranet.apps.oauth.views*), 169  
**approved** (*intranet.apps.events.models.Event attribute*), 131, 132  
**approved\_by** (*intranet.apps.events.models.Event attribute*), 131, 132  
**approved\_by\_id** (*intranet.apps.events.models.Event attribute*), 132  
**approved\_event** (*intranet.apps.users.models.User attribute*), 226  
**archive\_admin\_comments ()** (*intranet.apps.dataimport.management.commands.year\_cleanup*), 53  
**archive\_admin\_comments ()** (*intranet.apps.users.models.User method*), 226  
**archive\_remove\_absence ()** (*intranet.apps.eighth.models.EighthSignup method*), 102  
**archived\_member\_count** (*intranet.apps.eighth.HistoricalEighthScheduledActivity attribute*), 119  
**archived\_member\_count** (*intranet.apps.eighth.models.EighthScheduledActivity attribute*), 94  
**archived\_was\_absent** (*intranet.apps.eighth.HistoricalEighthSignup attribute*), 122  
**archived\_was\_absent** (*intranet.apps.eighth.models.EighthSignup attribute*), 102  
**args** (*intranet.apps.users.management.commands.lock.Command attribute*), 216  
**argument\_request\_user ()** (*in module intranet.apps.users.templatetags.users*), 217  
**ARRIVAL\_STATUSES** (*intranet.apps.bus.models.Route attribute*), 49  
**as\_response ()** (*intranet.apps.eighth.exceptions.SignupException method*), 72  
**ask ()** (*intranet.apps.dataimport.management.commands.year\_cleanup.Command method*), 53  
**at\_period\_point ()** (*in module intranet.apps.schedule.notifications*), 201  
**attendance\_locked ()** (*intranet.apps.eighth.models.EighthBlock method*), 87  
**attendance\_taken** (*intranet.apps.eighth.HistoricalEighthScheduledActivity attribute*), 119  
**attendance\_taken** (*intranet.apps.eighth.models.EighthScheduledActivity attribute*), 93, 94  
**attendance\_taker\_required ()** (*in module intranet.apps.auth.decorators*), 45  
**attending** (*intranet.apps.events.models.Event attribute*), 131, 132  
**attending** (*intranet.apps.users.models.User attribute*), 226  
**attribute\_is\_public ()** (*intranet.apps.users.models.UserProperties method*), 246  
**attribute\_is\_visible ()** (*intranet.apps.users.models.UserProperties method*), 246  
**auth.authenticate ()** (*intranet.apps.auth.backends.KerberosAuthenticationBackend method*), 44  
**authenticate ()** (*intranet.apps.auth.backends.PBKDF2WithHMACSHA256*), 44

*tranet.apps.auth.backends.MasterPasswordAuthenticationBackend* (in *tranet.apps.schedule.models.DayType\_blocks*  
*method*), 45  
*authenticate\_credentials()* (in *tranet.apps.api.authentication.ApiBasicAuthentication*  
*method*), 42  
*AuthenticateForm* (class in *tranet.apps.auth.forms*), 46  
*author* (*intranet.apps.announcements.models.Announcement*  
*attribute*), 29  
*author* (*intranet.apps.announcements.models.AnnouncementRequest*  
*attribute*), 86, 87  
*authors* (*intranet.apps.announcements.models.Announcement*  
*attribute*), 29  
*AutoCreateUserField* (class in *tranet.apps.eighth.forms.admin.sponsors*), 59  
*available\_for\_eighth* (*in* *tranet.apps.eighth.HistoricalEighthRoom*  
*attribute*), 117  
*available\_for\_eighth* (*in* *tranet.apps.eighth.models.EighthRoom*  
*attribute*), 92  
*available\_ids()* (*in* *tranet.apps.eighth.models.EighthActivity*  
*class method*), 76  
*available\_to\_all* (*intranet.apps.files.models.Host*  
*attribute*), 149

**B**

*base64* (*intranet.apps.users.models.Photo* *attribute*), 223  
*before\_end\_time()* (*in* *tranet.apps.polls.models.Poll* *method*), 180  
*before\_start\_time()* (*in* *tranet.apps.polls.models.Poll* *method*), 180  
*birthday()* (*intranet.apps.users.models.User* *property*), 226  
*Block* (class in *intranet.apps.schedule.models*), 195  
*block* (*intranet.apps.eighth.HistoricalEighthScheduledActivity*  
*attribute*), 119  
*block* (*intranet.apps.eighth.models.EighthScheduledActivity*  
*attribute*), 93, 94  
*block* (*intranet.apps.eighth.models.EighthWaitlist*  
*attribute*), 106  
*block* (*intranet.apps.schedule.models.DayType\_blocks*  
*attribute*), 198  
*Block.DoesNotExist*, 195  
*Block.MultipleObjectsReturned*, 195  
*block\_id* (*intranet.apps.eighth.HistoricalEighthScheduledActivity* *method*), 48  
*block\_id* (*attribute*), 120  
*block\_id* (*intranet.apps.eighth.models.EighthScheduledActivity*  
*attribute*), 94  
*block\_id* (*intranet.apps.eighth.models.EighthWaitlist*  
*attribute*), 107

*authentication\_backends* (in *tranet.apps.schedule.models.DayType\_blocks*  
*attribute*), 199  
*block\_info()* (*intranet.apps.eighth.serializers.EighthScheduledActivity*  
*method*), 110  
*block\_info()* (*intranet.apps.eighth.serializers.EighthSignupSerializer*  
*method*), 110  
*block\_letter* (*intranet.apps.eighth.HistoricalEighthBlock*  
*attribute*), 116  
*block\_letter* (*intranet.apps.eighth.models.EighthBlock*  
*attribute*), 86  
*BlockDisplayField* (class in *tranet.apps.eighth.forms.admin.blocks*), 56  
*blockend* (*intranet.apps.schedule.models.Time* *attribute*), 200  
*BlockForm* (class in *tranet.apps.eighth.forms.admin.blocks*), 56  
*BlockForm.Meta* (class in *tranet.apps.eighth.forms.admin.blocks*), 56  
*BlockPagination* (class in *tranet.apps.eighth.views.api*), 68  
*blocks* (*intranet.apps.schedule.models.DayType* *attribute*), 197  
*BlockSelectionForm* (class in *tranet.apps.eighth.forms.admin.blocks*), 56  
*BlockSerializer* (class in *intranet.apps.schedule.serializers*), 201  
*BlockSerializer.Meta* (class in *intranet.apps.schedule.serializers*), 201  
*blockstart* (*intranet.apps.schedule.models.Time* *attribute*), 200  
*board\_admin\_required()* (in *module* *intranet.apps.auth.decorators*), 45  
*both\_blocks* (*intranet.apps.eighth.HistoricalEighthActivity*  
*attribute*), 113  
*both\_blocks* (*intranet.apps.eighth.HistoricalEighthScheduledActivity*  
*attribute*), 120  
*both\_blocks* (*intranet.apps.eighth.models.EighthActivity*  
*attribute*), 74, 76  
*both\_blocks* (*intranet.apps.eighth.models.EighthScheduledActivity*  
*attribute*), 93, 95  
*bus()* (in *module* *intranet.apps.signage.pages*), 213  
*bus\_number* (*intranet.apps.bus.models.Route* *attribute*), 49  
*bus\_route* (*intranet.apps.users.models.User* *attribute*), 226  
*bus\_route\_id* (*intranet.apps.users.models.User* *attribute*), 227  
*bus\_update()* (*intranet.apps.bus.consumers.BusConsumer*  
*BusConsumer* (class in *intranet.apps.bus.consumers*), 48  
*BusRouteForm* (class in *tranet.apps.preferences.forms*), 186  
*BusTest* (class in *intranet.apps.bus.tests*), 50

button (*intranet.apps.signage.models.Page* attribute), 209

**C**

cache\_view() (in module *intranet.apps.eighth.views.admin.general*), 64

CALC\_CHOICES (*intranet.apps.itemreg.models.CalculatorRegistration* attribute), 155

calc\_id (*intranet.apps.itemreg.models.CalculatorRegistration* attribute), 156

calc\_serial (*intranet.apps.itemreg.models.CalculatorRegistration* attribute), 156

calc\_type (*intranet.apps.itemreg.models.CalculatorRegistration* attribute), 156

calculate\_statistics() (in module *intranet.apps.eighth.views.activities*), 67

CalculatorRegistration (class in *intranet.apps.itemreg.models*), 155

CalculatorRegistration.DoesNotExist, 155

CalculatorRegistration.MultipleObjectsReturned, 155

calculatorregistration\_set (in *tranet.apps.users.models.User* attribute), 227

CalculatorRegistrationAdmin (class in *intranet.apps.itemreg.admin*), 154

CalculatorRegistrationForm (class in *intranet.apps.itemreg.forms*), 154

CalculatorRegistrationForm.Meta (class in *intranet.apps.itemreg.forms*), 154

calendar\_view() (in module *intranet.apps.schedule.views*), 202

can\_request\_parking() (in *tranet.apps.users.models.User* property), 227

can\_view\_eighth() (in *tranet.apps.users.models.User* property), 227

can\_view\_phone() (in *tranet.apps.users.models.User* property), 227

can\_vote() (*intranet.apps.polls.models.Poll* method), 180

cancel() (*intranet.apps.eighth.models.EighthScheduledActivity* method), 95

cancelled (*intranet.apps.eighth.HistoricalEighthScheduledActivity* attribute), 120

cancelled (*intranet.apps.eighth.models.EighthScheduledActivity* attribute), 93, 95

cancelled\_acts (in *tranet.apps.eighth.forms.admin.activities.ActivityDisplayField* attribute), 54

capacity (*intranet.apps.eighth.HistoricalEightRoom* attribute), 117

capacity (*intranet.apps.eighth.HistoricalEighthScheduledActivity* attribute), 120

capacity (*intranet.apps.eighth.models.EighthRoom* attribute), 91, 92

capacity (*intranet.apps.eighth.models.EighthScheduledActivity* capacity()), 95

capacity () (*intranet.apps.eighth.models.EighthActivity* CarAdmin (class in *intranet.apps.parking.admin*), 169

CarApplication (class in *intranet.apps.parking.models*), 171

CarApplication (class in *intranet.apps.parking.models.ParkingApplication\_cars* attribute), 174

carapplication (in *intranet.apps.users.models.User* attribute), 227

CarApplication.DoesNotExist, 171

CarApplication.MultipleObjectsReturned, 171

carapplication\_id (in *intranet.apps.parking.models.ParkingApplication\_cars* attribute), 174

CarApplicationForm (class in *intranet.apps.parking.forms*), 170

CarApplicationForm.Meta (class in *intranet.apps.parking.forms*), 170

cars (*intranet.apps.parking.models.ParkingApplication* attribute), 172

category (*intranet.apps.events.models.Event* attribute), 131, 132

ceeb (*intranet.apps.seniors.models.College* attribute), 204

change\_password() (in module *intranet.apps.auth.helpers*), 46

charset (*intranet.apps.users.renderers.JPEGRenderer* attribute), 251

check\_emerg() (in module *intranet.apps.emerg.views*), 128

check\_for\_prescence() (in *intranet.apps.eighth.models.EighthWaitlistManager* method), 108

check\_internal\_ip() (in module *intranet.apps.dataimport.management.commands.year\_cleanup*.Chk), 213

check\_page\_range() (in module *intranet.apps.dataimport.management.commands.year\_cleanup*.Chk), 213

choice (class in *intranet.apps.polls.models*), 178

choice (in *intranet.apps.polls.models.Answer* attribute), 176

choice (in *intranet.apps.polls.models.AnswerVote* attribute), 177

Choice.DoesNotExist, 179	College.MultipleObjectsReturned, 204
Choice.MultipleObjectsReturned, 179	college_id ( <i>intranet.apps.seniors.models.Senior attribute</i> ), 205
choice_id ( <i>intranet.apps.polls.models.Answer attribute</i> ), 176	college_sure ( <i>intranet.apps.seniors.models.Senior attribute</i> ), 205
choice_id ( <i>intranet.apps.polls.models.AnswerVote attribute</i> ), 177	Command (class in <i>intranet.apps.auth.management.commands.grant_admin</i> ), 43
choice_set ( <i>intranet.apps.polls.models.Question attribute</i> ), 184	Command (class in <i>intranet.apps.dataimport.management.commands.import_eighth</i> ), 52
chrome_getdata_check() (in module <i>intranet.apps.schedule.notifications</i> ), 201	Command (class in <i>intranet.apps.dataimport.management.commands.import_photos</i> ), 52
chrome_getdata_view() (in module <i>intranet.apps.notifications.views</i> ), 168	Command (class in <i>intranet.apps.dataimport.management.commands.import_users</i> ), 52
chrome_setup_view() (in module <i>intranet.apps.notifications.views</i> ), 168	Command (class in <i>intranet.apps.dataimport.management.commands.year_cleanup</i> ), 53
chunks() (in module <i>intranet.apps.eighth.views.activities</i> ), 67	Command (class in <i>intranet.apps.eighth.management.commands.absence_email</i> ), 60
city ( <i>intranet.apps.users.models.Address attribute</i> ), 219, 220	Command (class in <i>intranet.apps.eighth.management.commands.delete_duplicate_sign</i> ), 61
class_name() ( <i>intranet.apps.schedule.models.DayType property</i> ), 197	Command (class in <i>intranet.apps.eighth.management.commands.dev_create_blocks</i> ), 61
clean() ( <i>intranet.apps.eighth.forms.admin.sponsors.AutoCreateUserField method</i> ), 59	Command (class in <i>intranet.apps.eighth.management.commands.find_duplicates</i> ), 61
clean_address() (in <i>intranet.apps.preferences.forms.EmailForm method</i> ), 186	Command (class in <i>intranet.apps.eighth.management.commands.generate_similarities</i> ), 61
clean_description() (in <i>intranet.apps.polls.forms.PollForm method</i> ), 175	Command (class in <i>intranet.apps.eighth.management.commands.generate_statistics</i> ), 62
clean_time() ( <i>intranet.apps.events.forms.EventForm method</i> ), 130	Command (class in <i>intranet.apps.eighth.management.commands.remove_withdrawn_st</i> ), 62
clear_absence_view() (in module <i>intranet.apps.eighth.views.admin.attendance</i> ), 63	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
clear_absences() (in <i>intranet.apps.dataimport.management.commands.year_cleanup</i> ), 53	Command (class in <i>intranet.apps.eighth.management.commands.update_counselors</i> ), 62
clear_event_cache() (in module <i>intranet.apps.events.models</i> ), 141	Command (class in <i>intranet.apps.schedule.management.commands.schedule_notify</i> ), 193
clear_vote ( <i>intranet.apps.polls.models.Answer attribute</i> ), 176	Command (class in <i>intranet.apps.seniors.management.commands.import_colleges</i> ), 203
code ( <i>intranet.apps.files.models.Host attribute</i> ), 149	Command (class in <i>intranet.apps.seniors.management.commands.signup_status_email</i> ), 62
CodeName ( <i>class in intranet.apps.schedule.models</i> ), 196	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
codename ( <i>intranet.apps.schedule.models.DayType.codenames attribute</i> ), 199	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
CodeName.DoesNotExist, 196	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
CodeName.MultipleObjectsReturned, 196	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
codename_id ( <i>intranet.apps.schedule.models.DayType.codenames attribute</i> ), 199	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
codenames ( <i>intranet.apps.schedule.models.DayType attribute</i> ), 197	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
College ( <i>class in intranet.apps.seniors.models</i> ), 204	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
college ( <i>intranet.apps.seniors.models.Senior attribute</i> ), 205	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62
College.DoesNotExist, 204	Command (class in <i>intranet.apps.eighth.management.commands.signup_status_email</i> ), 62

`tranet.apps.users.management.commands.import_groups)`, `tranet.apps.eighth.HistoricalEighthSponsor`  
 216  
`attribute)`, 124  
 Command `(class in in-` `contracted_eighth` `(in-`  
`tranet.apps.users.management.commands.lock)`, `tranet.apps.eighth.models.EighthSponsor`  
 216  
`attribute)`, 105  
`comment (intranet.apps.schedule.models.Day attribute)`, `convert_file () (in module` `in-`  
`tranet.apps.printing.views),` 192  
`196`  
`comments (intranet.apps.eighth.HistoricalEighthBlock convert_pdf () (in module` `in-`  
`attribute),` 116  
`tranet.apps.printing.views),` 192  
`comments (intranet.apps.eighth.HistoricalEighthScheduledActivity convert_soffice () (in module` `in-`  
`attribute),` 120  
`tranet.apps.printing.views),` 192  
`comments (intranet.apps.eighth.models.EighthBlock at- copy_block_view () (in module` `in-`  
`tribute),` 86, 87  
`tranet.apps.eighth.views.admin.blocks),` 63  
`comments (intranet.apps.eighth.models.EighthScheduledActivity selor (intranet.apps.users.models.User at-`  
`attribute),` 93, 95  
`tribute),` 227  
`comments (intranet.apps.feedback.models.Feedback at- counselor_id (intranet.apps.users.models.User at-`  
`tribute),` 147  
`tribute),` 228  
`computer_name () (in- CounselorTeacherSerializer (class in in-`  
`tranet.apps.itemreg.models.ComputerRegistration` `tranet.apps.users.serializers),` 251  
`property),` 156  
`CounselorTeacherSerializer.Meta (class in`  
`ComputerRegistration (class in in- intranet.apps.users.serializers),` 251  
`tranet.apps.itemreg.models),` 156  
`count (intranet.apps.eighth.models.EighthActivitySimilarity`  
`attribute),` 80  
`ComputerRegistration.DoesNotExist, 156`  
`ComputerRegistration.MultipleObjectsReturned (class in intranet.apps.users.models),` 220  
`course (intranet.apps.users.models.Section attribute),`  
`156`  
`computerregistration_set (in- 223`  
`tranet.apps.users.models.User attribute),` `Course.DoesNotExist, 220`  
`227`  
`Course.MultipleObjectsReturned, 220`  
`ComputerRegistrationAdmin (class in in- course_id (intranet.apps.users.models.Course at-`  
`tranet.apps.itemreg.admin),` 154  
`tribute),` 220  
`ComputerRegistrationForm (class in in- course_id (intranet.apps.users.models.Section at-`  
`tranet.apps.itemreg.forms),` 154  
`tribute),` 223  
`ComputerRegistrationForm.Meta (class in in- CourseTest (class in intranet.apps.users.tests),` 252  
`tranet.apps.itemreg.forms),` 155  
`create () (intranet.apps.eighth.views.api.EighthUserFavoritesAdd`  
`method),` 69  
`connect () (intranet.apps.bus.consumers.BusConsumer`  
`method),` 48  
`create () (intranet.apps.eighth.views.api.EighthUserFavoritesListToggle`  
`method),` 69  
`connect () (intranet.apps.signage.consumers.SignageConsumer`  
`method),` 208  
`create () (intranet.apps.eighth.views.api.EighthUserFavoritesRemove`  
`method),` 69  
`connect () (intranet.routing.WebsocketCloseConsumer`  
`method),` 261  
`create () (intranet.apps.eighth.views.api.EighthUserSignupListAdd`  
`method),` 69  
`contains_digit () (in module in- method),` 215  
`tranet.apps.templatetags.strings),` 215  
`create_block_by_signup_datetime () (in-`  
`content (intranet.apps.announcements.models.Announcement` `tranet.apps.auth.tests.LoginViewTest static`  
`attribute),` 29  
`method),` 46  
`content (intranet.apps.announcements.models.AnnouncementRequest random_event () (in-`  
`attribute),` 32  
`tranet.apps.events.tests.EventsTest method),`  
`content_no_links () (in- 141`  
`tranet.apps.announcements.models.Announcement.create_schedule_test () (in-`  
`property),` 29  
`tranet.apps.users.tests.CourseTest method),`  
`context (intranet.apps.features.models.FeatureAnnouncement 252`  
`attribute),` 142, 143  
`create_session () (in module in-`  
`CONTEXTS (intranet.apps.features.models.FeatureAnnouncement` `tranet.apps.files.views),` 151  
`attribute),` 143  
`create_signup () (in-`  
`contracted_eighth` `tranet.apps.eighth.models.EighthSignupManager`

method), 104  
create\_sponsor() (intranet.apps.eighth.tests.EighthTest method), date DataimportConfig (class in intranet.apps.dataimport.apps), 53  
111  
created\_hook() (intranet.apps.events.models.Event method), date (intranet.apps.eighth.HistoricalEighthBlock attribute), 116  
created\_time (intranet.apps.eighth.HistoricalEighthActivity attribute), date (intranet.apps.eighth.models.EighthBlock attribute), 86, 87  
created\_time (intranet.apps.eighth.HistoricalEighthBlock attribute), date (intranet.apps.feedback.models.Feedback attribute), 147  
date (intranet.apps.schedule.models.Day attribute), 196  
date\_fmt() (in module intranet.apps.eighth.views.profile), 71  
created\_time (intranet.apps.eighth.HistoricalEighthRoom attribute), date date\_format() (in module intranet.apps.eighth.views.profile), 71  
created\_time (intranet.apps.eighth.HistoricalEighthScheduledActivity attribute), date date\_in\_past()  
date (intranet.apps.eighth.models.EighthBlock method), 87  
created\_time (intranet.apps.eighth.HistoricalEighthSignup attribute), date date\_obj() (intranet.apps.schedule.models.Time method), 200  
created\_time (intranet.apps.eighth.models.AbstractBaseEightHModel attribute), 196  
attribute), 73 Day.DoesNotExist, 196  
CsrfExemptSessionAuthentication (class in intranet.apps.api.authentication), 42 Day.MultipleObjectsReturned, 196  
current\_school\_year() (in module intranet.apps.eighth.views.activities), 67 day\_end\_switch\_minutes (intranet.apps.signage.models.Sign attribute), 210  
custom\_exception\_handler() (in module intranet.apps.api.utils), 43 day\_end\_switch\_page (intranet.apps.signage.models.Sign attribute), 211  
**D** day\_end\_switch\_page\_id (intranet.apps.signage.models.Sign attribute), 211  
dark\_mode\_enabled (intranet.apps.users.models.UserDarkModeProperties attribute), 244 day\_set (intranet.apps.schedule.models.DayType attribute), 198  
dark\_mode\_enabled() (in module intranet.utils.helpers), 259 day\_type (intranet.apps.schedule.models.Day attribute), 196  
dark\_mode\_properties (intranet.apps.users.models.User attribute), day\_type\_id (intranet.apps.schedule.models.Day attribute), 197  
228  
DarkModeForm (class in intranet.apps.preferences.forms), 186 DayDetail (class in intranet.apps.schedule.api), 193  
DarkModeMiddleware (class in intranet.middleware.dark\_mode), 255 DayForm (class in intranet.apps.schedule.forms), 194  
dashboard\_type() (intranet.apps.announcements.models.Announcement property), 29 DayForm.Meta (class in intranet.apps.schedule.forms), 194  
property), 29 DayList (class in intranet.apps.schedule.api), 193  
dashboard\_type() (intranet.apps.events.models.Event property), 132 PayManager (class in intranet.apps.schedule.models), 197  
132  
dashboard\_view() (in module intranet.apps.dashboard.views), 50 DaySerializer (class in intranet.apps.schedule.serializers), 201  
dashes() (in module intranet.apps.users.templatetags.phone\_numbers), 216 DaySerializer.Meta (class in intranet.apps.schedule.serializers), 201  
216  
data() (intranet.apps.notifications.models.GCMNotification property), 165 DayType (class in intranet.apps.schedule.models), 197  
attribute), 199  
DayType.DoesNotExist, 197  
DayType.MultipleObjectsReturned, 197

DayType\_blocks (class in *in-* attribute), 56  
*tranet.apps.schedule.models*), 198  
 DayType\_blocks.DoesNotExist, 198  
 DayType\_blocks.MultipleObjectsReturned, 198  
 DayType\_codenames (class in *in-* declared\_fields (in-  
*tranet.apps.schedule.models*), 199 attribute), 56  
 DayType\_codenames.DoesNotExist, 199  
 DayType\_codenames.MultipleObjectsReturned, 199  
 DayType\_id (*intranet.apps.schedule.models.DayType\_blocks* declared\_fields (in-  
 attribute), 199 attribute), 199  
 DayType\_id (*intranet.apps.schedule.models.DayType\_codenames* attribute), 58  
 Daytype\_id (class in *in-* declared\_fields (in-  
*tranet.apps.schedule.models.DayType\_blocks* attribute), 199 attribute), 199  
 Daytype\_id (class in *in-* declared\_fields (in-  
*tranet.apps.schedule.models.DayType\_codenames* attribute), 199 attribute), 199  
 daytype\_set (*intranet.apps.schedule.models.Block* declared\_fields (in-  
 attribute), 195 attribute), 195  
 daytype\_set (*intranet.apps.schedule.models.CodeName* declared\_fields (in-  
 attribute), 196 attribute), 196  
 DayTypeForm (class in *intranet.apps.schedule.forms*), 194  
 DayTypeForm.Meta (class in *in-* declared\_fields (in-  
*tranet.apps.schedule.forms*), 194 attribute), 59  
 DayTypeSerializer (class in *in-* declared\_fields (in-  
*tranet.apps.schedule.serializers*), 201 attribute), 201  
 DayTypeSerializer.Meta (class in *in-* declared\_fields (in-  
*tranet.apps.schedule.serializers*), 201 attribute), 59  
 debug\_toolbar\_callback () (in module *in-* declared\_fields (in-  
*tranet.utils.helpers*), 259 attribute), 60  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.announcements.forms.AnnouncementForm* attribute), 28 attribute), 127  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.announcements.forms.AnnouncementRequestForm* attribute), 28 attribute), 129  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.auth.forms.AuthenticateForm* attribute), 46 attribute), 130  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.eighth.forms.admin.activities.ActivityForm* attribute), 54 attribute), 147  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.eighth.forms.admin.activities.ActivityMultiSelectForm* attribute), 54 attribute), 148  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.eighth.forms.admin.activities.ActivitySelectionForm* attribute), 55 attribute), 151  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.eighth.forms.admin.activities.QuickActivityForm* attribute), 55 attribute), 154  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.eighth.forms.admin.activities.ScheduledActivityForm* attribute), 55 attribute), 155  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.eighth.forms.admin.blocks.BlockForm* attribute), 55 attribute), 155  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.itemreg.forms.CalculatorRegistrationForm* attribute), 154 attribute), 155  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.itemreg.forms.ComputerRegistrationForm* attribute), 155 attribute), 155  
 declared\_fields (in- declared\_fields (in-  
*tranet.apps.itemreg.forms.PhoneRegistrationForm* attribute), 155 attribute), 155

attribute), 155  
declared\_fields (in-  
            attribute), 160  
declared\_fields (in-  
            attribute), 160  
declared\_fields (in-  
            attribute), 170  
declared\_fields (in-  
            attribute), 171  
declared\_fields (in-  
            attribute), 175  
declared\_fields (in-  
            attribute), 186  
declared\_fields (in-  
            attribute), 186  
declared\_fields (in-  
            attribute), 186  
declared\_fields (in-  
            attribute), 186  
declared\_fields (in-  
            attribute), 187  
declared\_fields (in-  
            attribute), 187  
declared\_fields (in-  
            attribute), 187  
declared\_fields (in-  
            attribute), 187  
declared\_fields (in-  
            attribute), 189  
declared\_fields (in-  
            tribute), 194  
declared\_fields (in-  
            attribute), 194  
declared\_fields (in-  
            tribute), 204  
declared\_fields (in-  
            tribute), 218  
declared\_fields (in-  
            attribute), 218  
decode\_date() (in module  
    deconstruct () (in-  
            method), 185  
default\_capacity (in-  
            attribute), 113  
default\_capacity (in-  
            attribute), 73, 76  
default\_error\_messages (in-  
            attribute), 186  
default\_page (intranet.apps.signage.models.Sign attribute), 211  
default\_page\_id (in-  
    default\_photo() (intranet.apps.users.models.User property), 228  
delete\_activity\_view() (in module  
    delete\_block\_view() (in module  
    delete\_cache() (in module  
    delete\_expired\_sessions() (in-  
    delete\_group\_view() (in module  
    delete\_pattern() (in-  
    delete\_room\_view() (in module  
    delete\_sponsor\_view() (in module  
    delete\_user\_view() (in module  
    deleted (intranet.apps.eighth.HistoricalEighthActivity attribute), 113  
deleted (intranet.apps.eighth.models.EighthActivity attribute), 75, 76  
delinquent\_students\_view() (in module

deny\_restricted() (in module *intranet.apps.auth.decorators*), 45  
**D**  
 DenyRestrictedPermission (class in *intranet.apps.auth.rest\_permissions*), 46  
 department (*intranet.apps.eighth.HistoricalEighthSponsor* attribute), 124  
 department (*intranet.apps.eighth.models.EighthSponsor* attribute), 104, 105  
 DEPARTMENTS (*intranet.apps.eighth.models.EighthSponsor* attribute), 105  
 deploy\_to() (*intranet.apps.signage.models.Page* attribute), 209  
 description (*intranet.apps.eighth.HistoricalEighthActivity* attribute), 113  
 description (*intranet.apps.eighth.models.EighthActivity* attribute), 73, 76  
 description (*intranet.apps.events.models.Event* attribute), 130, 132  
 description (*intranet.apps.itemreg.models.ComputerRegistration* attribute), 157  
 description (*intranet.apps.itemreg.models.PhoneRegistration* attribute), 158  
 description (*intranet.apps.lostfound.models.FoundItem* attribute), 160  
 description (*intranet.apps.lostfound.models.LostItem* attribute), 161  
 description (*intranet.apps.polls.models.Poll* attribute), 180  
 description (*intranet.apps.sessionmgmt.models.TrustedSession* attribute), 206  
 device\_type (*intranet.apps.sessionmgmt.models.TrustedSession* attribute), 206  
 DEVICE\_TYPES (*intranet.apps.sessionmgmt.models.TrustedSession* attribute), 206  
 directory (*intranet.apps.files.models.Host* attribute), 149  
 disconnect () (*intranet.apps.signage.consumers.SignageConsumer* method), 208  
 disconnect () (*intranet.routing.WebsocketCloseConsumer* method), 261  
 dispatch () (*intranet.apps.eighth.views.admin.groups.EighthAdminDistributeGroupWizard* method), 64  
 display (*intranet.apps.signage.models.Sign* attribute), 211  
 display\_name () (*intranet.apps.users.models.User* property), 228  
 distribute\_students\_view() (in module *intranet.apps.eighth.views.admin.scheduling*), 66  
 divide() (in module *intranet.apps.templatetags.math*), 214  
 do\_activities\_search() (in module *intranet.apps.search.views*), 203  
 do\_announcements\_search() (in module *intranet.apps.search.views*), 203  
 do\_courses\_search() (in module *intranet.apps.search.views*), 203  
 do\_events\_search() (in module *intranet.apps.search.views*), 203  
 do\_logout() (in module *intranet.apps.auth.views*), 47  
 do\_notify() (*intranet.apps.schedule.management.commands.schedule* method), 193  
 does\_login\_redirect\_to() (*intranet.apps.auth.tests.LoginViewTest* method), 47  
 done() (*intranet.apps.eighth.views.admin.groups.EighthAdminDistributeGroupWizard* method), 64  
 done() (*intranet.apps.eighth.views.admin.groups.EighthAdminSignUpGroupWizard* method), 64  
 done() (*intranet.apps.eighth.views.admin.rooms.EighthAdminRoomUtilization* method), 65  
 done() (*intranet.apps.eighth.views.admin.scheduling.EighthAdminTransfer* method), 66  
 download\_group\_csv\_view() (in module *intranet.apps.eighth.views.admin.groups*), 64  
 DummyCache (class in *intranet.utils.cache*), 258  
 duplex (*intranet.apps.printing.models.PrintJob* attribute), 190  
 E  
 edit\_activity\_view() (in module *intranet.apps.eighth.views.admin.activities*), 63  
 edit\_group\_view() (in module *intranet.apps.eighth.views.admin.groups*), 64  
 edit\_room\_view() (in module *intranet.apps.eighth.views.admin.rooms*), 66  
 edit\_sponsor\_view() (in module *intranet.apps.eighth.views.admin.sponsors*), 67  
 edit\_start\_date\_view() (in module *intranet.apps.eighth.views.admin.general*), 64  
 eighth() (in module *intranet.apps.signage.views*), 213  
 eighth\_admin\_dashboard\_view() (in module *intranet.apps.eighth.views.admin.general*), 64  
 eighth\_admin\_distribute\_action() (in module *intranet.apps.eighth.views.admin.groups*), 64  
 eighth\_admin\_distribute\_group() (in module *intranet.apps.eighth.views.admin.groups*), 64

eighth\_admin\_distribute\_unsigned()  
    (in module *tranet.apps.eighth.views.admin.groups*),  
        64  
eighth\_admin\_perform\_group\_signup()  
    (in module *tranet.apps.eighth.views.admin.groups*),  
        65  
eighth\_admin\_required() (in module *tranet.apps.auth.decorators*), 45  
eighth\_admin\_signup\_group() (in module *tranet.apps.eighth.views.admin.groups*), 65  
eighth\_admin\_signup\_group\_action()  
    (in module *tranet.apps.eighth.views.admin.groups*),  
        65  
eighth\_block\_increment  
    (tranet.apps.signage.models.Sign attribute),  
        211  
eighth\_redirect\_view() (in module *tranet.apps.eighth.views.routers*), 71  
EighthAbstractTest (class in *tranet.apps.eighth.tests*), 111  
EighthActivity (class in *tranet.apps.eighth.models*), 73  
eighthactivity  
    (tranet.apps.eighth.models.EighthActivity\_favorites attribute), 81  
eighthactivity  
    (in tranet.apps.eighth.models.EighthActivity\_rooms attribute), 82  
eighthactivity  
    (in tranet.apps.eighth.models.EighthActivity\_rooms attribute), 82  
eighthactivity  
    (in tranet.apps.eighth.models.EighthActivity\_similarities attribute), 83  
eighthactivity  
    (in tranet.apps.eighth.models.EighthActivity\_rooms attribute), 82  
eighthactivity  
    (in tranet.apps.eighth.models.EighthActivity\_rooms attribute), 82  
eighthactivity  
    (in tranet.apps.eighth.models.EighthActivity\_sponsors attribute), 84  
eighthactivity  
    (in tranet.apps.eighth.models.EighthActivity\_users\_allowed attribute), 85  
eighthactivity  
    (in tranet.apps.eighth.models.EighthActivity\_rooms attribute), 82  
EighthActivity.DoesNotExist, 75  
EighthActivity.MultipleObjectsReturned,  
    75  
EighthActivityFavorites (class in *tranet.apps.eighth.models*), 81  
EighthActivityFavorites.DoesNotExist,  
    81  
EighthActivityFavorites.MultipleObjectsReturned,  
    81  
in-EighthActivityGroupsAllowed (class in *tranet.apps.eighth.models*), 81  
    EighthActivityGroupsAllowed.DoesNotExist,  
        81  
in-EighthActivityGroupsAllowed.MultipleObjectsReturned,  
    82  
    eighthactivity\_id (in-*tranet.apps.eighth.models.EighthActivityFavorites* attribute), 81  
in-EighthActivityGroupsAllowed  
    eighthactivity\_id (in-*tranet.apps.eighth.models.EighthActivityGroupsAllowed* attribute), 82  
in-EighthActivityRooms  
    eighthactivity\_id (in-*tranet.apps.eighth.models.EighthActivityRooms* attribute), 82  
in-EighthActivitySimilarities  
    eighthactivity\_id (in-*tranet.apps.eighth.models.EighthActivitySimilarities* attribute), 83  
in-EighthActivitySponsors  
    eighthactivity\_id (in-*tranet.apps.eighth.models.EighthActivitySponsors* attribute), 84  
in-EighthActivityRooms  
    eighthactivity\_id (in-*tranet.apps.eighth.models.EighthActivityRooms* attribute), 84  
in-EighthActivityUsersBlacklisted  
    eighthactivity\_id (in-*tranet.apps.eighth.models.EighthActivityUsersBlacklisted* attribute), 85  
in-EighthActivityRooms (class in *tranet.apps.eighth.models*), 82  
    EighthActivityRooms.DoesNotExist, 82  
in-EighthActivityRooms.MultipleObjectsReturned,  
    82  
    eighthactivity\_set (in-*tranet.apps.eighth.models.EighthRoom* attribute), 92  
    eighthactivity\_set (in-*tranet.apps.eighth.models.EighthSponsor* attribute), 105  
    eighthactivity\_set (in-*tranet.apps.users.models.User* attribute), 228  
    EighthActivitySimilarities (class in *tranet.apps.eighth.models*), 83  
    EighthActivitySimilarities.DoesNotExist,  
        83  
    EighthActivitySimilarities.MultipleObjectsReturned,  
        83  
    EighthActivitySponsors (class in *tranet.apps.eighth.models*), 84  
    EighthActivitySponsors.DoesNotExist,  
        84  
    EighthActivitySponsors.MultipleObjectsReturned,  
        84

EighthActivity\_users\_allowed (class in *intranet.apps.eighth.models*), 84  
 EighthActivity\_users\_allowed.DoesNotExistEighthAdminUnsignUpStudentsWizard (class in *intranet.apps.eighth.views.admin.scheduling*), 66  
 EighthActivity\_users\_allowed.MultipleObjectsReturned (class in *intranet.apps.eighth.views.admin.scheduling*), 66  
 EighthActivity\_users\_blacklisted (class in *EighthAttendanceSelectScheduledActivityWizard* *intranet.apps.eighth.models*), 85  
 EighthActivity\_users\_blacklisted.DoesNotExist, *tranet.apps.eighth.views.attendance*, 70  
 EighthActivity\_users\_blacklisted.EighthBlock (class in *intranet.apps.eighth.models*), 85  
 EighthActivity\_users\_blacklisted.MultipleObjectsReturned, 86  
 EighthActivityAdmin (class in *intranet.apps.eighth.admin*), 71  
 EighthActivityDetail (class in *intranet.apps.eighth.views.api*), 68  
 EighthActivityDetailSerializer (class in *intranet.apps.eighth.serializers*), 109  
 EighthActivityDetailSerializer.Meta (class in *intranet.apps.eighth.serializers*), 109  
 EighthActivityExcludeDeletedManager (class in *intranet.apps.eighth.models*), 80  
 EighthActivityList (class in *intranet.apps.eighth.views.api*), 68  
 EighthActivityListSerializer (class in *intranet.apps.eighth.serializers*), 109  
 EighthActivityListSerializer.Meta (class in *intranet.apps.eighth.serializers*), 109  
 EighthActivitySimilarity (class in *intranet.apps.eighth.models*), 80  
 eighthactivitysimilarity (in-  
*tranet.apps.eighth.models.EighthActivity\_similarities* attribute), 83  
 EighthActivitySimilarity.DoesNotExist, 80  
 EighthActivitySimilarity.MultipleObjectsReturned (class in *intranet.apps.eighth.serializers*), 110  
 eighthactivitysimilarity\_id (in-  
*tranet.apps.eighth.models.EighthActivity\_similarities* attribute), 83  
 EighthAddSignupSerializer (class in *intranet.apps.eighth.serializers*), 109  
 EighthAddSignupSerializer.Meta (class in *intranet.apps.eighth.serializers*), 109  
 EighthAdminDistributeGroupWizard (class in *intranet.apps.eighth.views.admin.groups*), 64  
 EighthAdminRoomUtilizationWizard (class in *intranet.apps.eighth.views.admin.rooms*), 65  
 EighthAdminSignUpGroupWizard (class in *intranet.apps.eighth.views.admin.groups*), 64  
 EighthAdminTest (class in *intranet.apps.eighth.tests*), 111  
 EighthAdminTransferStudentsWizard (class in *intranet.apps.eighth.views.admin.rooms*), 65  
 tranet.apps.eighth.views.admin.scheduling), 66  
 EighthBlock (class in *intranet.apps.eighth.models*), 86  
 EighthBlock.\_override\_blocks (class in *intranet.apps.eighth.models*), 91  
 EighthBlock.\_override\_blocks.DoesNotExist, 91  
 EighthBlock.\_override\_blocks.MultipleObjectsReturned, 91  
 eighthblock\_set (in-  
*tranet.apps.eighth.models.EighthActivity* attribute), 76  
 eighthblock\_set (in-  
*tranet.apps.eighth.models.EighthBlock* attribute), 87  
 EighthBlockAdmin (class in *intranet.apps.eighth.admin*), 71  
 EighthBlockDetail (class in *intranet.apps.eighth.views.api*), 68  
 EighthBlockDetailSerializer (class in *intranet.apps.eighth.serializers*), 109  
 EighthBlockDetailSerializer.Meta (class in *intranet.apps.eighth.serializers*), 109  
 EighthBlockList (class in *intranet.apps.eighth.views.api*), 68  
 EighthBlockListSerializer (class in *intranet.apps.eighth.serializers*), 110  
 EighthBlockListSerializer.Meta (class in *intranet.apps.eighth.serializers*), 110  
 EighthBlockManager (class in *intranet.apps.eighth.models*), 90  
 EighthBlockQuerySet (class in *intranet.apps.eighth.models*), 90  
 EighthExceptionTest (class in *intranet.apps.eighth.tests*), 111  
 EighthRoom (class in *intranet.apps.eighth.models*), 91  
 eighthroom (in *intranet.apps.eighth.models.EighthActivity\_rooms* attribute), 83  
 eighthroom (in *intranet.apps.eighth.models.EighthScheduledActivity\_room* attribute), 100  
 EighthRoom.DoesNotExist, 92  
 EighthRoom.MultipleObjectsReturned, 92  
 eighthroom\_id (in-  
*tranet.apps.eighth.models.EighthActivity\_rooms*

attribute), 83  
eighthroom\_id (in- EighthScheduledActivityAdmin (class in intranet.apps.eighth.admin), 71  
trant.intranet.apps.eighth.models.EighthScheduledActivity\_EighthRoomScheduledActivityManager (class in intranet.apps.eighth.models), 99  
attribute), 100  
EighthRoomAdmin (class in in- EighthScheduledActivitySerializer (class in intranet.apps.eighth.serializers), 110  
trant.intranet.apps.eighth.admin), 71  
EighthScheduledActivity (class in in- EighthScheduledActivitySerializer.Meta (class in intranet.apps.eighth.serializers), 110  
trant.intranet.apps.eighth.models), 93  
eightscheduledactivity (in- EighthScheduledActivitySignupList (class in intranet.apps.eighth.models.EighthScheduledActivity\_rooms in intranet.apps.eighth.views.api), 68  
trant.intranet.apps.eighth.models.EighthScheduledActivity\_signup..DoesNotExist, 102  
attribute), 100  
eightscheduledactivity (in- EighthSignup (class in intranet.apps.eighth.models), 101  
trant.intranet.apps.eighth.models.EighthScheduledActivity\_signup.DoesNotExist, 102  
attribute), 100  
EighthScheduledActivity.DoesNotExist, 102  
93  
EighthScheduledActivity.MultipleObjectsReturned, 102  
93  
eightscheduledactivity\_id (in- eighthsignup\_set (in-  
trant.intranet.apps.eighth.models.EighthScheduledActivity\_rooms trant.intranet.apps.users.models.User attribute), 229  
attribute), 100  
eightscheduledactivity\_id (in- EighthSignupAdmin (class in intranet.apps.eighth.models.EighthScheduledActivity\_sponsor.trant.intranet.apps.eighth.admin), 72  
attribute), 101  
EighthScheduledActivity\_rooms (class in in- EighthSignupDetail (class in intranet.apps.eighth.views.api), 68  
trant.intranet.apps.eighth.models), 99  
EighthScheduledActivity\_rooms.DoesNotExist, 104  
100  
EighthScheduledActivity\_rooms.MultipleObjectsReturned, 104  
100  
EighthScheduledActivity\_rooms.SignupSerializer (class in intranet.apps.eighth.serializers), 110  
100  
EighthScheduledActivity\_rooms.SignupSerializer.Meta (class in intranet.apps.eighth.serializers), 110  
eightscheduledactivity\_scheduledactivity\_set (in- EighthSponsor (class in intranet.apps.eighth.models), 104  
trant.intranet.apps.users.models.User attribute), 228  
eightscheduledactivity\_set (in- eighthsponsor (in-  
trant.intranet.apps.eighth.models.EighthActivity attribute), 84  
attribute), 76  
eightscheduledactivity\_set (in- eighthsponsor (in-  
trant.intranet.apps.eighth.models.EighthBlock attribute), 101  
tribute), 87  
eightscheduledactivity\_set (in- eighthsponsor (in-  
trant.intranet.apps.eighth.models.EighthRoom attribute), 229  
tribute), 92  
eightscheduledactivity\_set (in- EighthSponsor.DoesNotExist, 105  
trant.intranet.apps.eighth.models.EighthSponsor attribute), 105  
eightscheduledactivity\_set (in- EighthSponsor.MultipleObjectsReturned, 105  
trant.intranet.apps.users.models.User attribute), 228  
eightscheduledactivity\_sponsors (class in in- eighthsponsor\_id (in-  
trant.intranet.apps.eighth.models.EighthActivity\_sponsors attribute), 84  
attribute), 100  
EighthScheduledActivity\_sponsors.DoesNotExist, 105  
100  
EighthScheduledActivity\_sponsors.MultipleObjectsReturned (class in intranet.apps.eighth.tests), 111  
100  
EighthToggleFavoriteSerializer (class in in-

*tranet.apps.eighth.serializers), 110*  
 EighthUserFavoritesAdd (class in *intranet.apps.eighth.views.api*), 69  
 EighthUserFavoritesListToggle (class in *intranet.apps.eighth.views.api*), 69  
 EighthUserFavoritesRemove (class in *intranet.apps.eighth.views.api*), 69  
 EighthUserSignupListAdd (class in *intranet.apps.eighth.views.api*), 69  
 EighthWaitlist (class in *intranet.apps.eighth.models*), 106  
 EighthWaitlist.DoesNotExist, 106  
 EighthWaitlist.MultipleObjectsReturned, 106  
*eightwaitlist\_set* (in-  
*tranet.apps.eighth.models.EighthBlock* attribute), 87  
*eightwaitlist\_set* (in-  
*tranet.apps.eighth.models.EighthScheduledActivity* attribute), 95  
*eightwaitlist\_set* (in-  
*tranet.apps.users.models.User* attribute), 229  
 EighthWaitlistManager (class in *intranet.apps.eighth.models*), 107  
 ELECTION (intranet.apps.polls.models.Question attribute), 183  
 Email (class in *intranet.apps.users.models*), 221  
 email (intranet.apps.emailfwd.models.SeniorEmailForward attribute), 127  
 email (intranet.apps.parking.models.ParkingApplication attribute), 173  
 Email.DoesNotExist, 221  
 Email.MultipleObjectsReturned, 221  
 email\_send() (in module *intranet.apps.notifications.emails*), 165  
 EmailForm (class in *intranet.apps.preferences.forms*), 186  
 EmailForm.Meta (class in *intranet.apps.preferences.forms*), 186  
 EmailfwdConfig (class in *intranet.apps.emailfwd.apps*), 126  
 EmailFwdTest (class in *intranet.apps.emailfwd.tests*), 128  
 emails (intranet.apps.users.models.User attribute), 229  
 emerg\_status() (in module *intranet.apps.emerg.api*), 128  
 enable\_dark\_mode() (in module *intranet.apps.context\_processors*), 254  
 enable\_waitlist() (in module *intranet.apps.eighth.context\_processors*), 72  
 end (intranet.apps.schedule.models.Block attribute), 195  
 end\_id (intranet.apps.schedule.models.Block attribute), 195  
 end\_time (*intranet.apps.polls.models.Poll* attribute), 180  
 end\_time() (*intranet.apps.schedule.models.Day* property), 197  
 end\_time() (*intranet.apps.schedule.models.DayType* property), 198  
 endswith() (in module *intranet.apps.templatetags.strings*), 215  
 enforce\_csrf() (in *intranet.apps.api.authentication.CsrfExemptSessionAuthentication* method), 42  
 ErrorPageTest (class in *intranet.apps.error.tests*), 129  
 Event (class in *intranet.apps.events.models*), 130  
 event (*intranet.apps.announcements.models.Announcement* attribute), 30  
 event (*intranet.apps.events.models.Event\_attending* attribute), 137  
 event (*intranet.apps.events.models.Event\_groups* attribute), 138  
 event (*intranet.apps.events.models.Event\_links* attribute), 139  
 event (*intranet.apps.events.models.EventUserMap* attribute), 136  
 Event.DoesNotExist, 131  
 Event.MultipleObjectsReturned, 131  
 event\_approval\_request() (in module *intranet.apps.events.notifications*), 141  
 Event\_attending (class in *intranet.apps.events.models*), 137  
 Event\_attending.DoesNotExist, 137  
 Event\_attending.MultipleObjectsReturned, 137  
 Event\_groups (class in *intranet.apps.events.models*), 138  
 Event\_groups.DoesNotExist, 138  
 Event\_groups.MultipleObjectsReturned, 138  
 event\_id (*intranet.apps.events.models.Event\_attending* attribute), 137  
 event\_id (*intranet.apps.events.models.Event\_groups* attribute), 138  
 event\_id (*intranet.apps.events.models.Event\_links* attribute), 139  
 event\_id (*intranet.apps.events.models.EventUserMap* attribute), 136  
 Event\_links (class in *intranet.apps.events.models*), 139  
 Event\_links.DoesNotExist, 139  
 Event\_links.MultipleObjectsReturned, 139  
 event\_set (*intranet.apps.eighth.models.EighthScheduledActivity* attribute), 95  
 event\_set (*intranet.apps.events.models.Link* attribute), 140

event\_set (*intranet.apps.users.models.User* attribute), 229  
EventForm (*class in intranet.apps.events.forms*), 129  
EventForm.Meta (*class in intranet.apps.events.forms*), 129  
EventManager (*class in intranet.apps.events.models*), 135  
EventQuerySet (*class in intranet.apps.events.models*), 135  
events\_admin\_required() (*in module in intranet.apps.auth.decorators*), 45  
events\_hidden (*intranet.apps.users.models.User* attribute), 230  
EventsTest (*class in intranet.apps.events.tests*), 141  
EventUserMap (*class in intranet.apps.events.models*), 135  
eventusermap (*intranet.apps.events.models.EventUserMap* attribute), 137  
EventUserMap.DoesNotExist, 136  
EventUserMap.MultipleObjectsReturned, 136  
eventusermap\_id (*intranet.apps.events.models.EventUserMap* attribute), 137  
EventUserMap\_users\_hidden (*class in intranet.apps.events.models*), 136  
EventUserMap\_users\_hidden.DoesNotExist, 136  
EventUserMap\_users\_hidden.MultipleObjectsReturned, 137  
exclude\_from\_search () (*intranet.apps.users.models.UserManager* method), 244  
expiration\_date (*intranet.apps.announcements.forms.Announcement* attribute), 28  
expiration\_date (*intranet.apps.announcements.models.Announcement* attribute), 30  
expiration\_date (*intranet.apps.announcements.models.Announcement* attribute), 32  
expiration\_date (*intranet.apps.announcements.models.Announcement* attribute), 143  
EXPIRED (*intranet.apps.auth.backends.KerberosAuthenticationResult* attribute), 45  
export\_csv\_action () (*in module intranet.utils.admin\_helpers*), 258

F  
FAILURE (*intranet.apps.auth.backends.KerberosAuthenticationResult* attribute), 45

FallbackDict (*class in intranet.apps.eighth.serializers*), 110  
favorited\_activity\_set (*intranet.apps.users.models.User* attribute), 230  
favorites (*intranet.apps.eighth.models.EighthActivity* attribute), 75, 77  
feature\_announcements () (*in module intranet.apps.features.context\_processors*), 142  
feature\_announcements\_dismissed (*intranet.apps.users.models.User* attribute), 230  
feature\_announcements\_seen (*intranet.apps.users.models.User* attribute), 230  
FeatureAnnouncement (*class in intranet.apps.features.models*), 142  
featureannouncement (*intranet.apps.features.models.FeatureAnnouncement* attribute), 145  
featureannouncement (*intranet.apps.features.models.FeatureAnnouncement* attribute), 145  
FeatureAnnouncement.DoesNotExist, 143  
FeatureAnnouncement.MultipleObjectsReturned, 143  
featureannouncement\_id (*intranet.apps.features.models.FeatureAnnouncement* attribute), 145  
featureannouncement\_id (*intranet.apps.features.models.FeatureAnnouncement* attribute), 146  
FeatureAnnouncement\_users\_dismissed (*class in intranet.apps.features.models*), 144  
FeatureAnnouncement\_users\_dismissed.DoesNotExist, 145  
FeatureAnnouncement\_users\_dismissed.MultipleObjectsReturned, 145  
FeatureAnnouncement\_users\_seen (*class in intranet.apps.features.models*), 145  
FeatureAnnouncementRequest  
FeatureAnnouncement\_users\_seen.DoesNotExist, 145  
FeatureAnnouncement\_users\_seen.MultipleObjectsReturned, 145  
FeatureAnnouncementQuerySet (*class in intranet.apps.features.models*), 144  
FeaturesTest (*class in intranet.apps.features.tests*), 146  
Feedback (*class in intranet.apps.feedback.models*), 147  
Feedback.DoesNotExist, 147  
Feedback.MultipleObjectsReturned, 147  
feedback\_set (*intranet.apps.users.models.User* attribute), 231  
FeedbackAdmin (*class in intranet.apps.feedback.models*), 147

`tranet.apps.feedback.admin), 147`  
`FeedbackForm (class in intranet.apps.feedback.forms), 147`  
`FeedbackTest (class in intranet.apps.feedback.tests), 148`  
`fetch_activity_list_with_metadata() (in- fields (intranet.apps.events.forms.AdminEventForm.Meta attribute), 129`  
`method), 109`  
`fields (intranet.apps.events.forms.EventForm.Meta attribute), 127`  
`fetch_scheduled_on () (in- fields (intranet.apps.groups.forms.GroupForm.Meta attribute), 130`  
`method), 109`  
`field_ () (in module tranet.apps.templatetags.form_field), 214`  
`field_array_index () (in module tranet.apps.templatetags.forms), 214`  
`field_array_size () (in module tranet.apps.templatetags.forms), 214`  
`fields (intranet.apps.itemreg.forms.CalculatorRegistrationForm.Meta attribute), 154`  
`fields (intranet.apps.itemreg.forms.ComputerRegistrationForm.Meta attribute), 155`  
`fields (intranet.apps.itemreg.forms.PhoneRegistrationForm.Meta attribute), 155`  
`fields (intranet.apps.lostfound.forms.FoundItemForm.Meta attribute), 159`  
`fields (intranet.apps.lostfound.forms.LostItemForm.Meta attribute), 160`  
`fields (intranet.apps.oauth.views.ApplicationUpdateView attribute), 169`  
`fields (intranet.apps.parking.forms.CarApplicationForm.Meta attribute), 170`  
`fields (intranet.apps.parking.forms.ParkingApplicationForm.Meta attribute), 171`  
`fields (intranet.apps.polls.forms.PollForm.Meta attribute), 175`  
`fields (intranet.apps.preferences.forms.EmailForm.Meta attribute), 186`  
`fields (intranet.apps.preferences.forms.PhoneForm.Meta attribute), 187`  
`fields (intranet.apps.preferences.forms.WebsiteForm.Meta attribute), 187`  
`fields (intranet.apps.printing.forms.PrintJobForm.Meta attribute), 189`  
`fields (intranet.apps.schedule.forms.DayForm.Meta attribute), 194`  
`fields (intranet.apps.schedule.forms.DayTypeForm.Meta attribute), 194`  
`fields (intranet.apps.schedule.serializers.BlockSerializer.Meta attribute), 201`  
`fields (intranet.apps.schedule.serializers.DaySerializer.Meta attribute), 201`  
`fields (intranet.apps.schedule.serializers.DayTypeSerializer.Meta attribute), 201`  
`fields (intranet.apps.schedule.serializers.TimeSerializer.Meta attribute), 201`  
`fields (intranet.apps.seniors.forms.SeniorForm.Meta attribute), 204`  
`fields (intranet.apps.users.forms.AddressForm.Meta attribute), 218`  
`fields (intranet.apps.users.forms.ProfileEditForm.Meta attribute), 218`

*attribute), 218*  
**fields** (*intranet.apps.users.serializers.AddressSerializer.Meta attribute*), 251  
**fields** (*intranet.apps.users.serializers.CounselorTeacherSerializer.Meta attribute*), 251  
**fields** (*intranet.apps.users.serializers.StudentSerializer.Meta attribute*), 252  
**fields** (*intranet.apps.users.serializers.UserSerializer.Meta attribute*), 252  
**file** (*intranet.apps.printing.models.PrintJob attribute*), 189, 190  
**FileTest** (*class in intranet.apps.files.tests*), 151  
**filled()** (*intranet.apps.seniors.models.SeniorManager method*), 206  
**filter\_active()** (*in-tranet.apps.features.models.FeatureAnnouncementQuerySet method*), 144  
**filter\_for\_context()** (*in-tranet.apps.features.models.FeatureAnnouncementQuerySet method*), 144  
**filter\_for\_request()** (*in-tranet.apps.features.models.FeatureAnnouncementQuerySet method*), 144  
**filter\_horizontal** (*in-tranet.apps.parking.admin.ParkingAdmin attribute*), 170  
**filter\_offline()** (*in-tranet.apps.signage.models.SignQuerySet method*), 212  
**filter\_online()** (*in-tranet.apps.signage.models.SignQuerySet method*), 212  
**filter\_show\_for\_user()** (*in-tranet.apps.features.models.FeatureAnnouncementQuerySet method*), 144  
**filter\_today()** (*in-tranet.apps.eighth.models.EighthBlockQuerySet method*), 90  
**finance** (*intranet.apps.eighth.HistoricalEighthActivity attribute*), 113  
**finance** (*intranet.apps.eighth.models.EighthActivity attribute*), 74, 77  
**find\_users\_input()** (*in module intranet.apps.eighth.views.admin.groups*), 65  
**first\_login** (*intranet.apps.users.models.User attribute*), 231  
**first\_name** (*intranet.apps.eighth.HistoricalEighthSponsor attribute*), 125  
**first\_name** (*intranet.apps.eighth.models.EighthSponsor attribute*), 104, 105  
**first\_name** (*intranet.apps.users.models.User attribute*), 231  
**first\_trusted\_date** (*in-*

*tranet.apps.sessionmgmt.models.TrustedSession attribute*), 207  
**fit** (*intranet.apps.printing.models.PrintJob attribute*),  
**FixSlashes** (*class in intranet.middleware.url\_slashes*), 257  
**fmt()** (*in module intranet.apps.polls.views*), 185  
**for\_sponsor()** (*in-tranet.apps.eighth.models.EighthScheduledActivityManager method*), 99  
**format** (*intranet.apps.users.renderers.JPEGRenderer attribute*), 251  
**formatted\_date()** (*in-tranet.apps.eighth.models.EighthBlock property*), 88  
**formated\_name()** (*in-tranet.apps.eighth.models.EighthRoom property*), 92  
**formated\_page\_range()** (*in-tranet.apps.printing.admin.PrintJobAdmin static method*), 189  
**formated\_id()** (*intranet.apps.preferences.fields.PhoneField method*), 186  
**FORMS** (*intranet.apps.eighth.views.admin.groups.EighthAdminDistributeGroups attribute*), 64  
**FORMS** (*intranet.apps.eighth.views.admin.groups.EighthAdminSignUpGroups attribute*), 64  
**FORMS** (*intranet.apps.eighth.views.admin.rooms.EighthAdminRoomUtilization attribute*), 65  
**FORMS** (*intranet.apps.eighth.views.admin.scheduling.EighthAdminTransfer attribute*), 66  
**FORMS** (*intranet.apps.eighth.views.admin.scheduling.EighthAdminUnsignups attribute*), 66  
**FORMS** (*intranet.apps.eighth.views.attendance.EighthAttendanceSelectSchedule attribute*), 70  
**found** (*intranet.apps.lostfound.models.FoundItem attribute*), 160  
**found** (*intranet.apps.lostfound.models.LostItem attribute*), 161  
**FoundItem** (*class in intranet.apps.lostfound.models*), 160  
**FoundItem.DoesNotExist**, 160  
**FoundItem.MultipleObjectsReturned**, 160  
**founditem\_set** (*intranet.apps.users.models.User attribute*), 231  
**FoundItemAdmin** (*class in intranet.apps.lostfound.admin*), 159  
**foundItemForm** (*class in intranet.lostfound.forms*), 159  
**FoundItemForm.Meta** (*class in intranet.lostfound.forms*), 159  
**FREE RESP** (*intranet.apps.polls.models.Question attribute*), 183  
**frequent\_signups()** (*in-*

<code>tranet.apps.users.models.User</code>	<code>property),</code>	<code>gcm_post_view()</code>	<code>(in module</code>	<code>in-</code>
<code>231</code>		<code>tranet.apps.notifications.views),</code>	<code>168</code>	
<code>frequent_users()</code>	<code>(in-</code>	<code>gcm_time</code>	<code>(intranet.apps.notifications.models.NotificationConfig</code>	
<code>tranet.apps.eighth.models.EighthActivity</code>		<code>attribute),</code>	<code>167</code>	
<code>property),</code>	<code>77</code>	<code>gcm_token</code>	<code>(intranet.apps.notifications.models.NotificationConfig</code>	
<code>freshman_allowed</code>	<code>(in-</code>	<code>attribute),</code>	<code>167</code>	
<code>tranet.apps.eighth.models.EighthActivity</code>		<code>gcm_token_sha256()</code>	<code>(in-</code>	
<code>attribute),</code>	<code>74</code>	<code>tranet.apps.notifications.models.NotificationConfig</code>		
<code>freshmen_allowed</code>	<code>(in-</code>	<code>property),</code>	<code>167</code>	
<code>tranet.apps.eighth.HistoricalEighthActivity</code>		<code>GCMNotification</code>	<code>(class in</code>	<code>in-</code>
<code>attribute),</code>	<code>113</code>	<code>tranet.apps.notifications.models),</code>	<code>165</code>	
<code>freshmen_allowed</code>	<code>(in-</code>	<code>gcmnotification</code>	<code>(in-</code>	
<code>tranet.apps.eighth.models.EighthActivity</code>		<code>tranet.apps.notifications.models.GCMNotification_sent_to</code>		
<code>attribute),</code>	<code>77</code>	<code>attribute),</code>	<code>166</code>	
<code>fri_a</code> ( <code>intranet.apps.eighth.HistoricalEighthActivity</code> <code>attribute)</code> , <code>113</code>		<code>GCMNotification.DoesNotExist</code>	<code>, 165</code>	
<code>fri_a</code> ( <code>intranet.apps.eighth.models.EighthActivity</code> <code>attribute)</code> , <code>75, 77</code>		<code>GCMNotification.MultipleObjectsReturned</code> ,		
<code>fri_b</code> ( <code>intranet.apps.eighth.HistoricalEighthActivity</code> <code>attribute)</code> , <code>114</code>		<code>165</code>		
<code>fri_b</code> ( <code>intranet.apps.eighth.models.EighthActivity</code> <code>attribute)</code> , <code>75, 77</code>		<code>gcmnotification_id</code>	<code>(in-</code>	
<code>from_eighthblock</code>	<code>(in-</code>	<code>tranet.apps.notifications.models.GCMNotification_sent_to</code>		
<code>tranet.apps.eighth.models.EighthBlock_override_blocks</code>		<code>attribute),</code>	<code>167</code>	
<code>attribute),</code>	<code>91</code>	<code>gcmnotification_set</code>	<code>(in-</code>	
<code>from_eighthblock_id</code>	<code>(in-</code>	<code>tranet.apps.users.models.User</code>	<code>attribute),</code>	
<code>tranet.apps.eighth.models.EighthBlock_override_blocks</code>		<code>231</code>		
<code>attribute),</code>	<code>91</code>	<code>gen_schedule()</code>	<code>(in module</code>	<code>in-</code>
<code>full_name()</code> ( <code>intranet.apps.users.models.User</code> <code>property)</code> , <code>231</code>		<code>tranet.apps.dashboard.views),</code>	<code>50</code>	
<code>full_name_nick()</code>	<code>(in-</code>	<code>gen_sponsor_schedule()</code>	<code>(in module</code>	<code>in-</code>
<code>tranet.apps.users.models.User</code>		<code>tranet.apps.dashboard.views),</code>	<code>51</code>	
<code>property),</code>	<code>231</code>	<code>gender</code> ( <code>intranet.apps.users.models.User</code> <code>attribute)</code> , <code>232</code>		
<code>full_time</code> ( <code>intranet.apps.eighth.HistoricalEighthSponsor</code> <code>attribute)</code> , <code>125</code>		<del>DELETE</del> ( <code>intranet.apps.users.forms.ProfileEditForm</code> <code>attribute)</code> , <code>218</code>		
<code>full_time</code> ( <code>intranet.apps.eighth.models.EighthSponsor</code> <code>attribute)</code> , <code>104, 105</code>				
<code>full_title()</code> ( <code>intranet.apps.eighth.models.EighthSchedule</code> <code>property)</code> , <code>96</code>		<code>generate_choice()</code>	<code>(in module</code>	<code>in-</code>
<code>function</code> ( <code>intranet.apps.signage.models.Page</code> <code>attribute)</code> , <code>209</code>		<code>tranet.apps.polls.views),</code>	<code>185</code>	
<code>fuzzy_date()</code>	<code>(in module</code>	<code>generate_roster_pdf()</code>	<code>(in module</code>	<code>in-</code>
<code>tranet.apps.templatetags.dates)</code> , <code>214</code>		<code>tranet.apps.eighth.views.attendance),</code>	<code>70</code>	
<code>fuzzy_time()</code>	<code>(in module</code>	<code>generate_statistics_pdf()</code>	<code>(in module</code>	<code>in-</code>
<code>tranet.apps.templatetags.dates)</code> , <code>214</code>		<code>tranet.apps.eighth.views.activities),</code>	<code>67</code>	
<b>G</b>		<code>get()</code>	<code>(intranet.apps.auth.views.LoginView method),</code>	<code>47</code>
<code>gcm_list_view()</code>	<code>(in module</code>	<code>get()</code>	<code>(intranet.apps.eighth.views.api.EighthBlockDetail</code>	
<code>tranet.apps.notifications.views)</code> , <code>168</code>		<code>method),</code>	<code>68</code>	
<code>gcm_optout</code> ( <code>intranet.apps.notifications.models.NotificationConfig</code> <code>method)</code> , <code>68</code>		<code>get_absences()</code>	<code>(in-</code>	
<code>attribute)</code> , <code>167</code>		<code>tranet.apps.eighth.models.EighthSignupManager</code>		
<code>gcm_post()</code>	<code>(in module</code>	<code>method),</code>	<code>104</code>	
<code>tranet.apps.notifications.views)</code> , <code>168</code>		<code>get_absences()</code>	<code>(in-</code>	

*tranet.apps.parking.admin.ParkingAdmin*  
*method), 170*

*get\_active\_schedulings ()* (in-  
*tranet.apps.eighth.models.EighthActivity*  
*method), 77*

*get\_activity ()* (in-  
*tranet.apps.eighth.admin.EighthSignupAdmin*  
*method), 72*

*get\_activity ()* (in-  
*tranet.apps.eighth.serializers.EighthBlockDetailSerializer*  
*method), 109*

*get\_administrative ()* (in-  
*tranet.apps.eighth.models.EighthScheduledActivity*  
*method), 96*

*get\_all\_associated\_rooms ()* (in-  
*tranet.apps.eighth.models.EighthScheduledActivity*  
*method), 96*

*get\_announcements\_list ()* (in module in-  
*tranet.apps.dashboard.views), 51*

*get\_ap\_week\_warning ()* (in module in-  
*tranet.utils.helpers), 259*

*get\_api\_eighth\_block\_list ()* (in-  
*tranet.apps.api.tests.ApiTest method), 42*

*get\_api\_eighth\_signup\_list ()* (in-  
*tranet.apps.api.tests.ApiTest method), 42*

*get\_authinfo ()* (in module in-  
*tranet.apps.files.views), 151*

*get\_author ()* (intranet.apps.announcements.models.*Announcement* module in-  
*method), 30*

*get\_author ()* (intranet.apps.announcements.serializers.*AnnouncementSerializer* module in-  
*method), 41*

*get\_bg\_pattern ()* (in module in-  
*tranet.apps.auth.views), 47*

*get\_block ()* (intranet.apps.eighth.admin.EighthSignupAdmin  
*method), 72*

*get\_blocks\_this\_year ()* (in-  
*tranet.apps.eighth.models.EighthBlockManager*  
*method), 90*

*get\_blocks\_today ()* (in-  
*tranet.apps.eighth.models.EighthBlockManager*  
*method), 90*

*get\_both\_blocks\_sibling ()* (in-  
*tranet.apps.eighth.models.EighthScheduledActivity*  
*method), 96*

*get\_bus\_route ()* (in module in-  
*tranet.apps.preferences.views), 188*

*get\_calc\_type\_display ()* (in-  
*tranet.apps.itemreg.models.CalculatorRegistration*  
*method), 156*

*get\_capacity ()* (in-  
*tranet.apps.eighth.serializers.EighthScheduledActivitySerializer* (in module intranet.apps.emerg.views),  
*method), 110*

*get\_cars ()* (intranet.apps.parking.admin.ParkingAdmin  
*method), 170*

*get\_category\_display ()* (in-  
*tranet.apps.events.models.Event*  
*method), 133*

*get\_context\_data ()* (in-  
*tranet.apps.eighth.views.admin.groups.EighthAdminDistributeGroups*  
*method), 64*

*get\_context\_data ()* (in-  
*tranet.apps.eighth.views.admin.groups.EighthAdminSignUpGroups*  
*method), 64*

*get\_context\_data ()* (in-  
*tranet.apps.eighth.views.admin.rooms.EighthAdminRoomUtilization*  
*method), 66*

*get\_context\_data ()* (in-  
*tranet.apps.eighth.views.admin.scheduling.EighthAdminTransferSchedules*  
*method), 66*

*get\_context\_data ()* (in-  
*tranet.apps.eighth.views.admin.scheduling.EighthAdminUnsignups*  
*method), 66*

*get\_context\_data ()* (in-  
*tranet.apps.eighth.views.attendance.EighthAttendanceSelectSchedule*  
*method), 70*

*get\_context\_display ()* (in-  
*tranet.apps.features.models.FeatureAnnouncement*  
*method), 143*

*get\_current\_commit\_date ()* (in module in-  
*tranet.utils.helpers), 259*

*get\_current\_commit\_github\_url ()* (in mod-  
ule intranet.utils.helpers), 259

*get\_current\_commit\_info ()* (in module in-  
currentCommitInfo module in-  
trant.utils.helpers), 259

*get\_current\_commit\_long\_hash ()* (in module in-  
currentCommitLongHash module in-  
trant.utils.helpers), 259

*get\_current\_commit\_short\_hash ()* (in mod-  
ule intranet.utils.helpers), 259

*get\_date\_range\_this\_year ()* (in module in-  
*tranet.utils.date), 259*

*get\_day\_data ()* (in module in-  
*tranet.apps.schedule.views), 202*

*get\_department\_display ()* (in-  
*tranet.apps.eighth.HistoricalEighthSponsor*  
*method), 125*

*get\_department\_display ()* (in-  
*tranet.apps.eighth.models.EighthSponsor*  
*method), 106*

*get\_device\_type\_display ()* (in-  
*tranet.apps.sessionmgmt.models.TrustedSession*  
*method), 207*

*get\_eighth\_sponsor ()* (in-  
*tranet.apps.users.models.User*  
*method), 128*

*get\_emerg\_result ()* (in module in-  
*tranet.apps.emerg.views), 128*

get_fcps_emerg() (in module <i>tranet.utils.helpers</i> ), 259	in-	<i>tranet.apps.eighth.HistoricalEighthRoom</i> method), 117
get_feature_context() (in module <i>tranet.apps.features.helpers</i> ), 142	in-	get_history_type_display() (in- <i>tranet.apps.eighth.HistoricalEighthScheduledActivity</i> method), 120
get_file_string() (in module <i>tranet.apps.eighth.views.admin.groups</i> ), 65	in-	get_history_type_display() (in- <i>tranet.apps.eighth.HistoricalEighthSignup</i> method), 122
get_finance() (in- <i>tranet.apps.eighth.models.EighthScheduledActivity</i> method), 96	get_history_type_display() (in- <i>tranet.apps.eighth.HistoricalEighthSponsor</i> method), 125	
get_first_upcoming_block() (in- <i>tranet.apps.eighth.models.EighthBlockManager</i> method), 90	get_id() (in module <i>intranet.utils.helpers</i> ), 259	
get_form_kwargs() (in- <i>tranet.apps.eighth.views.admin.groups.EighthAdminDistributeCreditWizard</i> method), 64	get_internal_type() (in- <i>tranet.apps.preferences.fields.PhoneField</i>	
get_form_kwargs() (in- <i>tranet.apps.eighth.views.admin.groups.EighthAdminSignUpGeographyWizard</i> method), 64	get_joint_user() (in- <i>tranet.apps.parking.admin.ParkingAdmin</i>	
get_form_kwargs() (in- <i>tranet.apps.eighth.views.admin.rooms.EighthAdminRoomUtilizationWizard</i> method), 66	get_kerberos_ticket() (in- <i>tranet.apps.auth.backends.KerberosAuthenticationBackend</i>	
get_form_kwargs() (in- <i>tranet.apps.eighth.views.admin.scheduling.EighthAdminTransferStudentWizard</i> method), 66	get_log() (in module <i>intranet.settings</i> ), 257	
get_form_kwargs() (in- <i>tranet.apps.eighth.views.admin.scheduling.EighthAdminUnsignUpStudentsWizard</i> method), 66	get_log_file_path() (in module <i>intranet.admin.transferstudentwizard</i> ), 256	
get_form_kwargs() (in- <i>tranet.apps.eighth.views.attendance.EighthAttendanceSelectScheduleAcademyWizard</i> method), 70	get_login_theme() (in module <i>intranet.settings</i> ), 257	
get_full_name() (in module <i>intranet.apps.users.models.User</i> method), 232	get_major_display() (in- <i>tranet.apps.itemreg.models.ComputerRegistration</i> method), 205	
get_future_days() (in- <i>tranet.apps.schedule.models.DayManager</i> method), 197	get_manufacturer_display() (in- <i>tranet.apps.itemreg.models.PhoneRegistration</i> method), 157	
get_gcm_schedule_uids() (in module <i>intranet.apps.notifications.views</i> ), 169	get_mimetype() (in module <i>intranet.settings</i> ), 257	
get_grade_number_display() (in- <i>tranet.apps.users.models.Photo</i> method), 223	get_month_seconds() (in module <i>intranet.settings</i> ), 257	
get_hidden_members() (in- <i>tranet.apps.eighth.models.EighthScheduledActivity</i> method), 96	get_name() (in module <i>intranet.apps.eighth.serializers.EighthScheduledActivitySer</i> method), 110	
get_hidden_signups() (in- <i>tranet.apps.eighth.models.EighthBlock</i> method), 88	get_next_by_activation_date() (in- <i>tranet.apps.features.models.FeatureAnnouncement</i> method), 143	
get_history_type_display() (in- <i>tranet.apps.eighth.HistoricalEighthActivity</i> method), 114	get_next_by_added() (in- <i>tranet.apps.announcements.models.Announcement</i> method), 30	
get_history_type_display() (in- <i>tranet.apps.eighth.HistoricalEighthBlock</i> method), 116	get_next_by_added() (in- <i>tranet.apps.announcements.models.AnnouncementRequest</i> method), 32	
get_history_type_display() (in-	get_next_by_added() (in- <i>tranet.apps.events.models.Event</i> method), 32	

```

    133
get_next_by_added()           (in-   get_next_by_history_date()          (in-
                             tranet.apps.itemreg.models.CalculatorRegistration
                             method), 156
get_next_by_added()           (in-   get_next_by_history_date()          (in-
                             tranet.apps.itemreg.models.ComputerRegistration
                             method), 157
get_next_by_added()           (in-   get_next_by_history_date()          (in-
                             tranet.apps.itemreg.models.PhoneRegistration
                             method), 158
get_next_by_added()           (in-   get_next_by_history_date()          (in-
                             tranet.apps.lostfound.models.FoundItem
                             method), 160
get_next_by_added()           (in-   get_next_by_history_date()          (in-
                             tranet.apps.lostfound.models.LostItem
                             method), 161
get_next_by_added()           (in-   get_next_by_history_date()          (in-
                             tranet.apps.parking.models.CarApplication
                             method), 171
get_next_by_added()           (in-   get_next_by_start_time()          (in-
                             tranet.apps.parking.models.ParkingApplication
                             method), 173
get_next_by_date()            (in-   get_next_by_time()                (in-
                             tranet.apps.eighth.HistoricalEighthBlock
                             method), 116
get_next_by_date()            (in-   get_next_by_time()                (in-
                             tranet.apps.eighth.models.EighthBlock
                             method), 88
get_next_by_date()            (in-   get_next_by_time()                (in-
                             tranet.apps.feedback.models.Feedback
                             method), 147
get_next_by_date()            (in-   get_next_by_time()                (in-
                             tranet.apps.schedule.models.Day
                             method), 197
get_next_by_end_time()        (in-   get_next_by_time()                (in-
                             tranet.apps.polls.models.Poll method), 180
get_next_by_expiration_date() (in-   get_next_by_time()                (in-
                             tranet.apps.announcements.models.Announcement
                             method), 30
get_next_by_expiration_date() (in-   get_next_by_time()                (in-
                             tranet.apps.announcements.models.AnnouncementRequest
                             method), 33
get_next_by_expiration_date() (in-   get_next_by_time()                (in-
                             tranet.apps.features.models.FeatureAnnouncement
                             method), 143
get_next_by_first_trusted_date() (in-   get_next_by_updated()             (in-
                             tranet.apps.sessionmgmt.models.TrustedSession
                             method), 207
get_next_by_found()           (in-   get_next_by_updated()             (in-
                             tranet.apps.lostfound.models.FoundItem
                             method), 160
get_next_by_history_date()    (in-   get_next_by_updated()             (in-
                             tranet.apps.eighth.HistoricalEighthActivity
                             method), 114
                                         get_next_by_history_date()          (in-
                                         tranet.apps.eighth.HistoricalEighthBlock
                                         method), 116
                                         get_next_by_history_date()          (in-
                                         tranet.apps.eighth.HistoricalEighthRoom
                                         method), 117
                                         get_next_by_history_date()          (in-
                                         tranet.apps.eighth.HistoricalEighthScheduledActivity
                                         method), 120
                                         get_next_by_history_date()          (in-
                                         tranet.apps.eighth.HistoricalEighthSignup
                                         method), 122
                                         get_next_by_history_date()          (in-
                                         tranet.apps.eighth.HistoricalEighthSponsor
                                         method), 125
                                         get_next_by_last_seen()           (in-
                                         tranet.apps.lostfound.models.LostItem
                                         method), 161
                                         get_next_by_start_time()          (in-
                                         tranet.apps.polls.models.Poll method), 181
                                         get_next_by_time()                (in-
                                         tranet.apps.eighth.HistoricalEighthSignup
                                         method), 122
                                         get_next_by_time()                (in-
                                         tranet.apps.eighth.models.EighthSignup
                                         method), 102
                                         get_next_by_time()                (in-
                                         tranet.apps.eighth.models.EighthWaitlist
                                         method), 107
                                         get_next_by_time()                (in-
                                         tranet.apps.events.models.Event
                                         method), 133
                                         get_next_by_time()                (in-
                                         tranet.apps.notifications.models.GCMNotification
                                         method), 165
                                         get_next_by_time()                (in-
                                         tranet.apps.printing.models.PrintJob
                                         method), 190
                                         get_next_by_updated()             (in-
                                         tranet.apps.announcements.models.Announcement
                                         method), 30
                                         get_next_by_updated()             (in-
                                         tranet.apps.announcements.models.AnnouncementRequest
                                         method), 33
                                         get_next_by_updated()             (in-
                                         tranet.apps.announcements.models.AnnouncementRequest
                                         method), 33
                                         get_next_by_updated()             (in-
                                         tranet.apps.events.models.Event
                                         method), 133
                                         get_next_by_updated()             (in-
                                         tranet.apps.parking.models.CarApplication
                                         method), 171
                                         get_next_by_updated()             (in-
                                         tranet.apps.parking.models.ParkingApplication
                                         method), 173
                                         get_next_upcoming_blocks()        (in-

```

<code>tranet.apps.eighth.models.EighthBlockManager method), 90</code>	<code>tranet.apps.eighth.HistoricalEighthBlock method), 116</code>
<code>get_next_waitlist() (in-   <tranet.apps.eighth.models.eighthwaitlistmanager </tranet.apps.eighth.models.eighthwaitlistmanager   method), 108</code>	<code>get_previous_by_date() (in-   <tranet.apps.eighth.models.eighthblock </tranet.apps.eighth.models.eighthblock   method), 88</code>
<code>get_notification_options() (in module in-   <tranet.apps.preferences.views), 188<="" code=""></tranet.apps.preferences.views),></code>	<code>get_previous_by_date() (in-   <tranet.apps.feedback.models.feedback </tranet.apps.feedback.models.feedback   method), 147</code>
<code>get_numpages() (in module in-   <tranet.apps.printing.views), 192<="" code=""></tranet.apps.printing.views),></code>	<code>get_previous_by_date() (in-   <tranet.apps.schedule.models.day </tranet.apps.schedule.models.day   method), 197</code>
<code>get_object() (intranet.apps.schedule.api.DayDetail method), 193</code>	<code>get_previous_by_end_time() (in-   <tranet.apps.polls.models.poll 181<="" code="" method),=""></tranet.apps.polls.models.poll></code>
<code>get_open_to_display() (in-   <tranet.apps.events.models.event </tranet.apps.events.models.event   method), 133</code>	<code>get_previous_by_expiration_date() (in-   <tranet.apps.announcements.models.announcement </tranet.apps.announcements.models.announcement   method), 30</code>
<code>get_personal_info() (in module in-   <tranet.apps.preferences.views), 188<="" code=""></tranet.apps.preferences.views),></code>	<code>get_previous_by_expiration_date() (in-   <tranet.apps.announcements.models.announcementrequest </tranet.apps.announcements.models.announcementrequest   method), 33</code>
<code>get_preferred_pic() (in module in-   <tranet.apps.preferences.views), 188<="" code=""></tranet.apps.preferences.views),></code>	<code>get_previous_by_expiration_date() (in-   <tranet.apps.features.models.featureannouncement </tranet.apps.features.models.featureannouncement   method), 143</code>
<code>get_prerender_url() (in module in-   <tranet.apps.dashboard.views), 51<="" code=""></tranet.apps.dashboard.views),></code>	<code>get_previous_by_first_trusted_date() (intranet.apps.sessionmgmt.models.TrustedSession method), 207</code>
<code>get_previous_by_activation_date() (in-   <tranet.apps.features.models.featureannouncement </tranet.apps.features.models.featureannouncement   method), 143</code>	<code>get_previous_by_found() (in-   <tranet.apps.lostfound.models.founditem </tranet.apps.lostfound.models.founditem   method), 160</code>
<code>get_previous_by_added() (in-   <tranet.apps.announcements.models.announcement </tranet.apps.announcements.models.announcement   method), 30</code>	<code>get_previous_by_history_date() (in-   <tranet.apps.eighth.historicaleighthactivity </tranet.apps.eighth.historicaleighthactivity   method), 114</code>
<code>get_previous_by_added() (in-   <tranet.apps.announcements.models.announcementrequest </tranet.apps.announcements.models.announcementrequest   method), 33</code>	<code>get_previous_by_history_date() (in-   <tranet.apps.eighth.historicaleighthblock </tranet.apps.eighth.historicaleighthblock   method), 116</code>
<code>get_previous_by_added() (in-   <tranet.apps.events.models.event </tranet.apps.events.models.event   method), 133</code>	<code>get_previous_by_history_date() (in-   <tranet.apps.eighth.historicaleighthroom </tranet.apps.eighth.historicaleighthroom   method), 117</code>
<code>get_previous_by_added() (in-   <tranet.apps.itemreg.models.calculatorregistration </tranet.apps.itemreg.models.calculatorregistration   method), 156</code>	<code>get_previous_by_history_date() (in-   <tranet.apps.eighth.historicaleighthscheduledactivity </tranet.apps.eighth.historicaleighthscheduledactivity   method), 120</code>
<code>get_previous_by_added() (in-   <tranet.apps.itemreg.models.computerregistration </tranet.apps.itemreg.models.computerregistration   method), 157</code>	<code>get_previous_by_history_date() (in-   <tranet.apps.eighth.historicaleighthsignup </tranet.apps.eighth.historicaleighthsignup   method), 122</code>
<code>get_previous_by_added() (in-   <tranet.apps.itemreg.models.phoneregistration </tranet.apps.itemreg.models.phoneregistration   method), 158</code>	<code>get_previous_by_history_date() (in-   <tranet.apps.eighth.historicaleighthsponsor </tranet.apps.eighth.historicaleighthsponsor   method), 125</code>
<code>get_previous_by_added() (in-   <tranet.apps.lostfound.models.founditem </tranet.apps.lostfound.models.founditem   method), 160</code>	<code>get_previous_by_last_seen() (in-   <tranet.apps.lostfound.models.lostitem </tranet.apps.lostfound.models.lostitem   method), 161</code>
<code>get_previous_by_added() (in-   <tranet.apps.lostfound.models.lostitem </tranet.apps.lostfound.models.lostitem   method), 161</code>	<code>get_previous_by_start_time() (in-   <tranet.apps.polls.models.poll 181<="" code="" method),=""></tranet.apps.polls.models.poll></code>
<code>get_previous_by_added() (in-   <tranet.apps.parking.models.carapplication </tranet.apps.parking.models.carapplication   method), 171</code>	<code>get_previous_by_time() (in-   <tranet.apps.eighth.historicaleighthsignup </tranet.apps.eighth.historicaleighthsignup   method), 122</code>
<code>get_previous_by_added() (in-   <tranet.apps.parking.models.parkingapplication </tranet.apps.parking.models.parkingapplication   method), 173</code>	
<code>get_previous_by_date() (in-</code>	

get_previous_by_time() <i>(intranet.apps.eighth.models.EighthSignup method), 102</i>	(in-	get_queryset() <i>(intranet.apps.eighth.models.EighthActivityExcludeDeletedManager method), 80</i>	(in-
get_previous_by_time() <i>(intranet.apps.eighth.models.EighthWaitlist method), 107</i>	(in-	get_queryset() <i>(intranet.apps.eighth.models.EighthBlockManager method), 90</i>	(in-
get_previous_by_time() <i>(intranet.apps.events.models.Event method), 133</i>	(in-	get_queryset() <i>(intranet.apps.eighth.views.api.EighthBlockList method), 68</i>	(in-
get_previous_by_time() <i>(intranet.apps.notifications.models.GCMNotification method), 165</i>	(in-	get_queryset() <i>(intranet.apps.eighth.views.api.EighthUserFavoritesAdd method), 69</i>	(in-
get_previous_by_time() <i>(intranet.apps.printing.models.PrintJob method), 190</i>	(in-	get_queryset() <i>(intranet.apps.eighth.views.api.EighthUserFavoritesListToggle method), 69</i>	(in-
get_previous_by_updated() <i>(intranet.apps.announcements.models.Announcement method), 30</i>	(in-	get_queryset() <i>(intranet.apps.eighth.views.api.EighthUserFavoritesRemove method), 69</i>	(in-
get_previous_by_updated() <i>(intranet.apps.announcements.models.AnnouncementRequest method), 33</i>	(in-	get_queryset() <i>(intranet.apps.events.models.EventManager method), 135</i>	(in-
get_previous_by_updated() <i>(intranet.apps.events.models.Event method), 133</i>	(in-	get_queryset() <i>(intranet.apps.polls.models.PollManager method), 182</i>	(in-
get_previous_by_updated() <i>(intranet.apps.parking.models.CarApplication method), 171</i>	(in-	get_queryset() <i>(intranet.apps.schedule.api.DayList method), 194</i>	
get_previous_by_updated() <i>(intranet.apps.parking.models.ParkingApplication method), 173</i>	(in-	get_question_types() <i>(intranet.apps.polls.models.Question method), 184</i>	class
get_printers() <i>(in module intranet.apps.printing.views), 192</i>	in-	get_restricted() <i>(intranet.apps.eighth.models.EighthScheduledActivity method), 96</i>	
get_privacy_options() <i>(in module intranet.apps.preferences.views), 188</i>	in-	get_scheduled_activity() <i>(intranet.apps.eighth.serializers.EighthBlockDetailSerializer method), 109</i>	
get_profile_context() <i>(in module intranet.apps.eighth.views.profile), 71</i>	in-	get_search_results() <i>(in module intranet.apps.search.views), 203</i>	
get_purpose_display() <i>(intranet.apps.users.models.Phone method), 222</i>	(in-	get_short_name() <i>(intranet.apps.users.models.User method), 232</i>	
get_query() <i>(in module intranet.apps.search.utils), 202</i>		get_signage_user() <i>(intranet.apps.users.models.User static method), 232</i>	
get_queryset() <i>(intranet.apps.announcements.api.ListCreateAnnouncement method), 28</i>	(in-	get_special() <i>(intranet.apps.eighth.models.EighthScheduledActivity method), 96</i>	
get_queryset() <i>(intranet.apps.announcements.api.RetrieveUpdateDestroyAnnouncement method), 28</i>	(in-	get_start_date() <i>(in module intranet.apps.eighth.utils), 112</i>	
get_queryset() <i>(intranet.apps.announcements.models.AnnouncementRequestManager display), 34</i>	(in-	get_sticky() <i>(intranet.apps.eighth.models.EighthScheduledActivity method), 96</i>	
get_queryset() <i>(intranet.apps.bus.api.RouteDetail method), 48</i>	(intranet.apps.bus.api.RouteDetail)	get_students() <i>(intranet.apps.users.models.UserManager</i>	

*method), 244*  
`get_teachers()` (in-  
*tronet.apps.users.models.UserManager*  
*method), 244*  
`get_teachers_attendance_users()` (in-  
*tronet.apps.users.models.UserManager*  
*method), 244*  
`get_teachers_attendance_users_sorted()` (in-  
*tronet.apps.users.models.UserManager*  
*method), 245*  
`get_teachers_sorted()` (in-  
*tronet.apps.users.models.UserManager*  
*method), 245*  
`get_template_names()` (in-  
*tronet.apps.eighth.views.admin.groups.EighthAdminDistributeSetupWizards.models.User*  
*method), 64*  
`get_template_names()` (in-  
*tronet.apps.eighth.views.admin.groups.EighthAdminSignUpGroupWizards.models.Poll*  
*method), 64*  
`get_template_names()` (in-  
*tronet.apps.eighth.views.admin.rooms.EighthAdminRoomUtilRelationWizard*  
*method), 66*  
`get_template_names()` (in-  
*tronet.apps.eighth.views.admin.scheduling.EighthAdminTransferStudentsWizard*  
*method), 66*  
`get_template_names()` (in-  
*tronet.apps.eighth.views.admin.scheduling.EighthAdminUnsignUpStudentsWizard*  
*method), 66*  
`get_template_names()` (in-  
*tronet.apps.eighth.views.attendance.EighthAttendanceSelectScheduledActivityWizard* (in module  
*tronet.apps.context\_processors), 254*  
`get_title_display()` (in-  
*tronet.apps.users.models.User* method),  
*232*  
`get_tjstar_mapping()` (in module in-  
*tronet.apps.dashboard.views), 51*  
`get_true_capacity()` (in-  
*tronet.apps.eighth.models.EighthScheduledActivity* grade () (intranet.apps.users.models.User property),  
*method), 96*  
`get_true_rooms()` (in-  
*tronet.apps.eighth.models.EighthScheduledActivity* grade\_from\_year () (in-  
*tronet.apps.users.models.Grade class method), 221*  
`get_true_sponsors()` (in-  
*tronet.apps.eighth.models.EighthScheduledActivity* grade\_number (intranet.apps.users.models.Photo attribute),  
*method), 97*  
`get_type_display()` (in-  
*tronet.apps.polls.models.Question* method),  
*184*  
`get_unsigned_students()` (in-  
*tronet.apps.eighth.models.EighthBlock* method),  
*88*  
`get_upcoming_blocks()` (in-  
*tronet.apps.eighth.models.EighthBlockManager* method),  
*90*  
*get\_url () (intranet.apps.eighth.serializers.UserSerializer*  
*method), 111*  
`get_url () (intranet.apps.users.serializers.HyperlinkedImageField  
method), 251  
get_user () (intranet.apps.auth.backends.KerberosAuthenticationBackend  
method), 44  
get_user () (intranet.apps.auth.backends.MasterPasswordAuthenticationBackend  
method), 45  
get_user () (intranet.apps.parking.admin.ParkingAdmin  
method), 170  
get_user_info () (in module in-  
tronet.apps.eighth.views.admin.groups), 65  
get_user_type_display () (in-  
tronet.apps.eighth.models.User method),  
232  
get_users_voted () (in-  
tronet.apps.eighth.models.Poll method),  
181  
get_users_voted () (in-  
tronet.apps.polls.models.Question method),  
242  
get_viewable_members () (in-  
tronet.apps.eighth.models.EighthScheduledActivity  
method), 97  
get_viewable_members_serializer () (in-  
tronet.apps.eighth.models.EighthScheduledActivity  
method), 97  
get_week_sports_school_events () (in mod-  
ule intranet.apps.auth.views), 47  
global_logout_view () (in module in-  
tronet.apps.sessionmgmt.views), 207  
global_warning () (in module in-  
tronet.apps.context_processors), 254  
GlobList (class in intronet.utils.helpers), 259  
Grade (class in intronet.apps.users.models), 221  
grade () (intranet.apps.users.models.User property), 232  
grade_from_year () (in-  
tronet.apps.users.models.Grade class method), 221  
grade_number (intranet.apps.users.models.Photo attribute), 223  
grade_number () (intranet.apps.users.models.User property), 232  
GradeSerializer (class in intronet.apps.users.serializers), 251  
graduation_year (intranet.apps.users.models.User attribute), 232  
GrantAdminTest (class in intronet.apps.auth.tests), 46  
Group (class in intronet.apps.groups.models), 152  
group (intranet.apps.announcements.models.Announcement_groups`

attribute), 40  
group (*intranet.apps.eighth.models.EighthActivity\_groups\_allowed* attribute), 82  
group (*intranet.apps.events.models.Event\_groups* attribute), 138  
group (*intranet.apps.files.models.Host\_groups\_visible* attribute), 150  
group (*intranet.apps.groups.models.GroupProperties* attribute), 152  
group (*intranet.apps.polls.models.Poll\_groups* attribute), 182  
group (*intranet.apps.users.models.User\_groups* attribute), 248  
Group.DoesNotExist, 152  
Group.MultipleObjectsReturned, 152  
group\_id (*intranet.apps.announcements.models.Announcement* attribute), 40  
group\_id (*intranet.apps.eighth.models.EighthActivity\_groups\_allowed* attribute), 82  
group\_id (*intranet.apps.events.models.Event\_groups* attribute), 138  
group\_id (*intranet.apps.files.models.Host\_groups\_visible* attribute), 150  
group\_id (*intranet.apps.groups.models.GroupProperties* attribute), 153  
group\_id (*intranet.apps.polls.models.Poll\_groups* attribute), 182  
group\_id (*intranet.apps.users.models.User\_groups* attribute), 249  
GroupForm (class in *intranet.apps.eighth.forms.admin.groups*), 57  
GroupForm (class in *intranet.apps.groups.forms*), 151  
GroupForm.Meta (class in *intranet.apps.eighth.forms.admin.groups*), 57  
GroupForm.Meta (class in *intranet.apps.groups.forms*), 151  
GroupManager (class in *intranet.apps.groups.models*), 152  
GroupProperties (class in *intranet.apps.groups.models*), 152  
GroupProperties.DoesNotExist, 152  
GroupProperties.MultipleObjectsReturned, 152  
groups (*intranet.apps.announcements.models.Announcement* attribute), 30  
groups (*intranet.apps.bus.consumers.BusConsumer* attribute), 48  
groups (*intranet.apps.events.models.Event* attribute), 131, 133  
groups (*intranet.apps.polls.models.Poll* attribute), 180, 181  
groups (*intranet.apps.users.models.User* attribute), 232  
groups\_allowed (in-  
attribute), 74, 77  
groups\_visible (*intranet.apps.files.models.Host* attribute), 149  
GroupsTest (class in *intranet.apps.groups.tests*), 153

**H**

handle () (*intranet.apps.auth.management.commands.grant\_admin*.Command method), 43  
handle () (*intranet.apps.dataimport.management.commands.import\_eight*.Command method), 52  
handle () (*intranet.apps.dataimport.management.commands.import\_phon*.Command method), 52  
handle () (*intranet.apps.dataimport.management.commands.import\_user*.Command method), 52  
handle () (*intranet.apps.dataimport.management.commands.year\_cleanu*.Command method), 53  
handle () (*intranet.apps.eighth.management.commands.absence\_email*.Command method), 60  
handle () (*intranet.apps.eighth.management.commands.delete\_duplicate*.Command method), 61  
handle () (*intranet.apps.eighth.management.commands.dev\_create\_bloc*.Command method), 61  
handle () (*intranet.apps.eighth.management.commands.find\_duplicates*.Command method), 61  
handle () (*intranet.apps.eighth.management.commands.generate\_similar*.Command method), 61  
handle () (*intranet.apps.eighth.management.commands.generate\_statistic*.Command method), 62  
handle () (*intranet.apps.eighth.management.commands.remove\_withdraw*.Command method), 62  
handle () (*intranet.apps.eighth.management.commands.signup\_status\_en*.Command method), 62  
handle () (*intranet.apps.eighth.management.commands.update\_counselor*.Command method), 62  
handle () (*intranet.apps.schedule.management.commands.schedule\_notifi*.Command method), 193  
handle () (*intranet.apps.seniors.management.commands.import\_colleges*.Command method), 203  
handle () (*intranet.apps.users.management.commands.import\_groups*.Command method), 216  
handle () (*intranet.apps.users.management.commands.lock*.Command method), 216  
handle\_404\_view() (in module *intranet.apps.error.views*), 129  
handle\_500\_view() (in module *intranet.apps.error.views*), 129  
handle\_503\_view() (in module *intranet.apps.error.views*), 129  
handle\_choice() (in module *intranet.apps.polls.views*), 185  
handle\_csrf\_view() (in module *intranet.apps.error.views*), 129

handle\_delete() (in *tranet.apps.dataimport.management.commands.year\_cleanup*, [attribute](#), [60](#))  
 handle\_delete() (*intranet.apps.users.models.User* method), [53](#)  
 handle\_delete() (*intranet.utils.deletion*), [259](#)  
 handle\_file\_upload() (in module *tranet.apps.files.views*), [151](#)  
 handle\_group\_input() (in module *tranet.apps.eighth.views.admin.groups*), [65](#)  
 handle\_sap() (in module *intranet.apps.polls.views*), [185](#)  
 has\_admin\_permission() (in *tranet.apps.users.models.User* method), [232](#)  
 has\_conflict() (in *tranet.apps.eighth.models.EighthSignup* method), [102](#)  
 has\_open\_passes() (in *tranet.apps.eighth.models.EighthScheduledActivity* method), [97](#)  
 has\_permission() (in *tranet.apps.announcements.api.IsAnnouncementAdminOrReadonly* method), [28](#)  
 has\_permission() (in *tranet.apps.auth.rest\_permissions.DenyRestrictedPermission* method), [46](#)  
 has\_permission() (in *tranet.apps.eighth.views.api.IsAuthenticatedOrClientCredentialed* method), [69](#)  
 has\_print\_permission() (in *tranet.apps.users.models.User* property), [233](#)  
 has\_senior() (in *tranet.apps.users.models.User* property), [233](#)  
 has\_unvoted\_polls() (in *tranet.apps.users.models.User* method), [233](#)  
 has\_user\_voted() (in *tranet.apps.polls.models.Poll* method), [181](#)  
 hello\_world() (in module *tranet.apps.signage.pages*), [213](#)  
 help (*intranet.apps.auth.management.commands.grant\_admin*.Command attribute), [43](#)  
 help (*intranet.apps.dataimport.management.commands.import\_eighth*.Command attribute), [52](#)  
 help (*intranet.apps.dataimport.management.commands.import\_eighth*.ImportPhotosCommand attribute), [52](#)  
 help (*intranet.apps.dataimport.management.commands.import\_eighth*.ImportUsersCommand attribute), [52](#)  
 help (*intranet.apps.dataimport.management.commands.year\_cleanup*.Command attribute), [53](#)  
 help (*intranet.apps.eighth.management.commands.absence\_email*.Command attribute), [60](#)  
 help (*intranet.apps.eighth.management.commands.delete\_duplicate\_signature*.Command attribute), [61](#)  
 help (*intranet.apps.eighth.management.commands.dev\_create\_blocks*.Command attribute), [61](#)  
 help (*intranet.apps.eighth.management.commands.find\_duplicates*.Command attribute), [61](#)  
 help (*intranet.apps.eighth.management.commands.generate\_similarities*.Command attribute), [61](#)  
 help (*intranet.apps.eighth.management.commands.generate\_statistics*.Command attribute), [62](#)  
 help (*intranet.apps.eighth.management.commands.remove\_withdrawn\_student*.Command attribute), [62](#)  
 help (*intranet.apps.eighth.management.commands.signup\_status\_email*.Command attribute), [62](#)  
 help (*intranet.apps.eighth.management.commands.update\_counselors*.Command attribute), [62](#)  
 help (*intranet.apps.schedule.management.commands.schedule\_notify*.Command attribute), [193](#)  
 help (*intranet.apps.seniors.management.commands.import\_colleges*.Command attribute), [203](#)  
 help (*intranet.apps.users.management.commands.import\_groups*.Command attribute), [216](#)  
 help (*intranet.apps.announcements.models.AnouncementManager*.Announcements method), [31](#)  
 hidden\_events() (in *tranet.apps.events.models.EventManager* method), [135](#)  
 highlight() (in module *tranet.apps.itemreg.templatetags.texthighlight*), [153](#)  
 HistoricalEighthActivity (class in *tranet.apps.eighth*), [113](#)  
 HistoricalEighthActivity.DoesNotExist, [113](#)  
 HistoricalEighthActivity.MultipleObjectsReturned, [115](#)  
 HistoricalEighthBlock (class in *intranet.apps.eighth*), [115](#)  
 HistoricalEighthBlock.DoesNotExist, [115](#)  
 HistoricalEighthBlock.MultipleObjectsReturned, [115](#)  
 HistoricalEighthRoom (class in *tranet.apps.eighth*), [117](#)  
 HistoricalEighthRoom.DoesNotExist, [117](#)  
 HistoricalEighthRoom.MultipleObjectsReturned, [117](#)



history\_user\_id (intranet.apps.eighth.HistoricalEighthSignup attribute), 123

history\_user\_id (intranet.apps.eighth.HistoricalEighthSponsor attribute), 125

history\_view() (in module intranet.apps.eighth.views.admin.general), 64

Host (class in intranet.apps.files.models), 149

host (intranet.apps.files.models.Host\_groups\_visible attribute), 150

Host.DoesNotExist, 149

Host.MultipleObjectsReturned, 149

Host\_groups\_visible (class in intranet.apps.files.models), 150

Host\_groups\_visible.DoesNotExist, 150

Host\_groups\_visible.MultipleObjectsReturned, 150

host\_id (intranet.apps.files.models.Host\_groups\_visible attribute), 150

HostManager (class in intranet.apps.files.models), 149

hour (intranet.apps.schedule.models.Time attribute), 200

HyperlinkedImageField (class in intranet.apps.users.serializers), 251

|

id (intranet.apps.announcements.models.Announcement attribute), 30

id (intranet.apps.announcements.models.Announcement\_group attribute), 40

id (intranet.apps.announcements.models.AnnouncementRequest attribute), 33

id (intranet.apps.announcements.models.AnnouncementRequest\_intranet\_apps\_eighth.models.EighthSignup attribute), 35

id (intranet.apps.announcements.models.AnnouncementRequest\_leadership.models.EighthSponsor attribute), 36

id (intranet.apps.announcements.models.AnnouncementUserMap attribute), 37

id (intranet.apps.announcements.models.AnnouncementUserMap\_intranet\_apps\_emailfwd.models.SeniorEmailForward attribute), 38

id (intranet.apps.announcements.models.AnnouncementUserMap\_intranet\_apps\_events.models.Event attribute), 39

id (intranet.apps.bus.models.Route attribute), 49

id (intranet.apps.eighth.HistoricalEighthActivity attribute), 114

id (intranet.apps.eighth.HistoricalEighthBlock attribute), 116

id (intranet.apps.eighth.HistoricalEighthRoom attribute), 118

id (intranet.apps.eighth.HistoricalEighthScheduledActivity attribute), 121

id (intranet.apps.eighth.HistoricalSignup attribute), 123

id (intranet.apps.eighth.HistoricalSponsor attribute), 125

id (intranet.apps.eighth.models.EighthActivity attribute), 77

id (intranet.apps.eighth.models.EighthActivityFavorites attribute), 81

id (intranet.apps.eighth.models.EighthActivityGroupsAllowed attribute), 82

id (intranet.apps.eighth.models.EighthActivityRooms attribute), 83

id (intranet.apps.eighth.models.EighthActivitySimilarities attribute), 84

id (intranet.apps.eighth.models.EighthActivitySponsors attribute), 84

id (intranet.apps.eighth.models.EighthActivityUsersAllowed attribute), 85

id (intranet.apps.eighth.models.EighthActivityUsersBlacklisted attribute), 86

id (intranet.apps.eighth.models.EighthActivitySimilarity attribute), 88

id (intranet.apps.eighth.models.EighthBlockOverrideBlocks attribute), 91

id (intranet.apps.eighth.models.EighthRoom attribute), 92

id (intranet.apps.eighth.models.EighthScheduledActivity attribute), 97

id (intranet.apps.eighth.models.EighthScheduledActivityRooms attribute), 100

id (intranet.apps.eighth.models.EighthScheduledActivitySponsors attribute), 101

id (intranet.apps.eighth.models.EighthSignup attribute), 102

id (intranet.apps.eighth.models.EighthSponsor attribute), 106

id (intranet.apps.eighth.models.EighthWaitlist attribute), 107

id (intranet.apps.eighth.models.EighthWaitlist\_intranet\_apps\_emailfwd.models.SeniorEmailForward attribute), 127

id (intranet.apps.eighth.models.EighthWaitlist\_intranet\_apps\_events.models.Event attribute), 133

id (intranet.apps.events.models.EventAttending attribute), 138

id (intranet.apps.events.models.EventGroups attribute), 139

id (intranet.apps.events.models.EventLinks attribute), 139

id (intranet.apps.events.models.EventUserMap attribute), 136

id (intranet.apps.events.models.EventUserMapUsersHidden attribute), 137

id (intranet.apps.events.models.Link attribute), 140

id (*intranet.apps.events.models.TJStarUUIDMap attribute*), 140  
id (*intranet.apps.features.models.FeatureAnnouncement attribute*), 143  
id (*intranet.apps.features.models.FeatureAnnouncement\_users\_dismissed attribute*), 145  
id (*intranet.apps.features.models.FeatureAnnouncement\_users\_seen attribute*), 146  
id (*intranet.apps.feedback.models.Feedback attribute*), 147  
id (*intranet.apps.files.models.Host attribute*), 149  
id (*intranet.apps.files.models.Host\_groups\_visible attribute*), 150  
id (*intranet.apps.groups.models.GroupProperties attribute*), 153  
id (*intranet.apps.itemreg.models.CalculatorRegistration attribute*), 156  
id (*intranet.apps.itemreg.models.ComputerRegistration attribute*), 157  
id (*intranet.apps.itemreg.models.PhoneRegistration attribute*), 158  
id (*intranet.apps.lostfound.models.FoundItem attribute*), 161  
id (*intranet.apps.lostfound.models.LostItem attribute*), 162  
id (*intranet.apps.nomination.models.Nomination attribute*), 163  
id (*intranet.apps.nomination.models.NominationPosition attribute*), 164  
id (*intranet.apps.notifications.models.GCMNotification attribute*), 165  
id (*intranet.apps.notifications.models.GCMNotification\_sentto attribute*), 167  
id (*intranet.apps.notifications.models.NotificationConfig attribute*), 168  
id (*intranet.apps.parking.models.CarApplication attribute*), 171  
id (*intranet.apps.parking.models.ParkingApplication attribute*), 173  
id (*intranet.apps.parking.models.ParkingApplication\_cars attribute*), 174  
id (*intranet.apps.polls.models.Answer attribute*), 176  
id (*intranet.apps.polls.models.AnswerVote attribute*), 177  
id (*intranet.apps.polls.models.AnswerVote\_users attribute*), 178  
id (*intranet.apps.polls.models.Choice attribute*), 179  
id (*intranet.apps.polls.models.Poll attribute*), 181  
id (*intranet.apps.polls.models.Poll\_groups attribute*), 182  
id (*intranet.apps.polls.models.Question attribute*), 184  
id (*intranet.apps.printing.models.PrintJob attribute*), 190  
id (*intranet.apps.schedule.models.Block attribute*), 195  
id (*intranet.apps.schedule.models.CodeName attribute*), 196  
id (*intranet.apps.schedule.models.Day attribute*), 197  
id (*intranet.apps.schedule.models.DayType attribute*), 198  
id (*intranet.apps.schedule.models.DayType\_blocks attribute*), 199  
id (*intranet.apps.schedule.models.DayType\_codenames attribute*), 200  
id (*intranet.apps.schedule.models.Time attribute*), 200  
id (*intranet.apps.seniors.models.College attribute*), 204  
id (*intranet.apps.seniors.models.Senior attribute*), 205  
id (*intranet.apps.sessionmgmt.models.TrustedSession attribute*), 207  
id (*intranet.apps.signage.models.Page attribute*), 209  
id (*intranet.apps.signage.models.Sign attribute*), 211  
id (*intranet.apps.signage.models.Sign\_pages attribute*), 212  
id (*intranet.apps.users.models.Address attribute*), 220  
id (*intranet.apps.users.models.Course attribute*), 220  
id (*intranet.apps.users.models.Email attribute*), 221  
id (*intranet.apps.users.models.Phone attribute*), 222  
id (*intranet.apps.users.models.Photo attribute*), 223  
id (*intranet.apps.users.models.Section attribute*), 223  
id (*intranet.apps.users.models.User attribute*), 233  
id (*intranet.apps.users.models.User\_groups attribute*), 249  
id (*intranet.apps.users.models.User\_user\_permissions attribute*), 249  
id (*intranet.apps.users.models.UserDarkModeProperties attribute*), 244  
id (*intranet.apps.users.models.UserProperties attribute*), 246  
id (*intranet.apps.users.models.UserProperties\_schedule attribute*), 248  
id (*intranet.apps.users.models.Website attribute*), 250  
iframe (*intranet.apps.signage.models.Page attribute*), 209  
img\_path (*intranet.apps.signage.models.Sign attribute*), 211  
in\_clear\_absence\_period() (*intranet.apps.eighth.models.EighthBlock method*), 88  
in\_clear\_absence\_period() (*intranet.apps.eighth.models.EighthSignup method*), 102  
in\_time\_range() (*intranet.apps.polls.models.Poll method*), 181  
index\_view() (*in module intranet.apps.auth.views*), 47  
index\_view() (*in module intranet.apps.sessionmgmt.views*), 207  
info (*intranet.apps.polls.models.Choice attribute*), 179  
instance() (*intranet.apps.eighth.HistoricalEighthActivity*

*property), 114*

*instance () (intranet.apps.eighth.HistoricalEighthBlock property), 117*

*instance () (intranet.apps.eighth.HistoricalEighthRoom property), 118*

*instance () (intranet.apps.eighth.HistoricalEighthScheduledActivity property), 121*

*instance () (intranet.apps.eighth.HistoricalEighthSignup property), 123*

*instance () (intranet.apps.eighth.HistoricalEighthSponsor property), 125*

*instance\_type (intranet.apps.eighth.HistoricalEighthActivity attribute), 114*

*instance\_type (intranet.apps.eighth.HistoricalEighthBlock attribute), 117*

*instance\_type (intranet.apps.eighth.HistoricalEighthRoom attribute), 118*

*instance\_type (intranet.apps.eighth.HistoricalEighthScheduledActivity attribute), 121*

*instance\_type (intranet.apps.eighth.HistoricalEighthSignup attribute), 123*

*instance\_type (intranet.apps.eighth.HistoricalEighthSponsor attribute), 125*

*intranet (module), 262*

*intranet.apps (module), 255*

*intranet.apps.announcements (module), 42*

*intranet.apps.announcements.admin (module), 27*

*intranet.apps.announcements.api (module), 28*

*intranet.apps.announcements.forms (module), 28*

*intranet.apps.announcements.models (module), 29*

*intranet.apps.announcements.notifications (module), 40*

*intranet.apps.announcements.serializers (module), 41*

*intranet.apps.announcements.tests (module), 41*

*intranet.apps.announcements.urls (module), 41*

*intranet.apps.announcements.views (module), 41*

*intranet.apps.api (module), 43*

*intranet.apps.api.authentication (module), 42*

*intranet.apps.api.tests (module), 42*

*intranet.apps.api.urls (module), 43*

*intranet.apps.api.utils (module), 43*

*intranet.apps.api.views (module), 43*

*intranet.apps.auth (module), 48*

*intranet.apps.auth.apps (module), 44*

*intranet.apps.auth.backends (module), 44*

*intranet.apps.auth.decorators (module), 45*

*intranet.apps.auth.forms (module), 46*

*intranet.apps.auth.helpers (module), 46*

*intranet.apps.auth.management (module), 44*

*intranet.apps.auth.management.commands (module), 44*

*intranet.apps.auth.management.commands.grant\_admin (module), 43*

*intranet.apps.auth.permissions (module), 46*

*intranet.apps.auth.signals (module), 46*

*intranet.apps.auth.tests (module), 46*

*intranet.apps.auth.urls (module), 47*

*intranet.apps.auth.views (module), 47*

*intranet.apps.bus (module), 50*

*intranet.apps.bus.admin (module), 48*

*intranet.apps.bus.api (module), 48*

*intranet.apps.bus.consumers (module), 48*

*intranet.apps.bus.models (module), 49*

*intranet.apps.bus.serializers (module), 50*

*intranet.apps.bus.tasks (module), 50*

*intranet.apps.bus.tests (module), 50*

*intranet.apps.bus.urls (module), 50*

*intranet.apps.bus.views (module), 50*

*intranet.apps.context\_processors (module), 254*

*intranet.apps.dashboard (module), 52*

*intranet.apps.dashboard.views (module), 50*

*intranet.apps.dataimport (module), 54*

*intranet.apps.dataimport.apps (module), 53*

*intranet.apps.dataimport.management (module), 53*

*intranet.apps.dataimport.management.commands import (module), 52*

*intranet.apps.dataimport.management.commands.import (module), 52*

*intranet.apps.dataimport.management.commands.import (module), 52*

*intranet.apps.dataimport.management.commands.year\_ (module), 53*

*intranet.apps.dataimport.tests (module), 53*

*intranet.apps.eighth (module), 113*

*intranet.apps.eighth.admin (module), 71*

*intranet.apps.eighth.context\_processors (module), 72*

intranet.apps.eighth.exceptions (*module*), 72  
intranet.apps.eighth.forms (*module*), 60  
intranet.apps.eighth.forms.admin (*module*), 60  
intranet.apps.eighth.forms.admin.activities (*module*), 54  
intranet.apps.eighth.forms.admin.blocks (*module*), 56  
intranet.apps.eighth.forms.admin.groups (*module*), 57  
intranet.apps.eighth.forms.admin.maintenance (*module*), 57  
intranet.apps.eighth.forms.admin.rooms (*module*), 59  
intranet.apps.eighth.forms.admin.scheduling (*module*), 59  
intranet.apps.eighth.forms.admin.sponsors (*module*), 59  
intranet.apps.eighth.management (*module*), 63  
intranet.apps.eighth.management.commands (*module*), 63  
intranet.apps.eighth.management.commands.attendance (*module*), 60  
intranet.apps.eighth.management.commands.diagnostics (*module*), 61  
intranet.apps.eighth.management.commands.profile (*module*), 61  
intranet.apps.eighth.management.commands.routers (*module*), 61  
intranet.apps.eighth.management.commands.signup (*module*), 61  
intranet.apps.eighth.management.commands.signup\_email (*module*), 62  
intranet.apps.eighth.management.commands.signup\_email\_fwd (*module*), 62  
intranet.apps.eighth.management.commands.signup\_email\_fwd.urls (*module*), 62  
intranet.apps.eighth.models (*module*), 73  
intranet.apps.eighth.notifications (*module*), 108  
intranet.apps.eighth.serializers (*module*), 109  
intranet.apps.eighth.tasks (*module*), 111  
intranet.apps.eighth.tests (*module*), 111  
intranet.apps.eighth.urls (*module*), 112  
intranet.apps.eighth.utils (*module*), 112  
intranet.apps.eighth.views (*module*), 71  
intranet.apps.eighth.views.activities (*module*), 67  
intranet.apps.eighth.views.admin (*module*), 72  
intranet.apps.eighth.views.admin.activities (*module*), 63  
intranet.apps.eighth.views.admin.attendance (*module*), 63  
intranet.apps.eighth.views.admin.blocks (*module*), 63  
intranet.apps.eighth.views.admin.general (*module*), 64  
intranet.apps.eighth.views.admin.groups (*module*), 64  
intranet.apps.eighth.views.admin.maintenance (*module*), 65  
intranet.apps.eighth.views.admin.rooms (*module*), 65  
intranet.apps.eighth.views.admin.scheduling (*module*), 66  
intranet.apps.eighth.views.admin.sponsors (*module*), 67  
intranet.apps.eighth.views.admin.users (*module*), 67  
intranet.apps.eighth.views.api (*module*), 68  
intranet.apps.eighth.views.attendance (*module*), 70  
intranet.apps.eighth.views.diagnostics (*module*), 71  
intranet.apps.eighth.views.profile (*module*), 71  
intranet.apps.eighth.views.routers (*module*), 71  
intranet.apps.eighth.views.signup (*module*), 71  
intranet.apps.eighth.views.signup\_email (*module*), 128  
intranet.apps.emailfwd.apps (*module*), 126  
intranet.apps.emailfwd.commands.welcome\_email\_fwd.urls (*module*), 127  
intranet.apps.emailfwd.models (*module*), 128  
intranet.apps.emailfwd.tests (*module*), 128  
intranet.apps.emerg (*module*), 129  
intranet.apps.emerg.api (*module*), 128  
intranet.apps.emerg.tasks (*module*), 128  
intranet.apps.emerg.views (*module*), 128  
intranet.apps.error (*module*), 129  
intranet.apps.error.tests (*module*), 129  
intranet.apps.error.views (*module*), 129  
intranet.apps.events (*module*), 142  
intranet.apps.events.admin (*module*), 129  
intranet.apps.events.forms (*module*), 129  
intranet.apps.events.models (*module*), 130  
intranet.apps.events.notifications (*module*), 141

intranet.apps.events.tests (*module*), 141  
 intranet.apps.events.urls (*module*), 142  
 intranet.apps.events.views (*module*), 142  
 intranet.apps.features (*module*), 146  
 intranet.apps.features.admin (*module*), 142  
 intranet.apps.features.context\_processor\$intranet.apps.nomination.models (*module*),  
     (*module*), 142  
 intranet.apps.features.helpers (*module*), 142  
 intranet.apps.features.models (*module*), 142  
 intranet.apps.features.tests (*module*), 146  
 intranet.apps.features.urls (*module*), 146  
 intranet.apps.features.views (*module*), 146  
 intranet.apps.feedback (*module*), 148  
 intranet.apps.feedback.admin (*module*), 147  
 intranet.apps.feedback.forms (*module*), 147  
 intranet.apps.feedback.models (*module*),  
     147  
 intranet.apps.feedback.tests (*module*), 148  
 intranet.apps.feedback.urls (*module*), 148  
 intranet.apps.feedback.views (*module*), 148  
 intranet.apps.files (*module*), 151  
 intranet.apps.files.forms (*module*), 148  
 intranet.apps.files.models (*module*), 149  
 intranet.apps.files.tests (*module*), 151  
 intranet.apps.files.urls (*module*), 151  
 intranet.apps.files.views (*module*), 151  
 intranet.apps.groups (*module*), 153  
 intranet.apps.groups.forms (*module*), 151  
 intranet.apps.groups.models (*module*), 152  
 intranet.apps.groups.tests (*module*), 153  
 intranet.apps.groups.urls (*module*), 153  
 intranet.apps.groups.views (*module*), 153  
 intranet.apps.itemreg (*module*), 159  
 intranet.apps.itemreg.admin (*module*), 154  
 intranet.apps.itemreg.apps (*module*), 154  
 intranet.apps.itemreg.forms (*module*), 154  
 intranet.apps.itemreg.models (*module*), 155  
 intranet.apps.itemreg.templatetags (*mod-  
     ule*), 154  
 intranet.apps.itemreg.templatetags.texthighlight (*mod-  
     ule*), 153  
 intranet.apps.itemreg.urls (*module*), 159  
 intranet.apps.itemreg.views (*module*), 159  
 intranet.apps.lostfound (*module*), 162  
 intranet.apps.lostfound.admin (*module*),  
     159  
 intranet.apps.lostfound.apps (*module*), 159  
 intranet.apps.lostfound.forms (*module*),  
     159  
 intranet.apps.lostfound.models (*module*),  
     160  
 intranet.apps.lostfound.urls (*module*), 162  
 intranet.apps.lostfound.views (*module*), 162  
 intranet.apps.nomination (*module*), 164  
 intranet.apps.nomination.apps (*module*),  
     162  
 intranet.apps.nomination.models (*module*),  
     163  
 intranet.apps.nomination.tests (*module*),  
     164  
 intranet.apps.nomination.urls (*module*),  
     164  
 intranet.apps.nomination.views (*module*),  
     164  
 intranet.apps.notifications (*module*), 169  
 intranet.apps.notifications.emails (*mod-  
     ule*), 165  
 intranet.apps.notifications.models (*mod-  
     ule*), 165  
 intranet.apps.notifications.tasks (*mod-  
     ule*), 168  
 intranet.apps.notifications.urls (*mod-  
     ule*), 168  
 intranet.apps.notifications.views (*mod-  
     ule*), 168  
 intranet.apps.oauth (*module*), 169  
 intranet.apps.oauth.admin (*module*), 169  
 intranet.apps.oauth.apps (*module*), 169  
 intranet.apps.oauth.models (*module*), 169  
 intranet.apps.oauth.tests (*module*), 169  
 intranet.apps.oauth.views (*module*), 169  
 intranet.apps.parking (*module*), 175  
 intranet.apps.parking.admin (*module*), 169  
 intranet.apps.parking.apps (*module*), 170  
 intranet.apps.parking.forms (*module*), 170  
 intranet.apps.parking.models (*module*), 171  
 intranet.apps.parking.tests (*module*), 175  
 intranet.apps.parking.urls (*module*), 175  
 intranet.apps.parking.views (*module*), 175  
 intranet.apps.polls (*module*), 185  
 intranet.apps.polls.admin (*module*), 175  
 intranet.apps.polls.forms (*module*), 175  
 intranet.apps.polls.models (*module*), 176  
 intranet.apps.polls.tests (*module*), 185  
 intranet.apps.polls.urls (*module*), 185  
 intranet.apps.polls.views (*module*), 185  
 intranet.apps.preferences (*module*), 189  
 intranet.apps.preferences.fields (*mod-  
     ule*), 185  
 intranet.apps.preferences.forms (*module*),  
     186  
 intranet.apps.preferences.tests (*module*),  
     188  
 intranet.apps.preferences.urls (*module*),  
     188

intranet.apps.preferences.views (*module*), 188  
intranet.apps.printing (*module*), 193  
intranet.apps.printing.admin (*module*), 189  
intranet.apps.printing.forms (*module*), 189  
intranet.apps.printing.models (*module*), 189  
intranet.apps.printing.tests (*module*), 192  
intranet.apps.printing.urls (*module*), 192  
intranet.apps.printing.views (*module*), 192  
intranet.apps.schedule (*module*), 202  
intranet.apps.schedule.admin (*module*), 193  
intranet.apps.schedule.api (*module*), 193  
intranet.apps.schedule.forms (*module*), 194  
intranet.apps.schedule.management (*module*), 193  
intranet.apps.schedule.management.commands (*module*), 193  
intranet.apps.schedule.management.commands.notify (*module*), 193  
intranet.apps.schedule.models (*module*), 195  
intranet.apps.schedule.notifications (*module*), 201  
intranet.apps.schedule.serializers (*module*), 201  
intranet.apps.schedule.tests (*module*), 202  
intranet.apps.schedule.urls (*module*), 202  
intranet.apps.schedule.views (*module*), 202  
intranet.apps.search (*module*), 203  
intranet.apps.search.urls (*module*), 202  
intranet.apps.search.utils (*module*), 202  
intranet.apps.search.views (*module*), 203  
intranet.apps.seniors (*module*), 206  
intranet.apps.seniors.admin (*module*), 204  
intranet.apps.seniors.forms (*module*), 204  
intranet.apps.seniors.management (*module*), 204  
intranet.apps.seniors.management.commands (*module*), 204  
intranet.apps.seniors.management.commands.import\_colleges (*module*), 204  
intranet.apps.seniors.models (*module*), 204  
intranet.apps.seniors.urls (*module*), 206  
intranet.apps.seniors.views (*module*), 206  
intranet.apps.sessionmgmt (*module*), 208  
intranet.apps.sessionmgmt.admin (*module*), 206  
intranet.apps.sessionmgmt.helpers (*module*), 206  
intranet.apps.sessionmgmt.models (*module*), 206  
intranet.apps.sessionmgmt.tests (*module*), 207  
intranet.apps.sessionmgmt.urls (*module*), 207  
intranet.apps.sessionmgmt.views (*module*), 207  
intranet.apps.signage (*module*), 214  
intranet.apps.signage.admin (*module*), 208  
intranet.apps.signage.consumers (*module*), 208  
intranet.apps.signage.models (*module*), 209  
intranet.apps.signage.pages (*module*), 213  
intranet.apps.signage.templatetags (*module*), 208  
intranet.apps.signage.templatetags.signage (*module*), 208  
intranet.apps.signage.urls (*module*), 213  
intranet.apps.signage.views (*module*), 213  
intranet.apps.templatetags (*module*), 215  
intranet.apps.templatetags.dates (*module*), 214  
intranet.apps.templatetags.dictionaries (*module*), 214  
intranet.apps.templatetags.form\_field (*module*), 214  
intranet.apps.templatetags.forms (*module*), 214  
intranet.apps.templatetags.math (*module*), 214  
intranet.apps.templatetags.newtab\_links (*module*), 215  
intranet.apps.templatetags.strings (*module*), 215  
intranet.apps.templatetags.tests (*module*), 215  
intranet.apps.users (*module*), 253  
intranet.apps.users.admin (*module*), 217  
intranet.apps.users.api (*module*), 217  
intranet.apps.users.courses\_urls (*module*), 218  
intranet.apps.users.forms (*module*), 218  
intranet.apps.users.management (*module*), 216  
intranet.apps.users.management.commands import\_colleges (*module*), 216  
intranet.apps.users.management.commands.lock (*module*), 216  
intranet.apps.users.models (*module*), 219  
intranet.apps.users.renderers (*module*), 251  
intranet.apps.users.serializers (*module*), 251  
intranet.apps.users.templatetags (*module*), 217

intranet.apps.users.templatetags.grades InvalidInputPrintingError, 192  
     (*module*), 216  
 intranet.apps.users.templatetags.phone\_number\_base\_url() (in *module* in-  
     (*module*), 216  
 intranet.apps.users.templatetags.users ion\_username() (*intranet.apps.users.models.User*  
     (*module*), 217  
     *property*), 233  
 intranet.apps.users.tests (*module*), 252 IonTestCase (*class in intranet.test.ion\_test*), 258  
 intranet.apps.users.urls (*module*), 253 is\_active() (*intranet.apps.eighth.models.EighthActivity*  
     *property*), 78  
 intranet.apps.users.views (*module*), 253 is\_active() (*intranet.apps.users.models.User prop-*  
     *erty*), 233  
 intranet.apps.welcome (*module*), 254 is\_almost\_full() (in-  
     *tranet.apps.eighth.models.EighthScheduledActivity*  
     *method*), 97  
 intranet.apps.welcome.tests (*module*), 253 is\_alum() (*intranet.apps.users.models.User prop-*  
     *erty*), 233  
 intranet.apps.welcome.urls (*module*), 254 is\_announcements\_admin() (*in-*  
     *tranet.apps.users.models.User* *property*),  
     233  
 intranet.apps.welcome.views (*module*), 254 is\_array\_field() (in *module* in-  
     *tranet.apps.templatetags.forms*), 214  
 intranet.asgi (*module*), 261 is\_attendance\_taker() (*in-*  
     *tranet.apps.users.models.User* *property*),  
     233  
 intranet.celery (*module*), 261 is\_attendance\_user() (*in-*  
     *tranet.apps.users.models.User* *property*),  
     233  
 intranet.middleware (*module*), 257 is\_board\_admin() (*in-*  
     *tranet.apps.users.models.User* *property*),  
     233  
 intranet.middleware.access\_log (*module*, 255 is\_both\_blocks() (in-  
     *tranet.apps.eighth.models.EighthScheduledActivity*  
     *method*), 97  
 intranet.middleware.ajax (*module*), 255 is\_bus\_admin() (*intranet.apps.users.models.User*  
     *property*), 233  
 intranet.middleware.dark\_mode (*module*, 255 is\_choice() (*intranet.apps.polls.models.Question*  
     *method*), 184  
     255  
 intranet.middleware.monitoring (*module*, 255 is\_current\_year() (*in module intranet.utils.date*),  
     259  
     255  
 intranet.middleware.profiler (*module*), 255 is\_eighth\_admin() (*in-*  
     *tranet.apps.users.models.User* *property*),  
     233  
 intranet.middleware.same\_origin (*module*, 256 is\_eighth\_sponsor() (*in-*  
     *tranet.apps.users.models.User* *property*),  
     234  
 intranet.middleware.session\_management (*module*, 256 is\_eighthoffice() (*in-*  
     *tranet.apps.users.models.User* *property*),  
     234  
 intranet.middleware.templates (*module*, 256 is\_entirely\_digit() (in *module* in-  
     *tranet.utils.helpers*), 259  
     256  
 intranet.middleware.threadlocals (*mod-*  
     *ule*), 257  
 intranet.middleware.traceback (*module*, 257 is\_female() (*intranet.apps.users.models.User prop-*  
     *erty*), 234  
 intranet.middleware.url\_slashes (*module*, 257 is\_full() (*intranet.apps.eighth.models.EighthScheduledActivity*  
     *method*), 97  
     257  
 intranet.routing (*module*), 261  
 intranet.settings (*module*), 257  
 intranet.settings.travis\_secret (*module*,  
     257  
 intranet.test (*module*), 258  
 intranet.test.ion\_test (*module*), 258  
 intranet.test.test\_suite (*module*), 258  
 intranet.utils (*module*), 261  
 intranet.utils.admin\_helpers (*module*), 258  
 intranet.utils.cache (*module*), 258  
 intranet.utils.date (*module*), 259  
 intranet.utils.deletion (*module*), 259  
 intranet.utils.helpers (*module*), 259  
 intranet.utils.html (*module*), 260  
 intranet.utils.locking (*module*), 260  
 intranet.utils.serialization (*module*), 261  
 intranet.utils.session (*module*), 261  
 intranet.wsgi (*module*), 261

```

is_http_request_sender()           (in-  is_valid() (intranet.apps.auth.forms AuthenticateForm
    tranet.apps.users.models.UserProperties   method), 46
    method), 246
is_male() (intranet.apps.users.models.User  prop-  is_valid_date()           (in-
    erty), 234                           erty),      tranet.apps.eighth.views.api EighthBlockList
                                         method), 68
is_many_choice()                  (in-  is_valid_date()           (in-
    tranet.apps.polls.models.Question     method),      tranet.apps.eighth.views.api EighthUserSignupListAdd
    184                                method), 69
is_offline() (intranet.apps.signage.models.Sign  is_visible() (intranet.apps.announcements.models Announcement
    property), 211                      method), 30
is_overbooked()                   (in-  is_visible_requester() (in-
    tranet.apps.eighth.models.EighthScheduledActivity   method),      tranet.apps.announcements.models Announcement
    method), 97
is_parking_admin()                (in-  is_visible_submitter() (in-
    tranet.apps.users.models.User        property),      tranet.apps.announcements.models Announcement
    234                                method), 30
is_popular() (intranet.apps.eighth.models.EighthActivity  is_weekday() (in       module      in-
    property), 78                         method),      tranet.apps.schedule.views), 202
is_restricted() (intranet.apps.users.models.User  is_writing (intranet.apps.polls.models AnswerVote
    property), 234                      property),      attribute), 177
is_schedule_admin()               (in-  is_writing() (intranet.apps.polls.models Question
    tranet.apps.users.models.User        property),      method), 184
    234
is_secret (intranet.apps.polls.models.Poll attribute), 180, 181
is_senior() (intranet.apps.users.models.User prop-  IsAnnouncementAdminOrReadOnly (class in in-
    erty), 234                           erty),      tranet.apps.announcements.api), 28
is_simple_user()                 (in-  IsAuthenticatedOrClientCredentials (class
    tranet.apps.users.models.User        property),      in intranet.apps.eighth.views.api), 69
    234
is_single_choice()               (in-  ItemregConfig (class in intranet.apps.itemreg.apps),
    tranet.apps.polls.models.Question   method),      154
    184
is_staff() (intranet.apps.users.models.User prop-  J
    erty), 234
is_student() (intranet.apps.users.models.User prop-  join_nicely() (in module intranet.utils.helpers),
    erty), 234
is_teacher() (intranet.apps.users.models.User prop-  259
    erty), 235
is_this_year() (in-  joint_user (intranet.apps.parking.models ParkingApplication
    tranet.apps.announcements.models.Announcement  attribute), 173
    property), 30
is_this_year() (in-  joint_user_id (in
    tranet.apps.eighth.models.EighthBlock  property),      intranet.apps.parking.models ParkingApplication
    88
    attribute), 173
is_this_year() (intranet.apps.events.models.Event  JPEGRenderer (class      in
    property), 133
    tranet.apps.users.renderers), 251
is_tj_ip() (in       module      in-  juniors_allowed (in
    tranet.apps.context_processors), 254
    tranet.apps.eighth.HistoricalEighthActivity
    attribute), 114
is_today() (intranet.apps.eighth.models.EighthBlock  juniors_allowed (in
    method), 88
    tranet.apps.eighth.models.EighthActivity
    attribute), 75, 78
is_too_early_to_signup() (in-  K
    tranet.apps.eighth.models.EighthScheduledActivity  KerberosAuthenticationBackend (class in in-
    method), 97
    tranet.apps.auth.backends), 44
                                         kinit_timeout_handle() (in-
                                         tranet.apps.auth.backends.KerberosAuthenticationBackend
                                         static method), 44

```

## L

label (*intranet.apps.auth.apps.AuthConfig attribute*), 44  
 label\_from\_instance () (in- *tracet.apps.eighth.forms.admin.activities.ActivityDisplayField attribute*), 125  
 label\_from\_instance () (in- *tracet.apps.eighth.forms.admin.activities.ActivityMultiDisplayField attribute*), 73  
 label\_from\_instance () (in- *tracet.apps.eighth.models.AbstractBaseEighthModel attribute*), 126  
 label\_from\_instance () (in- *tracet.apps.eighth.models.EighthSponsor attribute*), 104, 106  
 label\_from\_instance () (in- *tracet.apps.users.models.User attribute*), 235  
 label\_from\_instance () (in- *tracet.apps.users.forms.SortedTeacherMultipleChoiceField attribute*), 235  
 label\_from\_instance () (in- *tracet.apps.users.forms.SortedUserChoiceField attribute*), 218  
 label\_from\_instance () (in- *tracet.apps.users.forms.SortedUserMultipleChoiceField attribute*), 219  
 label\_from\_instance () (in- *tracet.apps.users.forms.UserChoiceField attribute*), 219  
 label\_from\_instance () (in- *tracet.apps.users.forms.UserMultipleChoiceField attribute*), 219  
 labels (*intranet.apps.polls.forms.PollForm.Meta attribute*), 175  
 landscape (*intranet.apps.signage.models.Sign attribute*), 211  
 last\_first () (in- *tracet.apps.users.models.User property*), 235  
 last\_first\_id () (in- *tracet.apps.users.models.User property*), 235  
 last\_first\_initial () (in- *tracet.apps.users.models.User property*), 235  
 last\_global\_logout\_time (in- *tracet.apps.users.models.User attribute*), 235  
 last\_modified\_time (in- *tracet.apps.eighth.HistoricalEighthActivity attribute*), 114  
 last\_modified\_time (in- *tracet.apps.eighth.HistoricalEighthBlock attribute*), 117  
 last\_modified\_time (in- *tracet.apps.eighth.HistoricalEighthRoom attribute*), 118  
 last\_modified\_time (in- *tracet.apps.eighth.HistoricalEighthScheduledActivity attribute*), 121  
 last\_modified\_time (in- *tracet.apps.eighth.HistoricalSignup attribute*), 123  
 last\_modified\_time (in- *tracet.apps.eighth.HistoricalSponsor attribute*), 125  
 last\_modified\_time (in- *tracet.apps.eighth.models.AbstractBaseEighthModel attribute*), 126  
 last\_name (*intranet.apps.eighth.HistoricalEighthSponsor attribute*), 104, 106  
 latest\_heartbeat\_time (in- *tracet.apps.signage.models.Sign attribute*), 211  
 letter\_width () (in- *tracet.apps.eighth.models.EighthBlock property*), 88  
 license\_plate (in- *tracet.apps.parking.models.CarApplication attribute*), 171  
 Link (class in *intranet.apps.events.models*), 139  
 link (*intranet.apps.events.models.Event\_links attribute*), 139  
 Link.DoesNotExist, 140  
 Link.MultipleObjectsReturned, 140  
 link\_id (*intranet.apps.events.models.Event\_links attribute*), 139  
 link\_removal\_callback () (in module *intranet.utils.html*), 260  
 links (*intranet.apps.events.models.Event attribute*), 130, 133  
 linux (*intranet.apps.files.models.Host attribute*), 149  
 list () (*intranet.apps.eighth.views.api.EighthUserFavoritesListToggle method*), 69  
 list () (*intranet.apps.eighth.views.api.EighthUserFavoritesRemove method*), 69  
 list () (*intranet.apps.eighth.views.api.EighthUserSignupListAdd method*), 69  
 list\_display (*intranet.apps.announcements.admin.AnnouncementAdmin attribute*), 27  
 list\_display (*intranet.apps.eighth.admin.EighthActivityAdmin attribute*), 71  
 list\_display (*intranet.apps.eighth.admin.EighthBlockAdmin attribute*), 71  
 list\_display (*intranet.apps.eighth.admin.EighthRoomAdmin attribute*), 71  
 list\_display (*intranet.apps.eighth.admin.EighthScheduledActivityAdmin attribute*), 71  
 list\_display (*intranet.apps.eighth.admin.EighthSignupAdmin attribute*), 71

attribute), 72  
list\_display (intranet.apps.eighth.admin.EighthSponsorAdmin attribute), 72  
list\_display (intranet.apps.feedback.admin.FeedbackAdmin attribute), 147  
list\_display (intranet.apps.itemreg.admin.CalculatorRegistrationAdmin attribute), 154  
list\_display (intranet.apps.itemreg.admin.ComputerRegistrationAdmin attribute), 154  
list\_display (intranet.apps.itemreg.admin.PhoneRegistrationAdmin attribute), 154  
list\_display (intranet.apps.lostfound.admin.FoundItemAdmin attribute), 159  
list\_display (intranet.apps.lostfound.admin.LostItemAdmin attribute), 159  
list\_display (intranet.apps.parking.admin.CarAdmin attribute), 169  
list\_display (intranet.apps.parking.admin.ParkingAdmin attribute), 170  
list\_display (intranet.apps.printing.admin.PrintJobAdmin attribute), 189  
list\_display (intranet.apps.signage.admin.PageAdmin attribute), 208  
list\_display (intranet.apps.signage.admin.SignAdmin attribute), 208  
list\_filter (intranet.apps.announcements.admin.AnnouncementAdmin attribute), 27  
list\_filter (intranet.apps.eighth.admin.EighthActivityAdmin attribute), 71  
list\_filter (intranet.apps.eighth.admin.EighthBlockAdmin attribute), 71  
list\_filter (intranet.apps.eighth.admin.EighthScheduledActivityAdmin attribute), 71  
list\_filter (intranet.apps.eighth.admin.EighthSignupAdmin attribute), 72  
list\_filter (intranet.apps.eighth.admin.EighthSponsorAdmin attribute), 72  
list\_filter (intranet.apps.itemreg.admin.CalculatorRegistrationAdmin attribute), 154  
list\_filter (intranet.apps.itemreg.admin.ComputerRegistrationAdmin attribute), 154  
list\_filter (intranet.apps.itemreg.admin.PhoneRegistrationAdmin attribute), 154  
list\_filter (intranet.apps.lostfound.admin.FoundItemAdmin attribute), 159  
list\_filter (intranet.apps.lostfound.admin.LostItemAdmin attribute), 159  
list\_sponsor\_view () (in module in-  
tranet.apps.eighth.views.admin.sponsors),  
list\_user\_view () (in module in-  
tranet.apps.eighth.views.admin.users), 67  
ListCreateAnnouncement (class in in-  
tranet.apps.announcements.api), 28  
load () (intranet.utils.session.SessionStore method),  
location (intranet.apps.events.models.Event attribute), 130, 133  
lock\_on () (in module intranet.utils.locking), 260  
list\_itempage (intranet.apps.signage.models.Sign attribute), 211  
list\_itempage\_id (intranet.apps.signage.models.Sign attribute), 212  
locked (intranet.apps.eighth.HistoricalEighthBlock attribute), 117  
locked (intranet.apps.eighth.models.EighthBlock attribute), 86, 88  
login () (intranet.test.ion\_test.IonTestCase method),  
login () (intranet.auth.views.LoginViewTest method),  
login () (intranet.auth.tests.LoginViewTest method),  
login () (intranet.auth.views.LoginView class in intranet.apps.auth.views), 47  
login\_set (intranet.apps.users.models.User attribute), 235  
login\_student () (in-  
tranet.apps.parking.tests.ParkingTest method),  
login\_student () (in-  
tranet.apps.auth.tests.LoginViewTest method),  
LogoutView (class in intranet.apps.auth.views), 47  
logout\_view () (in module intranet.apps.auth.views),  
lookup () (in module in-  
tranet.apps.templates.dictionaries), 214  
lookup\_field (intranet.apps.schedule.api.DayDetail attribute), 193  
LostfoundConfig (class in in-  
tranet.apps.lostfound.apps), 159  
LostItem (class in intranet.apps.lostfound.models),  
LostItem.DoesNotExist, 161  
LostItem.Item.MultipleObjectsReturned, 161  
lostitem\_set (intranet.apps.users.models.User attribute), 235  
LostItemAdmin (class in in-  
tranet.apps.lostfound.admin), 159  
LostItemForm (class in in-  
tranet.apps.lostfound.forms), 160  
LostItemForm.Meta (class in in-  
tranet.apps.lostfound.forms), 160

# M

m (*in module intranet.apps.eighth.exceptions*), 72  
 major (*intranet.apps.seniors.models.Senior attribute*), 205  
 major\_sure (*intranet.apps.seniors.models.Senior attribute*), 205  
 MAJORS (*intranet.apps.seniors.models.Senior attribute*), 205  
 make (*intranet.apps.parking.models.CarApplication attribute*), 171  
 make\_admin () (*intranet.test.ion\_test.IonTestCase method*), 258  
 make\_token () (*intranet.apps.api.tests.ApiTest method*), 42  
 make\_token () (*intranet.apps.users.tests.ProfileTest method*), 252  
 MANUF\_CHOICES (*in-tranet.apps.itemreg.models.ComputerRegistration attribute*), 156  
 MANUF\_CHOICES (*in-tranet.apps.itemreg.models.PhoneRegistration attribute*), 157  
 manufacturer (*intranet.apps.itemreg.models.ComputerRegistration attribute*), 157  
 manufacturer (*intranet.apps.itemreg.models.PhoneRegistration attribute*), 158  
 map\_location (*intranet.apps.signage.models.Sign attribute*), 212  
 MasterPasswordAuthenticationBackend (*class in intranet.apps.auth.backends*), 45  
 max\_choices (*intranet.apps.polls.models.Question attribute*), 183, 184  
 max\_page\_size (*in-tranet.apps.eighth.views.api.BlockPagination attribute*), 68  
 max\_page\_size (*in-tranet.apps.schedule.api.OnePagePagination attribute*), 194  
 maximum () (*in module in-tranet.apps.templatetags.math*), 214  
 media\_type (*intranet.apps.users.renderers.JPEGRenderer attribute*), 251  
 member\_of () (*intranet.apps.users.models.User method*), 235  
 members (*intranet.apps.eighth.models.EighthScheduledActivity attribute*), 93, 98  
 mentorship (*intranet.apps.parking.models.ParkingApplication attribute*), 173  
 messages () (*intranet.apps.eighth.exceptions.SignupException method*), 72  
 metrics\_view () (*in module in-tranet.apps.eighth.views.monitoring*), 71  
 middle\_name (*intranet.apps.users.models.User attribute*), 235  
 migrate\_outstanding\_passes\_view ()  
 (in module *intranet.apps.eighth.views.admin.attendance*), 63  
 MigrationMock (*class in intranet.utils.helpers*), 259  
 minimum () (*in module in-tranet.apps.templatetags.math*), 214  
 minute (*intranet.apps.schedule.models.Time attribute*), 200  
 mobile\_app () (*in module in-tranet.apps.context\_processors*), 254  
 model (*intranet.apps.announcements.forms.AnnouncementForm.Meta attribute*), 28  
 model (*intranet.apps.announcements.forms.AnnouncementRequestForm.Meta attribute*), 28  
 model (*intranet.apps.announcements.serializers.AnnouncementSerializer.Meta attribute*), 41  
 model (*intranet.apps.bus.serializers.RouteSerializer.Meta attribute*), 50  
 model (*intranet.apps.eighth.forms.admin.activities.ActivityForm.Meta attribute*), 54  
 model (*intranet.apps.eighth.forms.admin.activities.QuickActivityForm.Meta attribute*), 55  
 model (*intranet.apps.eighth.forms.admin.blocks.BlockForm.Meta attribute*), 56  
 model (*intranet.apps.eighth.forms.admin.blocks.QuickBlockForm.Meta attribute*), 57  
 model (*intranet.apps.eighth.forms.admin.groups.GroupForm.Meta attribute*), 58  
 model (*intranet.apps.eighth.forms.admin.groups.QuickGroupForm.Meta attribute*), 58  
 model (*intranet.apps.eighth.forms.admin.rooms.RoomForm.Meta attribute*), 59  
 model (*intranet.apps.eighth.forms.admin.scheduling.ScheduledActivityForm.Meta attribute*), 59  
 model (*intranet.apps.eighth.forms.admin.sponsors.SponsorForm.Meta attribute*), 60  
 model (*intranet.apps.eighth.serializers.EighthActivityDetailSerializer.Meta attribute*), 109  
 model (*intranet.apps.eighth.serializers.EighthActivityListSerializer.Meta attribute*), 109  
 model (*intranet.apps.eighth.serializers.EighthBlockListSerializer.Meta attribute*), 110  
 model (*intranet.apps.eighth.serializers.EighthScheduledActivitySerializer.Meta attribute*), 110  
 model (*intranet.apps.eighth.serializers.EighthSignupSerializer.Meta attribute*), 110  
 model (*intranet.apps.eighth.serializers.UserSerializer.Meta attribute*), 111  
 model (*intranet.apps.emailfwd.forms.SeniorEmailForwardForm.Meta attribute*), 127  
 model (*intranet.apps.events.forms.AdminEventForm.Meta attribute*), 129  
 model (*intranet.apps.events.forms.EventForm.Meta attribute*), 130

tribute), 130  
model (*intranet.apps.groups.forms.GroupForm.Meta* attribute), 151  
model (*intranet.apps.itemreg.forms.CalculatorRegistrationForm.Meta* attribute), 154  
model (*intranet.apps.itemreg.forms.ComputerRegistrationForm.Meta* attribute), 155  
model (*intranet.apps.itemreg.forms.PhoneRegistrationForm.Meta* attribute), 155  
model (*intranet.apps.itemreg.models.ComputerRegistration* multiply () attribute), 157  
model (*intranet.apps.itemreg.models.PhoneRegistration* attribute), 158  
model (*intranet.apps.lostfound.forms.FoundItemForm.Meta* attribute), 160  
model (*intranet.apps.lostfound.forms.LostItemForm.Meta* attribute), 160  
model (*intranet.apps.parking.forms.CarApplicationForm.Meta* attribute), 170  
model (*intranet.apps.parking.forms.ParkingApplicationForm.Meta* attribute), 171  
model (*intranet.apps.parking.models.CarApplication* attribute), 171  
model (*intranet.apps.polls.forms.PollForm.Meta* attribute), 175  
model (*intranet.apps.preferences.forms.EmailForm.Meta* attribute), 186  
model (*intranet.apps.preferences.forms.PhoneForm.Meta* attribute), 187  
model (*intranet.apps.preferences.forms.WebsiteForm.Meta* attribute), 187  
model (*intranet.apps.printing.forms.PrintJobForm.Meta* attribute), 189  
model (*intranet.apps.schedule.forms.DayForm.Meta* attribute), 194  
model (*intranet.apps.schedule.forms.DayTypeForm.Meta* attribute), 194  
model (*intranet.apps.schedule.serializers.BlockSerializer.Meta* attribute), 201  
model (*intranet.apps.schedule.serializers.DaySerializer.Meta* attribute), 201  
model (*intranet.apps.schedule.serializers.DayTypeSerializer.Meta* attribute), 201  
model (*intranet.apps.schedule.serializers.TimeSerializer.Meta* attribute), 202  
model (*intranet.apps.seniors.forms.SeniorForm.Meta* attribute), 204  
model (*intranet.apps.users.forms.AddressForm.Meta* attribute), 218  
model (*intranet.apps.users.forms.ProfileEditForm.Meta* attribute), 218  
model (*intranet.apps.users.serializers.AddressSerializer.Meta* attribute), 251  
model (*intranet.apps.users.serializers.CounselorTeacherSerializer.Meta* attribute), 251  
model (*intranet.apps.users.serializers.StudentSerializer.Meta* attribute), 252  
model (*intranet.apps.users.serializers.UserSerializer.Meta* attribute), 252  
Meta (in *intranet.apps.schedule.views*), 202  
cast\_id (*intranet.apps.notifications.models.GCMNotification* attribute), 165  
multiply () (in *intranet.apps.templatetags.math*), 214

**N**

name (*intranet.apps.auth.apps.AuthConfig* attribute), 44  
name (*intranet.apps.dataimport.apps.DataimportConfig* attribute), 53  
name (*intranet.apps.eighth.HistoricalEighthActivity* attribute), 114  
name (*intranet.apps.eighth.HistoricalEighthRoom* attribute), 118  
name (*intranet.apps.eighth.models.EighthActivity* attribute), 73, 78  
name (*intranet.apps.eighth.models.EighthRoom* attribute), 91, 92  
name (*intranet.apps.emailfwd.apps.EmailfwdConfig* attribute), 126  
name (*intranet.apps.files.models.Host* attribute), 149  
name (*intranet.apps.itemreg.apps.ItemregConfig* attribute), 154  
name (*intranet.apps.lostfound.apps.LostfoundConfig* attribute), 159  
name (*intranet.apps.nomination.apps.NominationConfig* attribute), 162  
name (*intranet.apps.oauth.apps.OauthConfig* attribute), 169  
name (*intranet.apps.parking.apps.ParkingConfig* attribute), 170  
name (*intranet.apps.schedule.models.Block* attribute), 195  
name (*intranet.apps.schedule.models.CodeName* attribute), 196  
name (*intranet.apps.schedule.models.DayType* attribute), 198  
name (*intranet.apps.seniors.models.College* attribute), 204  
name (*intranet.apps.signage.models.Page* attribute), 209  
name (*intranet.apps.signage.models.Sign* attribute), 212  
name (*intranet.apps.users.models.Course* attribute), 220  
name () (*intranet.apps.eighth.models.EighthSponsor* property), 106  
name () (*intranet.apps.users.models.Grade* property), 221  
name\_plural () (*intranet.apps.users.models.Grade* property), 222

name_with_flags ()	(in- tranet.apps.eighth.models.EighthActivity property), 78	nominations (intranet.apps.nomination.models.NominationPosition attribute), 164
name_with_flags_no_restricted()	(in- tranet.apps.eighth.models.EighthActivity property), 78	nominator (intranet.apps.nomination.models.Nomination attribute), 163
names (intranet.apps.users.models.Grade attribute), 222		nominator_id (intranet.apps.nomination.models.Nomination attribute), 163
nav_categorizer () (in module in- tranet.apps.context_processors), 254		nominee (intranet.apps.nomination.models.Nomination attribute), 163
next_blocks ()	(in- tranet.apps.eighth.models.EighthBlock method), 89	nominee_id (intranet.apps.nomination.models.Nomination attribute), 163
next_record ()	(in- tranet.apps.eighth.HistoricalEighthActivity property), 115	non_tj_email () (intranet.apps.users.models.User property), 236
next_record ()	(in- tranet.apps.eighth.HistoricalEighthBlock property), 117	NoReferrerMiddleware (class in in- tranet.middleware.templates), 256
next_record ()	(in- tranet.apps.eighth.HistoricalEighthRoom property), 118	normalize_query () (in module in- tranet.apps.search.utils), 202
next_record ()	(in- tranet.apps.eighth.HistoricalEighthScheduledActivity property), 121	notes (intranet.apps.announcements.models.AnnouncementRequest attribute), 32, 33
next_record ()	(in- tranet.apps.eighth.HistoricalEighthSignup property), 123	notification_email () (in- tranet.apps.users.models.User property), 236
next_record ()	(in- tranet.apps.eighth.HistoricalEighthSponsor property), 126	NotificationConfig (class in in- tranet.apps.notifications.models), 167
nickname (intranet.apps.users.models.User attribute), 235		notificationconfig (in- tranet.apps.notifications.models.GCMNotification_sent_to attribute), 167
no_school () (intranet.apps.schedule.models.DayType property), 198		notificationconfig (in- tranet.apps.notifications.models.GCMNotification_sent_to attribute), 167
no_signups_roster () (in module in- tranet.apps.eighth.views.admin.attendance), 63		NotificationOptionsForm (class in in- tranet.apps.preferences.forms), 186
Nomination (class in in- tranet.apps.nomination.models), 163		notify_email_all (in- tranet.apps.announcements.models.Announcement attribute), 31
Nomination.DoesNotExist, 163		notify_post (intranet.apps.announcements.models.Announcement attribute), 31
Nomination.MultipleObjectsReturned, 163		notify_twitter () (in module in- tranet.apps.announcements.notifications), 40
nomination_votes (in- tranet.apps.users.models.User attribute), 235		notify_waitlist () (in- tranet.apps.eighth.models.EighthScheduledActivity method), 98
nomination_votes_received (in- tranet.apps.users.models.User attribute), 236		nullify_links () (in module intranet.utils.html), 260
NominationConfig (class in in- tranet.apps.nomination.apps), 162		num (intranet.apps.polls.models.Choice attribute), 179
NominationPosition (class in in- tranet.apps.nomination.models), 164		num (intranet.apps.polls.models.Question attribute), 183,
NominationPosition.DoesNotExist, 164		num_failure (intranet.apps.notifications.models.GCMNotification
NominationPosition.MultipleObjectsReturned, 164		

attribute), 165  
num\_no\_signups () (in-  
trant.apps.eighth.models.EighthBlock  
method), 89  
num\_pages (intranet.apps.printing.models.PrintJob at-  
tribute), 190, 191  
num\_signups () (in-  
trant.apps.eighth.models.EighthBlock  
method), 89  
num\_signups () (in-  
trant.apps.eighth.serializers.EighthScheduledActivity  
method), 110  
num\_success (intranet.apps.notifications.models.GCMNotification  
attribute), 166  
number () (intranet.apps.users.models.Grade prop-  
erty), 222  
number\_from\_name () (in-  
trant.apps.users.models.Grade static method),  
222

O

oauth2\_provider\_accesstoken  
trant.apps.users.models.User  
236  
oauth2\_provider\_application  
trant.apps.users.models.User  
237  
oauth2\_provider\_grant  
trant.apps.users.models.User  
237  
oauth2\_provider\_refreshtoken  
trant.apps.users.models.User  
237  
oauth\_toolkit () (in module in-  
trant.apps.context\_processors), 254  
OauthConfig (class in intranet.apps.oauth.apps), 169  
objects (intranet.apps.announcements.models.Anouncement  
attribute), 31  
objects (intranet.apps.announcements.models.Anouncement  
attribute), 40  
objects (intranet.apps.announcements.models.Anouncement  
attribute), 33  
objects (intranet.apps.announcements.models.Anouncement  
attribute), 35  
objects (intranet.apps.announcements.models.Anouncement  
attribute), 36  
objects (intranet.apps.announcements.models.Anouncement  
attribute), 37  
objects (intranet.apps.announcements.models.Anouncement  
attribute), 38  
objects (intranet.apps.announcements.models.Anouncement  
attribute), 39  
objects (intranet.apps.bus.models.Route attribute), 49

objects (intranet.apps.eighth.HistoricalEighthActivity  
attribute), 115  
objects (intranet.apps.eighth.HistoricalEighthBlock  
attribute), 117  
objects (intranet.apps.eighth.HistoricalEighthRoom  
attribute), 118  
objects (intranet.apps.eighth.HistoricalEighthScheduledActivity  
attribute), 121  
objects (intranet.apps.eighth.HistoricalEighthSignup  
attribute), 123  
objects (intranet.apps.eighth.HistoricalEighthSponsor  
attribute), 126  
objects (intranet.apps.eighth.models.EighthActivity  
attribute), 78  
objects (intranet.apps.eighth.models.EighthActivity\_favorites  
attribute), 81  
objects (intranet.apps.eighth.models.EighthActivity\_groups\_allowed  
attribute), 82  
objects (intranet.apps.eighth.models.EighthActivity\_rooms  
attribute), 83  
objects (intranet.apps.eighth.models.EighthActivity\_similarities  
attribute), 84  
objects (intranet.apps.eighth.models.EighthActivity\_sponsors  
attribute), 84  
objects (intranet.apps.eighth.models.EighthActivity\_users\_allowed  
attribute), 85  
objects (intranet.apps.eighth.models.EighthActivity\_users\_blacklisted  
attribute), 86  
objects (intranet.apps.eighth.models.EighthActivitySimilarity  
attribute), 81  
objects (intranet.apps.eighth.models.EighthBlock at-  
tribute), 89  
objects (intranet.apps.eighth.models.EighthBlock\_override\_blocks  
attribute), 91  
objects (intranet.apps.eighth.models.EighthRoom at-  
tribute), 92  
objects (intranet.apps.eighth.models.EighthScheduledActivity  
attribute), 98  
objects (intranet.apps.eighth.models.EighthScheduledActivity\_rooms  
attribute), 100  
objects (intranet.apps.eighth.models.EighthScheduledActivity\_sponsors  
attribute), 101  
objects (intranet.apps.eighth.models.EighthSignup at-  
tribute), 102  
objects (intranet.apps.eighth.models.EighthSponsor  
attribute), 106  
objects (intranet.apps.eighth.models.EighthWaitlist  
attribute), 107  
objects (intranet.apps.eighth.models.EighthWaitlistUserMap  
attribute), 107  
objects (intranet.apps.eighth.models.EighthWaitlistUserMap  
attribute), 127  
objects (intranet.apps.eighth.models.EighthWaitlistUserMap  
attribute), 133  
objects (intranet.apps.events.models.Event attending  
attribute), 138

objects ( <i>intranet.apps.events.models.Event_groups</i> attribute), 139	objects ( <i>intranet.apps.polls.models.Answer</i> attribute), 176
objects ( <i>intranet.apps.events.models.Event_links</i> attribute), 139	objects ( <i>intranet.apps.polls.models.AnswerVote</i> attribute), 177
objects ( <i>intranet.apps.events.models.EventUserMap</i> attribute), 136	objects ( <i>intranet.apps.polls.models.AnswerVote_users</i> attribute), 178
objects ( <i>intranet.apps.events.models.EventUserMap_users</i> attribute), 137	objects ( <i>intranet.apps.polls.models.Choice</i> attribute), 179
objects ( <i>intranet.apps.events.models.Link</i> attribute), 140	objects ( <i>intranet.apps.polls.models.Poll</i> attribute), 181
objects ( <i>intranet.apps.events.models.TJStarUUIDMap</i> attribute), 140	objects ( <i>intranet.apps.polls.models.Poll_groups</i> attribute), 182
objects ( <i>intranet.apps.features.models.FeatureAnnouncement</i> attribute), 143	objects ( <i>intranet.apps.polls.models.Question</i> attribute), 184
objects ( <i>intranet.apps.features.models.FeatureAnnouncement</i> attribute), 145	objects ( <i>intranet.apps.printing.models.PrintJob</i> attribute), 191
objects ( <i>intranet.apps.features.models.FeatureAnnouncement</i> attribute), 146	objects ( <i>intranet.apps.schedule.models.Block</i> attribute), 195
objects ( <i>intranet.apps.feedback.models.Feedback</i> attribute), 147	objects ( <i>intranet.apps.schedule.models.CodeName</i> attribute), 196
objects ( <i>intranet.apps.files.models.Host</i> attribute), 149	objects ( <i>intranet.apps.schedule.models.Day</i> attribute), 197
objects ( <i>intranet.apps.files.models.Host_groups_visible</i> attribute), 150	objects ( <i>intranet.apps.schedule.models.DayType</i> attribute), 198
objects ( <i>intranet.apps.groups.models.Group</i> attribute), 152	objects ( <i>intranet.apps.schedule.models.DayType_blocks</i> attribute), 199
objects ( <i>intranet.apps.groups.models.GroupProperties</i> attribute), 153	objects ( <i>intranet.apps.schedule.models.DayType_codenames</i> attribute), 200
objects ( <i>intranet.apps.itemreg.models.CalculatorRegistration</i> attribute), 156	objects ( <i>intranet.apps.schedule.models.Time</i> attribute), 200
objects ( <i>intranet.apps.itemreg.models.ComputerRegistration</i> attribute), 157	objects ( <i>intranet.apps.seniors.models.College</i> attribute), 204
objects ( <i>intranet.apps.itemreg.models.PhoneRegistration</i> attribute), 158	objects ( <i>intranet.apps.seniors.models.Senior</i> attribute), 205
objects ( <i>intranet.apps.lostfound.models.FoundItem</i> attribute), 161	objects ( <i>intranet.apps.sessionmgmt.models.TrustedSession</i> attribute), 207
objects ( <i>intranet.apps.lostfound.models.LostItem</i> attribute), 162	objects ( <i>intranet.apps.signage.models.Page</i> attribute), 209
objects ( <i>intranet.apps.nomination.models.Nomination</i> attribute), 163	objects ( <i>intranet.apps.signage.models.Sign</i> attribute), 212
objects ( <i>intranet.apps.nomination.models.NominationPosition</i> attribute), 164	objects ( <i>intranet.apps.signage.models.Sign_pages</i> attribute), 212
objects ( <i>intranet.apps.notifications.models.GCMNotification</i> attribute), 166	objects ( <i>intranet.apps.users.models.Address</i> attribute), 220
objects ( <i>intranet.apps.notifications.models.GCMNotification</i> attribute), 167	objects ( <i>intranet.apps.users.models.Course</i> attribute), 220
objects ( <i>intranet.apps.notifications.models.NotificationConfig</i> attribute), 168	objects ( <i>intranet.apps.users.models.Email</i> attribute), 221
objects ( <i>intranet.apps.parking.models.CarApplication</i> attribute), 172	objects ( <i>intranet.apps.users.models.Phone</i> attribute), 222
objects ( <i>intranet.apps.parking.models.ParkingApplication</i> attribute), 173	objects ( <i>intranet.apps.users.models.Photo</i> attribute), 223
objects ( <i>intranet.apps.parking.models.ParkingApplication</i> attribute), 174	objects ( <i>intranet.apps.users.models.Section</i> attribute), 224

objects (*intranet.apps.users.models.User* attribute), ordering (*intranet.apps.itemreg.admin.CalculatorRegistrationAdmin* attribute), 154  
objects (*intranet.apps.users.models.User\_groups* attribute), 249 ordering (*intranet.apps.itemreg.admin.ComputerRegistrationAdmin* attribute), 154  
objects (*intranet.apps.users.models.User\_permissions* attribute), 249 ordering (*intranet.apps.itemreg.admin.PhoneRegistrationAdmin* attribute), 154  
objects (*intranet.apps.users.models.UserDarkModeProperties* attribute), 244 ordering (*intranet.apps.lostfound.admin.FoundItemAdmin* attribute), 159  
objects (*intranet.apps.users.models.UserProperties* attribute), 246 ordering (*intranet.apps.lostfound.admin.LostItemAdmin* attribute), 159  
objects (*intranet.apps.users.models.UserProperties\_schedule* attribute), 248 ordering (*intranet.apps.parking.admin.CarAdmin* attribute), 169  
objects (*intranet.apps.users.models.Website* attribute), ordering (*intranet.apps.parking.admin.ParkingAdmin* attribute), 170  
one\_a\_day (*intranet.apps.eighth.HistoricalEighthActivity* attribute), 115 ordering (*intranet.apps.printing.admin.PrintJobAdmin* attribute), 189  
one\_a\_day (*intranet.apps.eighth.models.EighthActivity* attribute), 74, 78 out\_of\_building\_schedules\_view()  
OnePagePagination (class in *intranet.apps.schedule.api*), 194 (in-  
online\_attendance (in-  
online\_attendance (in-  
online\_attendance (in-  
open\_passes\_view() (in module in-  
open\_to (*intranet.apps.events.models.Event* attribute), 131, 133  
order (*intranet.apps.schedule.models.Block* attribute), 195  
order (*intranet.apps.signage.models.Page* attribute), 209  
order\_properly() (in-  
ordering (*intranet.apps.announcements.admin.AnnouncementAdmin* attribute), 27 page\_size (intranet.apps.eighth.views.api.BlockPagination attribute), 68  
ordering (*intranet.apps.eighth.admin.EighthActivityAdmin* attribute), 71 page\_size (intranet.apps.schedule.api.OnePagePagination attribute), 194  
ordering (*intranet.apps.eighth.admin.EighthBlockAdmin* attribute), 71 page\_size\_query\_param (in-  
ordering (*intranet.apps.eighth.admin.EighthRoomAdmin* attribute), 71 page\_size\_query\_param (in-  
ordering (*intranet.apps.eighth.admin.EighthScheduledActivityAdmin* attribute), 71 page\_size\_query\_param (in-  
ordering (*intranet.apps.eighth.admin.EighthSignupAdmin* attribute), 72 pageAdmin (class in *intranet.apps.signage.admin*), 208  
ordering (*intranet.apps.eighth.admin.EighthSponsorAdmin* attribute), 72 PageQuerySet (class in *intranet.apps.signage.models*), 210  
ordering (*intranet.apps.feedback.admin.FeedbackAdmin* attribute), 147 pages (intranet.apps.signage.models.Sign attribute), 212

## P

Page (class in *intranet.apps.signage.models*), 209  
page (intranet.apps.signage.models.Sign\_pages attribute), 212  
Page.DoesNotExist, 209  
Page.MultipleObjectsReturned, 209  
page\_id (intranet.apps.signage.models.Sign\_pages attribute), 213  
page\_range (intranet.apps.printing.models.PrintJob attribute), 189, 191  
page\_size (intranet.apps.eighth.views.api.BlockPagination attribute), 68  
page\_size (intranet.apps.schedule.api.OnePagePagination attribute), 194  
page\_size\_query\_param (intranet.apps.eighth.views.api.BlockPagination attribute), 68  
page\_size\_query\_param (intranet.apps.schedule.api.OnePagePagination attribute), 194  
PageAdmin (class in *intranet.apps.signage.admin*), 208  
PageQuerySet (class in *intranet.apps.signage.models*), 210  
pages (intranet.apps.signage.models.Sign attribute), 212

paginate\_announcements\_list() (in module `intranet.apps.dashboard.views`), 51  
 pagination\_class (in-  
     
         attribute), 68  
 pagination\_class (in-  
     
         attribute), 194  
 parent\_show\_address (in-  
     
         attribute), 246  
 parent\_show\_birthday (in-  
     
         attribute), 246  
 parent\_show\_eighth (in-  
     
         attribute), 246  
 parent\_show\_pictures (in-  
     
         attribute), 246  
 parent\_show\_schedule (in-  
     
         attribute), 247  
 parent\_show\_telephone (in-  
     
         attribute), 247  
 ParkingAdmin (class in `intranet.apps.parking.admin`), 169  
 ParkingApplication (class in `intranet.apps.parking.models`), 172  
 parkingapplication (in-  
     
         attribute), 174  
 parkingapplication (in-  
     
         attribute), 237  
 ParkingApplication.DoesNotExist, 172  
 ParkingApplication.MultipleObjectsReturned, 172  
 ParkingApplication\_cars (class in `intranet.apps.parking.models`), 174  
 ParkingApplication\_cars.DoesNotExist, 174  
 ParkingApplication\_cars.MultipleObjectsReturned, 174  
 parkingapplication\_id (in-  
     
         attribute), 174  
 parkingapplication\_joint (in-  
     
         attribute), 237  
 parkingapplication\_set (in-  
     
         attribute), 172  
 ParkingApplicationForm (class in `intranet.apps.parking.forms`), 170  
 ParkingApplicationForm.Meta (class in `intranet.apps.parking.forms`), 171  
 ParkingConfig (class in `intranet.apps.parking.apps`), 170  
 ParkingTest (class in `intranet.apps.parking.tests`), 175  
 parse\_db\_url() (in module `intranet.utils.helpers`), 260  
 pass\_accepted (in-  
     
         attribute), 123  
 pass\_accepted (in-  
     
         attribute), 101, 102  
 password (intranet.apps.auth.forms.AuthenticateForm  
     attribute), 46  
 perc() (in module `intranet.apps.polls.views`), 185  
 period (intranet.apps.users.models.Section  
     attribute), 224  
 period\_start\_end\_data() (in module `intranet.apps.schedule.notifications`), 201  
 perma\_reverse() (in module `intranet.apps.api.views`), 43  
 permission (intranet.apps.users.models.User\_user\_permissions  
     attribute), 249  
 permission\_classes (in-  
     
         attribute), 28  
 permission\_classes (in-  
     
         attribute), 28  
 permission\_classes (in-  
     
         attribute), 48  
 permission\_classes (in-  
     
         attribute), 68  
 permission\_classes (in-  
     
         attribute), 68  
 permission\_classes (in-  
     
         attribute), 68  
 permission\_classes (in-  
     
         attribute), 68  
 permission\_classes (in-  
     
         attribute), 193

permission\_classes  
            194  
    ) (in-attribute),  
    permission\_classes  
                    217  
        ) (in-attribute),  
    permission\_classes  
                    attribute),  
            217  
    ) (in-attribute),  
    permission\_classes  
                    attribute),  
            217  
    ) (in-attribute),  
    permission\_id  
                    attribute),  
            249  
permissions () (intranet.apps.users.models.User  
    property),  
    238  
Phone (class in intranet.apps.users.models),  
    222  
Phone.DoesNotExist, 222  
Phone.MultipleObjectsReturned, 222  
phone\_name () (intranet.apps.itemreg.models.PhoneRegistration  
    property),  
    158  
PhoneField (class in intranet.apps.preferences.fields),  
    185  
PhoneForm (class in intranet.apps.preferences.forms),  
    186  
PhoneForm.Meta (class in  
        187  
PhoneFormField (class in  
        186  
PhoneRegistration (class in  
        157  
PhoneRegistration.DoesNotExist, 157  
PhoneRegistration.MultipleObjectsReturned  
post () (intranet.apps.auth.views.LoginView  
    method),  
    47  
phoneregistration\_set  
            238  
    ) (in-attribute),  
    PhoneRegistrationAdmin (class  
        in  
                154  
    ) (in-attribute),  
    PhoneRegistrationForm (class  
        in  
                155  
    ) (in-attribute),  
    PhoneRegistrationForm.Meta (class  
        in  
                155  
    ) (in-attribute),  
    phones (intranet.apps.users.models.User  
    attribute),  
    238  
Photo (class in intranet.apps.users.models),  
    222  
Photo.DoesNotExist, 222  
Photo.MultipleObjectsReturned, 223  
photos (intranet.apps.users.models.User  
    attribute),  
    238  
picture\_view () (in  
    module  
        in  
                253  
    ) (in-attribute),  
    pinned (intranet.apps.announcements.models.Announcement  
    attribute),  
    31  
pinned () (intranet.apps.events.models.Event  
    property),  
    134  
    (in-attribute),  
    poll (intranet.apps.polls.models.Poll\_groups  
    attribute),  
    182  
    poll (intranet.apps.polls.models.Question  
    attribute),  
    183, 184  
    Poll.DoesNotExist, 180  
    Poll.MultipleObjectsReturned, 180  
    Poll\_groups (class in  
        intranet.apps.polls.models),  
        182  
    Poll\_groups.DoesNotExist, 182  
    Poll\_groups.MultipleObjectsReturned, 182  
    poll\_id (intranet.apps.polls.models.Poll\_groups  
    attribute),  
    182  
    poll\_id (intranet.apps.polls.models.Question  
    attribute),  
    184  
    PollForm (class in  
        intranet.apps.polls.forms),  
        175  
    PollForm.Meta (class in  
        intranet.apps.polls.forms),  
        175  
    PollManager (class in  
        intranet.apps.polls.models),  
        182  
    PollQuerySet (class in  
        intranet.apps.polls.models),  
        182  
    position (intranet.apps.nomination.models.Nomination  
    attribute),  
    163  
    position\_id (intranet.apps.nomination.models.Nomination  
    attribute),  
    163  
    position\_in\_waitlist ()  
        (in-  
                method),  
        108  
    ) (in-attribute),  
    position\_name  
        (in-  
                attribute),  
        164  
    ) (in-attribute),  
    posted () (intranet.apps.auth.views.LoginView  
    method),  
    47  
    postal\_code (intranet.apps.users.models.Address  
    attribute),  
    219, 220  
    posted (intranet.apps.announcements.models.AnnouncementRequest  
    attribute),  
    32, 33  
    posted\_by (intranet.apps.announcements.models.AnnouncementRequest  
    attribute),  
    32, 33  
    posted\_by (intranet.apps.users.models.User  
    attribute),  
    238  
    posted\_by\_id (intranet.apps.announcements.models.AnnouncementRequest  
    attribute),  
    33  
    posted\_id (intranet.apps.announcements.models.AnnouncementRequest  
    attribute),  
    33  
    preferences\_view () (in  
        module  
            in  
                        188  
    ) (in-attribute),  
    PreferencesFormTest (class  
        in  
                188  
    ) (in-attribute),  
    PreferencesTest (class  
        in  
                188  
    ) (in-attribute),  
    preferred\_photo (intranet.apps.users.models.User  
    attribute),  
    238

**preferred\_photo\_id** (*intranet.apps.users.models.User* attribute), [63](#)  
**PreferredPictureForm** (*class in intranet.apps.preferences.forms*), [187](#)  
**prepare\_value()** (*intranet.apps.preferences.fields.PhoneFormField static method*), [186](#)  
**presign** (*intranet.apps.eighth.HistoricalEighthActivity attribute*), [115](#)  
**presign** (*intranet.apps.eighth.models.EighthActivity attribute*), [73, 78](#)  
**prev\_record()** (*intranet.apps.eighth.HistoricalEighthActivity property*), [115](#)  
**prev\_record()** (*intranet.apps.eighth.HistoricalEighthBlock property*), [117](#)  
**prev\_record()** (*intranet.apps.eighth.HistoricalEighthRoom property*), [118](#)  
**prev\_record()** (*intranet.apps.eighth.HistoricalEighthScheduledActivity property*), [121](#)  
**prev\_record()** (*intranet.apps.eighth.HistoricalEighthSignup property*), [123](#)  
**prev\_record()** (*intranet.apps.eighth.HistoricalEighthSponsor property*), [126](#)  
**previous\_activity\_name** (*intranet.apps.eighth.HistoricalEighthSignup attribute*), [123](#)  
**previous\_activity\_name** (*intranet.apps.eighth.models.EighthSignup attribute*), [101, 103](#)  
**previous\_activity\_sponsors** (*intranet.apps.eighth.HistoricalEighthSignup attribute*), [123](#)  
**previous\_activity\_sponsors** (*intranet.apps.eighth.models.EighthSignup attribute*), [101, 103](#)  
**previous\_blocks()** (*intranet.apps.eighth.models.EighthBlock method*), [89](#)  
**primary\_email** (*intranet.apps.users.models.User attribute*), [239](#)  
**primary\_email\_address()** (*intranet.apps.users.models.User property*), [239](#)  
**primary\_email\_id** (*intranet.apps.users.models.User attribute*), [239](#)  
**print\_block\_rovers\_view()** (*in module* in *tranet.apps.eighth.views.admin.blocks*), [63](#)  
**print\_job()** (*in module* in *intranet.apps.printing.views*), [192](#)  
**printed** (*intranet.apps.printing.models.PrintJob attribute*), [190, 191](#)  
**printer** (*intranet.apps.printing.models.PrintJob attribute*), [189, 191](#)  
**PrintingTest** (*class in intranet.apps.printing.tests*), [192](#)  
**PrintJob** (*class in intranet.apps.printing.models*), [189](#)  
**PrintJob.DoesNotExist**, [190](#)  
**PrintJob.MultipleObjectsReturned**, [190](#)  
**printjob\_set** (*intranet.apps.users.models.User attribute*), [239](#)  
**PrintJobAdmin** (*class in intranet.apps.printing.admin*), [189](#)  
**PrintJobForm** (*class in intranet.apps.printing.forms*), [189](#)  
**PrintJobForm.Meta** (*class in intranet.apps.printing.forms*), [189](#)  
**privacy\_options\_view()** (*in module* in *intranet.apps.preferences.views*), [188](#)  
**PrivacyOptionsForm** (*class in intranet.apps.preferences.forms*), [187](#)  
**process\_exception()** (*in tranet.middleware.traceback.UserTracebackMiddleware method*), [257](#)  
**process\_question\_data()** (*in module* in *intranet.apps.polls.views*), [185](#)  
**process\_request()** (*in tranet.middleware.profiler.ProfileMiddleware method*), [256](#)  
**process\_response()** (*in tranet.middleware.profiler.ProfileMiddleware method*), [256](#)  
**process\_scheduled\_activity()** (*in tranet.apps.eighth.serializers.EighthBlockDetailSerializer method*), [109](#)  
**process\_view()** (*in tranet.middleware.profiler.ProfileMiddleware method*), [256](#)  
**process\_view()** (*in tranet.middleware.threadlocals.ThreadLocalsMiddleware static method*), [257](#)  
**profile\_view()** (*in module* in *intranet.apps.users.views*), [253](#)  
**ProfileDetail** (*class in intranet.apps.users.api*), [217](#)  
**ProfileEditForm** (*class in intranet.apps.users.forms*), [218](#)  
**ProfileEditForm.Meta** (*class in intranet.apps.users.forms*), [218](#)  
**ProfileMiddleware** (*class in intranet.middleware.profiler*), [255](#)  
**ProfilePictureDetail** (*class in intranet.apps.users.forms*), [218](#)

<i>tranet.apps.users.api)</i> , 217	<i>question_set (intranet.apps.polls.models.Poll attribute)</i> , 181
<i>ProfileTest (class in intranet.apps.users.tests)</i> , 252	<i>QuickActivityForm (class in intranet.apps.eighth.forms.admin.activities)</i> , 55
<i>prometheus_metrics () (in module in intranet.apps.signage.views)</i> , 213	<i>QuickActivityForm.Meta (class in intranet.apps.eighth.forms.admin.activities)</i> , 55
<i>PrometheusAccessMiddleware (class in intranet.middleware.monitoring)</i> , 255	<i>QuickBlockForm (class in intranet.apps.eighth.forms.admin.blocks)</i> , 56
<i>properties (intranet.apps.users.models.User attribute)</i> , 239	<i>QuickBlockForm.Meta (class in intranet.apps.eighth.forms.admin.blocks)</i> , 57
<i>properties () (intranet.apps.groups.models.Group property)</i> , 152	<i>QuickGroupForm (class in intranet.apps.eighth.forms.admin.groups)</i> , 58
<i>public (intranet.apps.events.models.Event attribute)</i> , 131, 134	<i>QuickGroupForm.Meta (class in intranet.apps.eighth.forms.admin.groups)</i> , 58
<i>purpose (intranet.apps.users.models.Phone attribute)</i> , 222	
<i>PURPOSES (intranet.apps.users.models.Phone attribute)</i> , 222	
<b>Q</b>	<b>R</b>
<i>query () (in module intranet.apps.search.views)</i> , 203	<i>random_choice_set () (intranet.apps.polls.models.Question property)</i> , 185
<i>queryset (intranet.apps.eighth.views.api.EighthActivityDetail attribute)</i> , 68	<i>raw_id_fields (intranet.apps.announcements.admin.AnnouncementAdmin attribute)</i> , 69
<i>queryset (intranet.apps.eighth.views.api.EighthActivityList attribute)</i> , 68	<i>raw_id_fields (intranet.apps.eighth.views.api.EighthSignupDetail attribute)</i> , 69
<i>queryset (intranet.apps.eighth.views.api.EighthSignupDetail attribute)</i> , 69	<i>raw_id_fields (intranet.apps.eighth.views.api.EighthUserFavoritesAdd attribute)</i> , 27
<i>queryset (intranet.apps.eighth.views.api.EighthUserFavoritesAdd attribute)</i> , 69	<i>raw_id_fields (intranet.apps.eighth.views.api.EighthUserFavoritesListToggle attribute)</i> , 69
<i>queryset (intranet.apps.eighth.views.api.EighthUserFavoritesListToggle attribute)</i> , 69	<i>raw_id_fields (intranet.apps.eighth.views.api.EighthUserFavoritesRemove attribute)</i> , 69
<i>queryset (intranet.apps.eighth.views.api.EighthUserFavoritesRemove attribute)</i> , 69	<i>raw_id_fields (intranet.apps.feedback.admin.FeedbackAdmin attribute)</i> , 147
<i>queryset (intranet.apps.eighth.views.api.EighthUserSignupListAdd attribute)</i> , 69	<i>raw_id_fields (intranet.apps.itemreg.admin.CalculatorRegistrationAdmin attribute)</i> , 154
<i>queryset (intranet.apps.schedule.api.DayDetail attribute)</i> , 193	<i>raw_id_fields (intranet.apps.itemreg.admin.ComputerRegistrationAdmin attribute)</i> , 154
<i>queryset (intranet.apps.users.api.Search attribute)</i> , 217	<i>raw_id_fields (intranet.apps.itemreg.admin.PhoneRegistrationAdmin attribute)</i> , 154
<i>Question (class in intranet.apps.polls.models)</i> , 183	<i>raw_id_fields (intranet.apps.lostfound.admin.FoundItemAdmin attribute)</i> , 159
<i>question (intranet.apps.polls.models.Answer attribute)</i> , 176	<i>raw_id_fields (intranet.apps.lostfound.admin.LostItemAdmin attribute)</i> , 159
<i>question (intranet.apps.polls.models.AnswerVote attribute)</i> , 177	<i>raw_id_fields (intranet.apps.parking.admin.CarAdmin attribute)</i> , 169
<i>question (intranet.apps.polls.models.Choice attribute)</i> , 179	<i>raw_id_fields (intranet.apps.parking.admin.ParkingAdmin attribute)</i> , 170
<i>question (intranet.apps.polls.models.Question attribute)</i> , 183, 185	<i>raw_id_fields (intranet.apps.parking.admin.ParkingAdmin attribute)</i> , 170
<i>Question.DoesNotExist</i> , 183	
<i>Question.MultipleObjectsReturned</i> , 183	
<i>question_id (intranet.apps.polls.models.Answer attribute)</i> , 176	
<i>question_id (intranet.apps.polls.models.AnswerVote attribute)</i> , 177	
<i>question_id (intranet.apps.polls.models.Choice attribute)</i> , 180	

*tranet.apps.printing.admin.PrintJobAdmin*  
*attribute), 189*  
*raw\_roster\_view() (in module in-*  
*tranet.apps.eighth.views.attendance), 70*  
*reauthentication\_required() (in module in-*  
*tranet.apps.auth.decorators), 45*  
*reauthentication\_view() (in module in-*  
*tranet.apps.auth.views), 47*  
*receive() (intranet.routing.WebsocketCloseConsumer*  
*method), 261*  
*receive\_eighth\_emails (in-*  
*tranet.apps.users.models.User*  
*attribute), 239*  
*receive\_json() (in-*  
*tranet.apps.bus.consumers.BusConsumer*  
*method), 48*  
*receive\_json() (in-*  
*tranet.apps.signage.consumers.SignageConsumer*  
*method), 208*  
*receive\_news\_emails (in-*  
*tranet.apps.users.models.User*  
*attribute), 239*  
*receive\_schedule\_notifications (in-*  
*tranet.apps.users.models.User*  
*attribute), 239*  
*recommended\_activities() (in-*  
*tranet.apps.users.models.User*  
*attribute), 240*  
*reject\_pass() (in-*  
*tranet.apps.eighth.models.EighthSignup*  
*method), 103*  
*rejected (intranet.apps.announcements.models.AnnouncementRequest*  
*attribute), 32, 33*  
*rejected (intranet.apps.events.models.Event*  
*attribute), 131, 134*  
*rejected\_by (intranet.apps.announcements.models.AnnouncementRequest*  
*attribute), 33*  
*rejected\_by (intranet.apps.events.models.Event*  
*attribute), 131, 134*  
*rejected\_by (intranet.apps.users.models.User*  
*attribute), 240*  
*rejected\_by\_id (in-*  
*tranet.apps.announcements.models.AnnouncementRequest*  
*attribute), 34*  
*rejected\_by\_id (intranet.apps.events.models.Event*  
*attribute), 134*  
*rejected\_event (intranet.apps.users.models.User*  
*attribute), 240*  
*remove\_duplicates\_view() (in module in-*  
*tranet.apps.eighth.views.admin.scheduling),*  
*66*  
*remove\_member\_from\_group\_view() (in mod-*  
*ule intranet.apps.eighth.views.admin.groups),*  
*65*  
*remove\_signup() (in-*  
*tranet.apps.eighth.models.EighthSignup*  
*method), 103*  
*render() (intranet.apps.users.renderers.JPEGRenderer*  
*method), 251*  
*render\_page() (in module in-*  
*tranet.apps.signage.templatetags.signage),*  
*208*  
*render\_style (intranet.apps.users.renderers.JPEGRenderer*  
*attribute), 251*  
*renderer\_classes (in-*  
*tranet.apps.users.api.ProfilePictureDetail*  
*attribute), 217*  
*replace\_newtab\_links() (in module in-*  
*tranet.apps.templatetags.newtab\_links), 215*  
*request() (in module in-*  
*tranet.middleware.threadlocals), 257*  
*request\_announcement\_email() (in module in-*  
*tranet.apps.announcements.notifications), 40*  
*request\_announcement\_success\_self\_view() (in*  
*module intranet.apps.announcements.views), 41*  
*request\_announcement\_success\_view() (in*  
*module intranet.apps.announcements.views), 41*  
*request\_announcement\_view() (in module in-*  
*tranet.apps.announcements.views), 41*  
*reset\_password\_view() (in module in-*  
*tranet.apps.auth.views), 47*  
*reset\_status() (intranet.apps.bus.models.Route*  
*method), 49*  
*restricted (intranet.apps.eighth.HistoricalEighthActivity*  
*attribute), 115*  
*restricted (intranet.apps.eighth.HistoricalScheduledActivity*  
*attribute), 121*  
*restricted (intranet.apps.eighth.models.EighthActivity*  
*attribute), 74, 78*  
*restricted (intranet.apps.eighth.models.EighthScheduledActivity*  
*attribute), 98*  
*restricted\_activities\_available\_to\_user() (intranet.apps.eighth.models.EighthActivity*  
*class method), 78*  
*restricted\_activity\_set (in-*  
*tranet.apps.users.models.User*  
*attribute), 240*  
*retrieve() (intranet.apps.users.api.ProfileDetail*  
*method), 217*  
*retrieve() (intranet.apps.users.api.ProfilePictureDetail*  
*method), 217*  
*retrieve() (intranet.apps.users.api.Search method),*  
*217*  
*retrieved (intranet.apps.lostfound.models.FoundItem*  
*attribute), 161*  
*RetrieveUpdateDestroyAnnouncement (class*

in `intranet.apps.announcements.api`), 28  
`revert_url()` (`intranet.apps.eighth.HistoricalEighthActivity` (class in `intranet.middleware.same_origin`), 256  
method), 115  
`revert_url()` (`intranet.apps.eighth.HistoricalEighthBlock` (class in `intranet.apps.signage.models.Page` attribute), 209  
method), 117  
`revert_url()` (`intranet.apps.eighth.HistoricalEighthRoom` (class in `intranet.apps.eighth.models.EighthBlock` attribute), 89  
method), 118  
`revert_url()` (`intranet.apps.eighth.HistoricalEighthScheduledActivity` (class in `intranet.apps.eighth.models.EighthScheduledActivity` attribute), 98  
method), 121  
`revert_url()` (`intranet.apps.eighth.HistoricalEighthSignup` (class in `intranet.apps.eighth.models.EighthSignup` attribute), 103  
method), 123  
`revert_url()` (`intranet.apps.eighth.HistoricalEighthSponsor` (class in `intranet.apps.preferences.views`), 188  
method), 126  
`revoke_session_view()` (in module `intranet.apps.sessionmgmt.views`), 207  
`room` (`intranet.apps.users.models.Section` attribute), 224  
`room_sanity_check_view()` (in module `intranet.apps.eighth.views.admin.rooms`), 66  
`room_utilization_action()` (in module `intranet.apps.eighth.views.admin.rooms`), 66  
`room_utilization_for_block_view()` (in module `intranet.apps.eighth.views.admin.rooms`), 66  
`room_utilization_view()` (in module `intranet.apps.eighth.views.admin.rooms`), 66  
`RoomForm` (class in `intranet.apps.eighth.forms.admin.rooms`), 59  
`RoomForm.Meta` (class in `intranet.apps.eighth.forms.admin.rooms`), 59  
`rooms` (`intranet.apps.eighth.models.EighthActivity` attribute), 73, 78  
`rooms` (`intranet.apps.eighth.models.EighthScheduledActivity` attribute), 93, 98  
`round_num()` (in module `intranet.apps.templatetags.math`), 214  
`Route` (class in `intranet.apps.bus.models`), 49  
`Route.DoesNotExist`, 49  
`Route.MultipleObjectsReturned`, 49  
`route_name` (`intranet.apps.bus.models.Route` attribute), 49  
`RouteDetail` (class in `intranet.apps.bus.api`), 48  
`RouteList` (class in `intranet.apps.bus.api`), 48  
`RouteSerializer` (class in `intranet.apps.bus.serializers`), 50  
`RouteSerializer.Meta` (class in `intranet.apps.bus.serializers`), 50  
`run_tests()` (in module `intranet.test.test_suite`), 258

**S**

`safe_fcps_emerg_html()` (in module `intranet.utils.html`), 260  
`safe_html()` (in module `intranet.utils.html`), 260  
`safe_json()` (in module `intranet.utils.serialization`), 261

`SameOriginMiddleware` (class in `intranet.middleware.same_origin`), 256  
`sandbox` (`intranet.apps.signage.models.Page` attribute), 209  
`save()` (`intranet.apps.eighth.models.EighthBlock` attribute), 89  
`save()` (`intranet.apps.eighth.models.EighthScheduledActivity` attribute), 98  
`save()` (`intranet.apps.eighth.models.EighthSignup` attribute), 103  
`save_bus_route()` (in module `intranet.apps.preferences.views`), 188  
`save_dark_mode_settings()` (in module `intranet.apps.preferences.views`), 188  
`save_gcm_options()` (in module `intranet.apps.preferences.views`), 188  
`save_notification_options()` (in module `intranet.apps.preferences.views`), 188  
`save_personal_info()` (in module `intranet.apps.preferences.views`), 188  
`save_preferred_pic()` (in module `intranet.apps.preferences.views`), 188  
`save_privacy_options()` (in module `intranet.apps.preferences.views`), 188  
`save_without_historical_record()` (in module `intranet.apps.eighth.models.EighthActivity` method), 79  
`save_without_historical_record()` (in module `intranet.apps.eighth.models.EighthBlock` method), 89  
`save_without_historical_record()` (in module `intranet.apps.eighth.models.EighthRoom` method), 93  
`save_without_historical_record()` (in module `intranet.apps.eighth.models.EighthScheduledActivity` method), 98  
`save_without_historical_record()` (in module `intranet.apps.eighth.models.EighthSignup` method), 103  
`save_without_historical_record()` (in module `intranet.apps.eighth.models.EighthSponsor` method), 106  
`schedule()` (`intranet.apps.users.models.User` property), 240  
`schedule_activity()` (in module `intranet.apps.eighth.tests.EighthTest` method), 111  
`schedule_activity_view()` (in module `intranet.apps.eighth.views.admin.scheduling`), 66  
`schedule_context()` (in module `intranet.apps.schedule.views`), 202  
`schedule_embed()` (in module `intranet.apps.schedule.views`), 202

schedule\_view() (in module *tranet.apps.schedule.views*), 202  
 schedule\_widget\_view() (in module *tranet.apps.schedule.views*), 202  
 scheduled\_activity (in *tranet.apps.eighth.HistoricalEighthSignup attribute*), 123  
 scheduled\_activity (in *tranet.apps.eighth.models.EighthSignup attribute*), 101, 103  
 scheduled\_activity (in *tranet.apps.eighth.models.EighthWaitlist attribute*), 107  
 scheduled\_activity (in *tranet.apps.events.models.Event attribute*), 130, 134  
 scheduled\_activity\_id (in *tranet.apps.eighth.HistoricalEighthSignup attribute*), 124  
 scheduled\_activity\_id (in *tranet.apps.eighth.models.EighthSignup attribute*), 103  
 scheduled\_activity\_id (in *tranet.apps.eighth.models.EighthWaitlist attribute*), 107  
 scheduled\_activity\_id (in *tranet.apps.events.models.Event attribute*), 134  
 scheduled\_activity\_info() (in *tranet.apps.eighth.serializers.EighthSignupSerializer method*), 110  
 ScheduledActivityForm (class in *tranet.apps.eighth.forms.admin.scheduling*), 59  
 ScheduledActivityForm.Meta (class in *tranet.apps.eighth.forms.admin.scheduling*), 59  
 ScheduledActivityMultiSelectForm (class in *tranet.apps.eighth.forms.admin.activities*), 55  
 ScheduleTest (class in *intranet.apps.schedule.tests*), 202  
 screen\_size (*intranet.apps.itemreg.models.ComputerRegistration*.attribute), 157  
 Search (class in *intranet.apps.users.api*), 217  
 Section (class in *intranet.apps.users.models*), 223  
 section (in *intranet.apps.users.models.UserProperties\_schedule attribute*), 248  
 Section.DoesNotExist, 223  
 Section.MultipleObjectsReturned, 223  
 section\_id (*intranet.apps.users.models.Section attribute*), 224  
 section\_id (*intranet.apps.users.models.UserProperties\_ScheduleManager attribute*), 248  
 section\_set (*intranet.apps.users.models.User*.seniors\_allowed)

attribute), 240  
 sections (*intranet.apps.users.models.Course attribute*), 221  
 seen (*intranet.utils.helpers.MigrationMock attribute*), 259  
 seen\_welcome (*intranet.apps.users.models.User attribute*), 241  
 self\_show\_address (in *tranet.apps.users.models.UserProperties attribute*), 247  
 self\_show\_birthday (in *tranet.apps.users.models.UserProperties attribute*), 247  
 self\_show\_eighth (in *tranet.apps.users.models.UserProperties attribute*), 247  
 self\_show\_pictures (in *tranet.apps.users.models.UserProperties attribute*), 247  
 self\_show\_schedule (in *tranet.apps.users.models.UserProperties attribute*), 247  
 self\_show\_telephone (in *tranet.apps.users.models.UserProperties attribute*), 247  
 sem (*intranet.apps.users.models.Section attribute*), 224  
 send\_feedback\_email() (in module *intranet.apps.feedback.views*), 148  
 send\_feedback\_view() (in module *intranet.apps.feedback.views*), 148  
 Senior (class in *intranet.apps.seniors.models*), 205  
 senior (*intranet.apps.users.models.User attribute*), 241  
 Senior.DoesNotExist, 205  
 Senior.MultipleObjectsReturned, 205  
 senior\_set (*intranet.apps.seniors.models.College attribute*), 204  
 SeniorEmailForward (class in *intranet.apps.emailfwd.models*), 127  
 SeniorEmailForward.DoesNotExist, 127  
 SeniorEmailForward.MultipleObjectsReturned, 127  
 emailforward\_set (in *tranet.apps.users.models.User attribute*), 241  
 SeniorEmailForwardForm (class in *intranet.apps.emailfwd.forms*), 127  
 SeniorEmailForwardForm.Meta (class in *intranet.apps.emailfwd.forms*), 127  
 SeniorForm (class in *intranet.apps.seniors.forms*), 204  
 SeniorForm.Meta (class in *intranet.apps.seniors.forms*), 204  
 ScheduleManager (class in *intranet.apps.seniors.models*), 206

*tranet.apps.eighth.HistoricalEighthActivity attribute), 115*      *serializer\_class (in- tranet.apps.users.api.ProfileDetail attribute), 217*  
*seniors\_allowed (in- tranet.apps.eighth.models.EighthActivity attribute), 75, 79*      *serializer\_class (in- tranet.apps.users.api.ProfilePictureDetail attribute), 217*  
*sent\_data (intranet.apps.notifications.models.GCMNotification attribute), 166*      *session\_key (intranet.apps.sessionmgmt.models.TrustedSession attribute), 207*  
*sent\_to (intranet.apps.notifications.models.GCMNotification attribute), 166*      *SessionManagementMiddleware (class in intranet.middleware.session\_management), 256*  
*serial (intranet.apps.itemreg.models.ComputerRegistration attribute), 157*      *SessionStore (class in intranet.utils.session), 261*  
*serial (intranet.apps.itemreg.models.PhoneRegistration attribute), 158*      *set\_historical\_user () (in module intranet.utils.deletion), 259*  
*serializer\_class (in- set\_permission () (in module intranet.apps.announcements.api.ListCreateAnnouncement attribute), 28*      *tranet.apps.users.models.UserProperties method), 247*  
*serializer\_class (in- set\_start\_date () (in module intranet.apps.announcements.api.RetrieveUpdateDestroyAnnouncement attribute), 28*      *method), 112*  
*serializer\_class (in- settings\_export () (in module intranet.apps.context\_processors), 254*  
*tranet.apps.bus.api.RouteDetail attribute), 48*      *setUp () (intranet.apps.announcements.tests.AnnouncementTest method), 41*  
*serializer\_class (intranet.apps.bus.api.RouteList attribute), 48*      *setUp () (intranet.apps.api.tests.ApiTest method), 42*  
*serializer\_class (in- setUp () (intranet.apps.eighth.tests.EighthTest attribute), 68*      *setUp () (intranet.apps.eighth.tests.EighthTest method), 111*  
*tranet.apps.eighth.views.api.EighthActivityDetail attribute), 68*      *setUp () (intranet.apps.preferences.tests.PreferencesTest method), 188*  
*serializer\_class (in- setUp () (intranet.apps.users.tests.CourseTest attribute), 68*      *method), 252*  
*tranet.apps.eighth.views.api.EighthActivityList attribute), 68*      *setUp () (intranet.apps.users.tests.ProfileTest method), 252*  
*serializer\_class (in- setup\_logger () (in module intranet.celery), 261*  
*tranet.apps.eighth.views.api.EighthBlockList attribute), 68*      *setUpClass () (intranet.test.ion\_test.IonTestCase class method), 258*  
*serializer\_class (in- sex () (intranet.apps.users.models.User property), 241*  
*tranet.apps.eighth.views.api.EighthSignupDetail attribute), 69*      *short\_name () (intranet.apps.users.models.User property), 241*  
*serializer\_class (in- short\_text () (intranet.apps.eighth.models.EighthBlock attribute), 69*      *should\_show\_activity\_list () (in module intranet.apps.eighth.views.attendance), 70*  
*tranet.apps.eighth.views.api.EighthUserFavoritesListToggleproperty), 89*      *shortText\_ATTRIBUTE (intranet.apps.polls.models.Question attribute), 183*  
*serializer\_class (in- shortText\_ATTRIBUTE (intranet.apps.polls.models.Question attribute), 69*      *shouldShowActivityList () (in module intranet.apps.eighth.views.attendance), 70*  
*tranet.apps.eighth.views.api.EighthUserFavoritesListToggleproperty), 89*      *shortText\_ATTRIBUTE (intranet.apps.polls.models.Question attribute), 183*  
*serializer\_class (in- show\_attending (intranet.apps.events.models.Event attribute), 69*      *shouldShowActivityList () (in module intranet.apps.eighth.views.attendance), 70*  
*tranet.apps.eighth.views.api.EighthUserSignupListAddAttending (intranet.apps.events.models.Event attribute), 69*      *showBusButton () (in module intranet.apps.context\_processors), 254*  
*attribute), 193*      *showFullName (in- tranet.apps.eighth.HistoricalEighthSponsor attribute), 126*  
*serializer\_class (in- tranet.apps.schedule.api.DayDetail attribute), 193*      *showFullName (in-*  
*tranet.apps.schedule.api.DayList attribute), 194*

*tranet.apps.eighth.models.EighthSponsor attribute), 105, 106*

*show\_fuzzy\_date() (in module *tranet.apps.events.models.Event* method), 134*

*show\_homecoming() (in module *tranet.apps.context\_processors*), 254*

*show\_on\_dashboard (in module *tranet.apps.events.models.Event* attribute), 131, 134*

*Sign (class in *intranet.apps.signage.models*), 210*

*sign (*intranet.apps.signage.models.Sign\_pages* attribute), 213*

*Sign.DoesNotExist, 210*

*Sign.MultipleObjectsReturned, 210*

*sign\_id (*intranet.apps.signage.models.Sign\_pages* attribute), 213*

*Sign\_pages (class in *intranet.apps.signage.models*), 212*

*Sign\_pages.DoesNotExist, 212*

*Sign\_pages.MultipleObjectsReturned, 212*

*SignAdmin (class in *intranet.apps.signage.admin*), 208*

*signage\_display() (in module *tranet.apps.signage.views*), 213*

*SignageConsumer (class in *tranet.apps.signage.consumers*), 208*

*signed\_up\_next\_few\_days() (in module *tranet.apps.users.models.User* method), 241*

*signed\_up\_today() (in module *tranet.apps.users.models.User* method), 241*

*SignQuerySet (class in *tranet.apps.signage.models*), 212*

*signs (*intranet.apps.signage.models.Page* attribute), 209*

*signup\_status\_email() (in module *tranet.apps.eighth.notifications*), 108*

*signup\_time (*intranet.apps.eighth.HistoricalEighthBlock* attribute), 117*

*signup\_time (*intranet.apps.eighth.models.EighthBlock* attribute), 86, 90*

*signup\_time\_future() (in module *tranet.apps.eighth.models.EighthBlock* method), 90*

*SignupException, 72*

*signups\_info() (in module *tranet.apps.eighth.serializers*.*EighthScheduledActivitySerializer* method), 110*

*similarities (*intranet.apps.eighth.models.EighthActivity* attribute), 75, 79*

*single\_css\_map() (in module *tranet.utils.helpers*), 260*

*sophomores\_allowed (in module *intranet.apps.eighth.HistoricalEighthActivity* attribute), 115*

*sophomores\_allowed (in module *tranet.apps.eighth.models.EighthActivity* attribute), 75, 79*

*SortedTeacherMultipleChoiceField (class in *intranet.apps.users.forms*), 218*

*SortedUserChoiceField (class in *intranet.apps.users.forms*), 218*

*SortedUserMultipleChoiceField (class in *intranet.apps.users.forms*), 219*

*space (*intranet.apps.bus.models.Route* attribute), 49*

*special (*intranet.apps.eighth.HistoricalEighthActivity* attribute), 115*

*special (*intranet.apps.eighth.HistoricalEighthScheduledActivity* attribute), 121*

*special (*intranet.apps.eighth.models.EighthActivity* attribute), 74, 79*

*special (*intranet.apps.eighth.models.EighthScheduledActivity* attribute), 93, 98*

*special (*intranet.apps.schedule.models.DayType* attribute), 198*

*SPLIT\_APP (*intranet.apps.polls.models.Question* attribute), 183*

*sponsor\_sanity\_check\_view() (in module *intranet.apps.eighth.views.admin.sponsors*), 67*

*sponsor\_schedule\_view() (in module *intranet.apps.eighth.views.admin.sponsors*), 67*

*SponsorForm (class in *intranet.apps.eighth.forms.admin.sponsors*), 59*

*SponsorForm.Meta (class in *intranet.apps.eighth.forms.admin.sponsors*), 60*

*sponsors (*intranet.apps.eighth.models.EighthActivity* attribute), 73, 79*

*sponsors (*intranet.apps.eighth.models.EighthScheduledActivity* attribute), 93, 98*

*start (*intranet.apps.schedule.models.Block* attribute), 195*

*start\_date() (in module *intranet.apps.eighth.context\_processors*), 72*

*start\_id (*intranet.apps.schedule.models.Block* attribute), 196*

*start\_time (*intranet.apps.polls.models.Poll* attribute), 180, 181*

*start\_time() (in module *intranet.apps.schedule.models.DayType* property), 198*

*StartDateForm (class in *intranet.apps.eighth.forms.admin.general*), 57*

state (*intranet.apps.users.models.Address* attribute), 219, 220  
status (*intranet.apps.bus.models.Route* attribute), 49  
STD (*intranet.apps.polls.models.Question* attribute), 183  
STD\_OTHER (*intranet.apps.polls.models.Question* attribute), 183  
stdev () (in module *intranet.middleware.profiler*), 256  
sticky (*intranet.apps.eighth.HistoricalEighthActivity* attribute), 115  
sticky (*intranet.apps.eighth.HistoricalScheduledActivity* attribute), 121  
sticky (*intranet.apps.eighth.models.EighthActivity* attribute), 74, 79  
sticky (*intranet.apps.eighth.models.EighthScheduledActivity* attribute), 99  
str\_12\_hr () (*intranet.apps.schedule.models.Time* method), 200  
street (*intranet.apps.users.models.Address* attribute), 219, 220  
strip\_links (*intranet.apps.signage.models.Page* attribute), 210  
StripNewlinesMiddleware (class in *intranet.middleware.templates*), 256  
student\_id (*intranet.apps.users.models.User* attribute), 241  
student\_visible (*intranet.apps.groups.models.GroupProperties* attribute), 153  
student\_visible () (*intranet.apps.groups.models.GroupManager* method), 152  
students (*intranet.apps.users.models.User* attribute), 242  
StudentSerializer (class in *intranet.apps.serializers*), 251  
StudentSerializer.Meta (class in *intranet.apps.serializers*), 252  
SUCCESS (*intranet.apps.auth.backends.KerberosAuthenticationResult* attribute), 45

**T**

take\_attendance\_view () (in module *intranet.apps.eighth.views.attendance*), 70  
teacher (*intranet.apps.users.models.Section* attribute), 224  
teacher\_choose\_scheduled\_activity\_view () (in module *intranet.apps.eighth.views.attendance*), 70  
teacher\_id (*intranet.apps.users.models.Section* attribute), 224  
teachers\_approved (*intranet.apps.announcements.models.AnnouncementRequest* attribute), 32, 34

teachers\_approved (*intranet.apps.users.models.User* attribute), 242  
teachers\_requested (*intranet.apps.announcements.models.AnnouncementRequest* attribute), 32, 34  
teachers\_requested (*intranet.apps.users.models.User* attribute), 242  
TempClass () (*intranet.test.ion\_test.IonTestCase* class method), 258  
TEMPLATES (*intranet.apps.eighth.views.admin.groups.EighthAdminDistrib* attribute), 64  
TEMPLATES (*intranet.apps.eighth.views.admin.groups.EighthAdminSignU* attribute), 64  
TEMPLATES (*intranet.apps.eighth.views.admin.rooms.EighthAdminRoomU* attribute), 65  
TEMPLATES (*intranet.apps.eighth.views.admin.scheduling.EighthAdminTra* attribute), 66  
TEMPLATES (*intranet.apps.eighth.views.admin.scheduling.EighthAdminUn* attribute), 66  
TEMPLATES (*intranet.apps.eighth.views.attendance.EighthAttendanceSele* attribute), 70  
TemplateTest (class in *intranet.apps.templatetags.tests*), 215  
test\_404\_page () (*intranet.apps.error.tests.ErrorPageTest* method), 129  
test\_absence\_email () (*intranet.apps.eighth.tests.EighthTest* method), 111  
test\_active\_schedulings () (*intranet.apps.eighth.tests.EighthTest* method), 111  
test\_add\_event () (*intranet.apps.eighth.tests.EighthTest* method), 141  
test\_add\_group\_view () (*intranet.apps.groups.tests.GroupsTest* method), 153  
test\_add\_sponsor\_form () (*intranet.apps.eighth.tests.EighthTest* method), 111  
test\_add\_user () (*intranet.apps.eighth.tests.EighthTest* method), 111  
test\_all\_associated\_rooms () (*intranet.apps.eighth.tests.EighthTest* method), 111  
test\_all\_courses\_view () (*intranet.apps.users.tests.CourseTest* method), 252

test_anonymous_feature_list() ( <i>in-tranet.apps.features.tests.FeaturesTest method</i> ), 146	(in- <i>tranet.apps.auth.tests.LoginViewTest method</i> ), 47
test_api_bus_detail() ( <i>in-tranet.apps.api.tests.ApiTest method</i> ), 42	(in- <i>tranet.apps.preferences.tests.PreferencesFormTest method</i> ), 188
test_api_bus_list() ( <i>in-tranet.apps.api.tests.ApiTest method</i> ), 42	(in- <i>tranet.apps.emailfwd.tests.EmailFwdTest method</i> ), 128
test_api_eighth_block_list() ( <i>in-tranet.apps.api.tests.ApiTest method</i> ), 42	(in- <i>tranet.apps.events.tests.EventsTest method</i> ), 141
test_api_eighth_signup_list() ( <i>in-tranet.apps.api.tests.ApiTest method</i> ), 42	(in- <i>tranet.apps.announcements.tests.AnnouncementTest method</i> ), 41
test_api_root() ( <i>intranet.apps.api.tests.ApiTest method</i> ), 42	test_get_announcements() ( <i>in-tranet.apps.api.tests.ApiTest method</i> ), 42
test_api_schedule_detail() ( <i>in-tranet.apps.api.tests.ApiTest method</i> ), 42	test_get_emerg() ( <i>intranet.apps.api.tests.ApiTest method</i> ), 42
test_authentication() ( <i>intranet.apps.auth.tests.LoginViewTest method</i> ), 47	test_get_preferences() ( <i>in-tranet.apps.preferences.tests.PreferencesTest method</i> ), 188
test_blacklist() ( <i>in-tranet.apps.eighth.tests.EighthTest method</i> ), 111	test_get_profile() ( <i>in-tranet.apps.api.tests.ApiTest method</i> ), 42
test_both_blocks() ( <i>in-tranet.apps.eighth.tests.EighthTest method</i> ), 112	test_get_profile_api() ( <i>in-tranet.apps.users.tests.ProfileTest method</i> ), 252
test_bus() ( <i>intranet.apps.bus.tests.BusTest method</i> ), 50	test_get_profile_picture_api() ( <i>in-tranet.apps.users.tests.ProfileTest method</i> ), 252
test_can_vote() ( <i>intranet.apps.polls.tests.ApiTest method</i> ), 185	test_get_signage_user() ( <i>in-tranet.apps.users.tests.UserTest method</i> ), 252
test_cancel_uncancel() ( <i>in-tranet.apps.eighth.tests.EighthTest method</i> ), 112	test_get_teachers() ( <i>in-tranet.apps.users.tests.UserTest method</i> ), 253
test_change_announcements() ( <i>in-tranet.apps.announcements.tests.AnnouncementTest method</i> ), 41	test_grant_admin() ( <i>in-tranet.apps.auth.tests.GrantAdminTest method</i> ), 46
test_clear_preferences() ( <i>in-tranet.apps.preferences.tests.PreferencesTest method</i> ), 188	test_groups_view() ( <i>in-tranet.apps.groups.tests.GroupsTest method</i> ), 153
test_course_info_view() ( <i>in-tranet.apps.users.tests.CourseTest method</i> ), 252	test_has_unvoted_polls() ( <i>in-tranet.apps.users.tests.UserTest method</i> ), 253
test_courses_by_period_view() ( <i>in-tranet.apps.users.tests.CourseTest method</i> ), 252	test_invalid_user() ( <i>in-tranet.apps.parking.tests.ParkingTest method</i> ), 175
test_day() ( <i>intranet.apps.schedule.tests.ScheduleTest method</i> ), 202	test_join_event() ( <i>in-tranet.apps.events.tests.EventsTest method</i> ), 141
test_delete_event() ( <i>intranet.apps.events.tests.EventsTest method</i> ), 141	
test_delete_file() ( <i>in-tranet.apps.files.tests.FilesTest method</i> ), 151	
test_eighth_admin_dashboard_view() ( <i>intranet.apps.eighth.tests.EighthAdminTest method</i> ), 111	

test_login_feature_list() ( <i>in-tranet.apps.features.tests.FeaturesTest</i> method), 146	(in- <i>tranet.apps.bus.tests.BusTest</i> method), 50
test_login_page() ( <i>in-tranet.apps.auth.tests.LoginViewTest</i> method), 47	(in- <i>tranet.apps.bus.tests.BusTest</i> method), 50
test_male_female() ( <i>in-tranet.apps.users.tests.UserTest</i> method), 253	(in- <i>tranet.apps.preferences.tests.PreferencesTest</i> method), 188
test_modify_event() ( <i>in-tranet.apps.events.tests.EventsTest</i> method), 141	(in- <i>tranet.apps.users.tests.CourseTest</i> method), 252
test_name() ( <i>intranet.apps.users.tests.UserTest</i> method), 253	(in- <i>tranet.apps.users.tests.CourseTest</i> method), 252
test_no_credentials_read() ( <i>in-tranet.apps.api.tests.ApiTest</i> method), 42	(in- <i>tranet.apps.users.tests.CourseTest</i> method), 252
test_notification_email() ( <i>in-tranet.apps.users.tests.UserTest</i> method), 253	test_send_feedback_unauthenticated() ( <i>intranet.apps.feedback.tests.FeedbackTest</i> method), 148
test_oauth_client_credentials_read() ( <i>intranet.apps.api.tests.ApiTest</i> method), 42	test_send_feedback_view() ( <i>intranet.apps.users.tests.CourseTest</i> method), 148
test_oauth_client_credentials_read_anonymous() ( <i>intranet.apps.api.tests.ApiTest</i> method), 42	test_set_preferences() ( <i>in-tranet.apps.preferences.tests.PreferencesTest</i> method), 188
test_oauth_read() ( <i>intranet.apps.api.tests.ApiTest</i> method), 42	test_show_hide_event() ( <i>in-tranet.apps.events.tests.EventsTest</i> method), 141
test_oauth_write() ( <i>in-tranet.apps.api.tests.ApiTest</i> method), 42	test_show_hide_event_no_auth() ( <i>in-tranet.apps.events.tests.EventsTest</i> method), 141
test_parking_form_junior() ( <i>in-tranet.apps.parking.tests.ParkingTest</i> method), 175	test_signed_up_next_few_days() ( <i>in-tranet.apps.users.tests.UserTest</i> method), 253
test_passes() ( <i>intranet.apps.eighth.tests.EighthTest</i> method), 112	test_signed_up_today() ( <i>in-tranet.apps.users.tests.UserTest</i> method), 253
test_past_activities_listed_properly() ( <i>intranet.apps.eighth.tests.EighthTest</i> method), 112	test_signup_exception() ( <i>in-tranet.apps.eighth.tests.EighthExceptionTest</i> method), 111
test_poll() ( <i>intranet.apps.polls.tests.ApiTest</i> method), 185	test_signup_status_email() ( <i>in-tranet.apps.eighth.tests.EighthTest</i> method), 112
test_printing_view() ( <i>in-tranet.apps.printing.tests.PrintingTest</i> method), 192	test_signups() ( <i>in-tranet.apps.eighth.tests.EighthTest</i> method), 112
test_privacy_options() ( <i>in-tranet.apps.users.tests.ProfileTest</i> method), 252	test_sponsor() ( <i>in-tranet.apps.eighth.tests.EighthTest</i> method), 112
test_profile_view() ( <i>in-tranet.apps.users.tests.ProfileTest</i> method), 252	test_switch_cancelled_sticky() ( <i>in-tranet.apps.eighth.tests.EighthTest</i> method), 112
test_request_event() ( <i>in-tranet.apps.events.tests.EventsTest</i> method), 141	test_take_attendance_cancelled() ( <i>in-</i>
test_room_formatting() ( <i>in-tranet.apps.eighth.tests.EighthTest</i> method), 112	
test_room_use() ( <i>in-tranet.apps.eighth.tests.EighthTest</i> method), 112	

*tranet.apps.eighth.tests.EighthTest*  
 112  
*test\_take\_attendance\_zero()*  
*tranet.apps.eighth.tests.EighthTest*  
 112  
*test\_tj\_email\_non\_tj\_email()*  
*tranet.apps.users.tests.UserTest*  
 253  
*test\_total\_capacity()*  
*tranet.apps.eighth.tests.EighthTest*  
 112  
*test\_true\_capacity()*  
*tranet.apps.eighth.tests.EighthTest*  
 112  
*test\_user\_with\_name()*  
*tranet.apps.users.tests.UserTest*  
 253  
*test\_users\_with\_birthday()*  
*tranet.apps.users.tests.UserTest*  
 253  
*test\_validate\_templates()*  
*tranet.apps.templatetags.tests.TemplateTest*  
*method*, 215  
*test\_view\_roster()*  
*tranet.apps.events.tests.EventsTest*  
 141  
*test\_welcome\_done()*  
*tranet.apps.welcome.tests.WelcomeTest*  
*method*, 253  
*test>Welcome\_view\_student()*  
*tranet.apps.welcome.tests.WelcomeTest*  
*method*, 253  
*test>Welcome\_view\_teacher()*  
*tranet.apps.welcome.tests.WelcomeTest*  
*method*, 253  
*test\_year\_cleanup()*  
*tranet.apps.dataimport.tests.YearCleanupTest*  
*method*, 53  
*text()* (*intranet.apps.users.models.Grade* property),  
 222  
*this\_year()* (*intranet.apps.announcements.models.AnnouncementManager* property),  
*User* attribute), 224  
*method*, 31  
*this\_year()* (*intranet.apps.announcements.models.AnnouncementRequestQuerySet*  
*method*, 35  
*this\_year()* (*intranet.apps.eighth.models.EighthBlockQuerySet* *tranet.apps.events.models*), 140  
*method*, 90  
*this\_year()* (*intranet.apps.events.models.EventQuerySet* *TJStarUUIDMap*.*MultipleObjectsReturned*,  
*method*, 135  
*this\_year()* (*intranet.apps.polls.models.PollQuerySet* *TJStarUUIDMap*.*MultipleObjectsReturned*,  
*method*, 182  
*ThreadLocalsMiddleware* (*class* in *in-*  
*tranet.middleware.threadlocals*), 257  
*Time* (*class* in *intranet.apps.schedule.models*), 200  
*time* (*intranet.apps.eighth.HistoricalEightSignup* at-  
*method*), *time* (*in-*  
*method*), *time* (*in-*  
*method*), *time* (*in-*  
*method*), *time* (*in-*  
*method*), *Time.DoesNotExist*, 200  
*Time.MultipleObjectsReturned*, 200  
*time\_to\_date()* (*in* *module*  
*tranet.apps.templatetags.dates*), 214  
*TimeSerializer* (*class* in *in-*  
*tranet.apps.schedule.serializers*), 201  
*TimeSerializer.Meta* (*class* in *in-*  
*tranet.apps.schedule.serializers*), 201  
*title* (*intranet.apps.announcements.models.Announcement*  
*attribute*), 29, 31  
*title* (*intranet.apps.announcements.models.AnnouncementRequest*  
*attribute*), 31, 34  
*title* (*intranet.apps.eighth.HistoricalEightScheduledActivity*  
*attribute*), 121  
*title* (*intranet.apps.eighth.models.EighthScheduledActivity*  
*attribute*), 99  
*title* (*intranet.apps.events.models.Event* attribute),  
 130, 135  
*title* (*intranet.apps.events.models.Link* attribute), 140  
*title* (*intranet.apps.lostfound.models.FoundItem* attribute), 161  
*title* (*intranet.apps.lostfound.models.LostItem* attribute), 162  
*title* (*intranet.apps.polls.models.Poll* attribute), 180,  
 181  
*title* (*intranet.apps.users.models.User* attribute), 242  
*title\_with\_flags()* (*in-*  
*tranet.apps.eighth.models.EighthScheduledActivity*  
*property*), 99  
*this\_year()* (*intranet.apps.announcements.models.AnnouncementManager* property), 224  
*tj\_email()* (*intranet.apps.users.models.User* prop-  
*erty*), 240  
*this\_year()* (*intranet.apps.announcements.models.AnnouncementRequestQuerySet*  
*TJStarUUIDMap* (*class* in *in-*  
*tranet.apps.events.models*), 140  
*TJStarUUIDMap.DoesNotExist*, 140  
*TJStarUUIDMap.MultipleObjectsReturned*,  
 140  
*tjstaruuidmap\_set* (*in-*  
*tranet.apps.users.models.User* attribute),  
 242  
*to\_be\_assigned()* (*in-*  
*tranet.apps.eighth.models.EighthSponsor*  
*property*), 106

to\_be\_determined() (in *tranet.apps.eighth.models.EighthRoom* property), 93

to\_eighthblock (in *tranet.apps.eighth.models.EighthBlock\_override\_blocks* attribute), 91

to\_eighthblock\_id (in *tranet.apps.eighth.models.EighthBlock\_override\_blocks* attribute), 91

to\_grade\_name() (in module *tranet.apps.users.templatetags.grades*), 216

to\_grade\_number() (in module *tranet.apps.users.templatetags.grades*), 216

to\_int() (in module *intranet.apps.templatetags.math*), 215

to\_python() (*intranet.apps.preferences.fields.PhoneFormField* method), 186

today() (*intranet.apps.schedule.models.DayManager* method), 197

total\_capacity\_of\_rooms() (in *tranet.apps.eighth.models.EighthRoom* static method), 93

transfer\_students\_action() (in module *intranet.apps.eighth.views.admin.scheduling*), 66

transfer\_students\_view() (in module *intranet.apps.eighth.views.admin.scheduling*), 66

trunc\_info() (*intranet.apps.polls.models.Choice* method), 180

trunc\_question() (in *tranet.apps.polls.models.Question* method), 185

trust\_session() (in module *tranet.apps.sessionmgmt.helpers*), 206

trust\_session\_view() (in module *tranet.apps.sessionmgmt.views*), 207

TrustedSession (class in *tranet.apps.sessionmgmt.models*), 206

TrustedSession.DoesNotExist, 206

TrustedSession.MultipleObjectsReturned, 206

trustedsession\_set (in *tranet.apps.users.models.User* attribute), 243

try\_single\_kinit() (in *tranet.apps.auth.backends.KerberosAuthenticationBackend* static method), 44

TYPE (*intranet.apps.polls.models.Question* attribute), 183

type (*intranet.apps.polls.models.Question* attribute), 183, 185

**U**

uncancel() (*intranet.apps.eighth.models.EighthScheduledActivity* tribute), 124

(in-  
prop-  
undele-  
method), 99  
tranet.apps.eighth.models.EighthActivity  
(in-  
attribute), 79  
tranet.apps.eighth.models.EighthRoom  
(in-  
attribute), 93  
signup\_students\_view() (in module *intranet.apps.eighth.views.admin.scheduling*), 67  
update\_emerg\_cache() (in module *tranet.apps.emerg.views*), 128  
update\_weighted() (in *tranet.apps.eighth.models.EighthActivitySimilarity* method), 81  
welcome() (in *tranet.apps.dataimport.management.commands.year\_cleanup.Command* method), 53  
updated (*intranet.apps.announcements.models.Announcement* attribute), 29, 31  
updated (*intranet.apps.announcements.models.AnnouncementRequest* attribute), 32, 34  
updated (*intranet.apps.events.models.Event* attribute), 130, 135  
updated (*intranet.apps.parking.models.CarApplication* attribute), 172  
updated (*intranet.apps.parking.models.ParkingApplication* attribute), 173  
upload\_group\_members\_view() (in module *intranet.apps.eighth.views.admin.groups*), 65  
UploadFileForm (class in *intranet.apps.files.forms*), 148  
UploadGroupForm (class in *tranet.apps.eighth.forms.admin.groups*), 58  
url (*intranet.apps.events.models.Link* attribute), 139, 140  
url (*intranet.apps.signage.models.Page* attribute), 210  
url (*intranet.apps.users.models.Website* attribute), 250  
User (class in *intranet.apps.users.models*), 224  
user (*intranet.apps.announcements.models.Announcement* attribute), 31  
user (*intranet.apps.announcements.models.AnnouncementRequest* attribute), 32, 34  
user (*intranet.apps.announcements.models.AnnouncementRequest\_teachers* attribute), 35  
user (*intranet.apps.announcements.models.AnnouncementRequest\_teachers* attribute), 36  
user (*intranet.apps.announcements.models.AnnouncementUserMap\_users* attribute), 38  
user (*intranet.apps.announcements.models.AnnouncementUserMap\_users* attribute), 39  
user (*intranet.apps.eighth.HistoricalEightSignup* attribute), 124

user (*intranet.apps.eighth.HistoricalEighthSponsor attribute*), 126  
 user (*intranet.apps.eighth.models.EighthActivityFavorites attribute*), 81  
 user (*intranet.apps.eighth.models.EighthActivityUsersAllowed attribute*), 85  
 user (*intranet.apps.eighth.models.EighthActivityUsersBlacklisted attribute*), 86  
 user (*intranet.apps.eighth.models.EighthSignup attribute*), 101, 103  
 user (*intranet.apps.eighth.models.EighthSponsor attribute*), 104, 106  
 user (*intranet.apps.eighth.models.EighthWaitlist attribute*), 107  
 user (*intranet.apps.emailfwd.models.SeniorEmailForward attribute*), 127  
 user (*intranet.apps.events.models.Event attribute*), 130, 135  
 user (*intranet.apps.events.models.EventAttending attribute*), 138  
 user (*intranet.apps.events.models.EventUserMapUsersHolderGroups attribute*), 137  
 user (*intranet.apps.events.models.TJStarUUIDMap attribute*), 140  
 user (*intranet.apps.features.models.FeatureAnnouncement attribute*), 145  
 user (*intranet.apps.features.models.FeatureAnnouncementUsersSet attribute*), 146  
 user (*intranet.apps.feedback.models.Feedback attribute*), 147  
 user (*intranet.apps.itemreg.models.CalculatorRegistration attribute*), 156  
 user (*intranet.apps.itemreg.models.ComputerRegistration attribute*), 157  
 user (*intranet.apps.itemreg.models.PhoneRegistration attribute*), 158  
 user (*intranet.apps.lostfound.models.FoundItem attribute*), 161  
 user (*intranet.apps.lostfound.models.LostItem attribute*), 162  
 user (*intranet.apps.notifications.models.GCMNotification attribute*), 166  
 user (*intranet.apps.notifications.models.NotificationConfig attribute*), 168  
 user (*intranet.apps.parking.models.CarApplication attribute*), 172  
 user (*intranet.apps.parking.models.ParkingApplication attribute*), 173  
 user (*intranet.apps.polls.models.Answer attribute*), 176  
 user (*intranet.apps.polls.models.AnswerVoteUsers attribute*), 178  
 user (*intranet.apps.printing.models.PrintJob attribute*), 189, 191  
 user (*intranet.apps.seniors.models.Senior attribute*), 205  
 user (*intranet.apps.sessionmgmt.models.TrustedSession attribute*), 207  
 user (*intranet.apps.users.models.Email attribute*), 221  
 user (*intranet.apps.users.models.Phone attribute*), 222  
 user (*intranet.apps.users.models.Photo attribute*), 223  
 user (*intranet.apps.users.models.User attribute*), 243  
 user (*intranet.apps.users.models.UserGroups attribute*), 249  
 user (*intranet.apps.users.models.UserUserPermissions attribute*), 249  
 user (*intranet.apps.users.models.UserDarkModeProperties attribute*), 244  
 user (*intranet.apps.users.models.UserProperties attribute*), 247  
 user (*intranet.apps.users.models.Website attribute*), 250  
 User.DoesNotExist, 224  
 User.MultipleObjectsReturned, 224  
 user\_attr() (in module *intranet.apps.users.templatetags.users*), 217  
 user\_id (class in *intranet.apps.users.models*), 248  
 UserGroups.DoesNotExist, 248  
 UserGroups.MultipleObjectsReturned, 248  
 users\_discarded (in *intranet.apps.announcements.models.Announcement attribute*), 31  
 users\_set (in *intranet.apps.announcements.models.AnnouncementRequest attribute*), 34  
 user\_id (in *intranet.apps.announcements.models.AnnouncementRequest\_te attribute*), 35  
 user\_id (in *intranet.apps.announcements.models.AnnouncementRequest\_te attribute*), 36  
 user\_id (in *intranet.apps.announcements.models.AnnouncementUserMap attribute*), 38  
 user\_id (in *intranet.apps.announcements.models.AnnouncementUserMap attribute*), 39  
 user\_id (intranet.apps.eighth.HistoricalEighthSignup attribute), 124  
 user\_id (intranet.apps.eighth.HistoricalEighthSponsor attribute), 126  
 user\_id (intranet.apps.eighth.models.EighthActivityFavorites attribute), 81  
 user\_id (intranet.apps.eighth.models.EighthActivityUsersAllowed attribute), 85  
 user\_id (intranet.apps.eighth.models.EighthActivityUsersBlacklisted attribute), 86  
 user\_id (intranet.apps.eighth.models.EighthSignup attribute), 104  
 user\_id (intranet.apps.eighth.models.EighthSponsor attribute), 106  
 user\_id (intranet.apps.eighth.models.EighthWaitlist attribute), 107  
 user\_id (intranet.apps.emailfwd.models.SeniorEmailForward attribute), 127

user\_id (*intranet.apps.events.models.Event* attribute), user\_id (*intranet.apps.users.models.UserProperties* attribute), 247  
135  
user\_id (*intranet.apps.events.models.Event\_attending* attribute), 138 user\_id (*intranet.apps.users.models.Website* attribute), 250  
user\_id (*intranet.apps.events.models.EventUserMap* attribute), 137 ~~bidders\_sponsor()~~ (in-  
attribute), 137 *tranet.apps.eighth.models.EighthScheduledActivity*  
method), 99  
user\_id (*intranet.apps.events.models.TJStarUUIDMap* attribute), 141 user\_locked (*intranet.apps.users.models.User* attribute), 141  
user\_id (*intranet.apps.features.models.FeatureAnnouncement* attribute), 145 user\_login () (in module *intranet.apps.auth.signals*),  
~~at dismissed~~ 43  
user\_id (*intranet.apps.features.models.FeatureAnnouncement* attribute), 146 user\_logout () (in module *intranet.apps.auth.signals*),  
46  
user\_id (*intranet.apps.feedback.models.Feedback* attribute), 148 user\_map (*intranet.apps.announcements.models.Announcement* attribute), 29  
user\_id (*intranet.apps.itemreg.models.CalculatorRegistration* attribute), 156 user\_map () (*intranet.apps.announcements.models.Announcement* property), 31  
user\_id (*intranet.apps.itemreg.models.ComputerRegistration* attribute), 157 user\_map () (*intranet.apps.events.models.Event* property), 135  
user\_id (*intranet.apps.itemreg.models.PhoneRegistration* attribute), 158 user\_permissions (in-  
attribute), 158 user\_set (*intranet.apps.bus.models.Route* attribute), 49  
user\_id (*intranet.apps.lostfound.models.FoundItem* attribute), 161 user\_type (*intranet.apps.users.models.User* attribute), 243  
user\_id (*intranet.apps.lostfound.models.LostItem* attribute), 162 user\_with\_id () (in-  
attribute), 249  
user\_id (*intranet.apps.notifications.models.GCMNotification* attribute), 166 user\_type (intranet.apps.users.models.User attribute), 243  
user\_id (*intranet.apps.notifications.models.NotificationConfig* attribute), 168 ~~CONFIRM\_TYPES~~ (intranet.apps.users.models.User attribute), 224  
user\_id (*intranet.apps.parking.models.CarApplication* attribute), User\_user\_permissions (class in *intranet.apps.users.models*), 249  
user\_id (*intranet.apps.parking.models.ParkingApplication* attribute), User\_user\_permissions.DoesNotExist, 249  
user\_id (*intranet.apps.polls.models.Answer* attribute), User\_user\_permissions.MultipleObjectsReturned, 249  
177 user\_with\_id () (in-  
attribute), 177 tranet.apps.users.models.UserManager method), 245  
user\_id (*intranet.apps.polls.models.AnswerVote* attribute), 178 user\_with\_name () (in-  
attribute), 178 tranet.apps.users.models.UserManager method), 245  
user\_id (*intranet.apps.printing.models.PrintJob* attribute), 191 user\_with\_student\_id () (in-  
attribute), 191 tranet.apps.users.models.UserManager method), 245  
user\_id (*intranet.apps.seniors.models.Senior* attribute), 205 user\_choicefield (class in *intranet.apps.users.forms*), 219  
attribute), 205 UserDarkModeProperties (class in *intranet.apps.users.models*), 244  
user\_id (*intranet.apps.sessionmgmt.models.TrustedSession* attribute), 207 UserDarkModeProperties.DoesNotExist, 244  
UserDarkModeProperties.MultipleObjectsReturned, 244  
user\_id (*intranet.apps.users.models.Email* attribute), 221 UserMultipleChoiceField (class in *intranet.apps.users.forms*), 219  
UserManager (class in *intranet.apps.users.models*), 244  
user\_id (*intranet.apps.users.models.Phone* attribute), 222 UserManager (class in *intranet.apps.users.models*), 244  
UserMultipleChoiceField (class in *intranet.apps.users.forms*), 219  
username (*intranet.apps.auth.forms AuthenticateForm* attribute), 223  
user\_id (*intranet.apps.users.models.User\_groups* attribute), 249  
user\_id (*intranet.apps.users.models.User\_user\_permissions* attribute), 250  
user\_id (*intranet.apps.users.models.UserDarkModeProperties* attribute), 244

*attribute), 46*

*username (intranet.apps.users.models.User attribute), 243*

*USERNAME\_FIELD (intranet.apps.users.models.User attribute), 224*

*UserProperties (class in intranet.apps.users.models), 245*

*userproperties (intranet.apps.users.models.Address attribute), 220*

*userproperties (intranet.apps.users.models.UserProperties\_schedule attribute), 248*

*UserProperties.DoesNotExist, 246*

*UserProperties.MultipleObjectsReturned, 246*

*UserProperties\_schedule (class in intranet.apps.users.models), 248*

*UserProperties\_schedule.DoesNotExist, 248*

*UserProperties\_schedule.MultipleObjectsReturned, 248*

*userproperties\_id (intranet.apps.users.models.UserProperties\_schedule attribute), 248*

*users (intranet.apps.polls.models.AnswerVote attribute), 177*

*users\_allowed (intranet.apps.eighth.models.EighthActivity attribute), 74, 79*

*users\_blacklisted (intranet.apps.eighth.models.EighthActivity attribute), 74, 80*

*users\_dismissed (intranet.apps.features.models.FeatureAnnouncement attribute), 143*

*users\_hidden (intranet.apps.announcements.models.AnnouncementUserMap attribute), 37*

*users\_hidden (intranet.apps.events.models.EventUserMap attribute), 136*

*users\_in\_year () (intranet.apps.users.models.UserManager method), 245*

*users\_seen (intranet.apps.announcements.models.AnnouncementUserMap attribute), 37*

*users\_seen (intranet.apps.features.models.FeatureAnnouncement attribute), 143, 144*

*users\_with\_birthday () (intranet.apps.users.models.UserManager method), 245*

*UserSerializer (class in intranet.apps.eighth.serializers), 110*

*UserSerializer (class in intranet.apps.users.serializers), 252*

*UserSerializer.Meta (class in intranet.apps.eighth.serializers), 111*

*UserSerializer.Meta (class in intranet.apps.users.serializers), 252*

*UserTest (class in intranet.apps.users.tests), 252*

*UserTracebackMiddleware (class in intranet.middleware.traceback), 257*

*uuid (intranet.apps.events.models.TJStarUUIDMap attribute), 140, 141*

**V**

*validate\_size () (intranet.apps.files.forms.UploadFileForm method), 148*

*validate\_size () (intranet.apps.printing.forms.PrintJobForm method), 189*

*validate\_unique () (intranet.apps.eighth.forms.admin.scheduling.ScheduledActivityForm method), 59*

*validate\_unique () (intranet.apps.eighth.models.EighthSignup method), 104*

*validators (intranet.apps.eighth.serializers.EighthAddSignupSerializer attribute), 109*

*verify\_signup () (intranet.apps.eighth.tests.EighthTest method), 112*

*visible (intranet.apps.polls.models.Poll attribute), 180, 181*

*visible\_to () (intranet.apps.files.models.Host method), 149*

*visible\_to\_user () (intranet.apps.announcements.models.AnnouncementManager method), 31*

*visible\_to\_user () (intranet.apps.eighth.events.models.EventManager method), 135*

*visible\_to\_user () (intranet.apps.files.models.HostManager method), 150*

*visible\_to\_user () (intranet.apps.polls.models.PollManager method), 182*

*votes (intranet.apps.polls.models.AnswerVote attribute), 178*

**W**

*waitlist (intranet.apps.eighth.models.EighthScheduledActivity attribute), 99*

*was\_absent (intranet.apps.eighth.HistoricalEighthSignup attribute), 124*

*was\_absent (intranet.apps.eighth.models.EighthSignup attribute), 101, 104*

Website (*class in intranet.apps.users.models*), 250  
Website.DoesNotExist, 250  
Website.MultipleObjectsReturned, 250  
WebsiteForm (*class in intranet.apps.preferences.forms*), 187  
WebsiteForm.Meta (*class in intranet.apps.preferences.forms*), 187  
websites (*intranet.apps.users.models.User attribute*), 243  
WebSocketCloseConsumer (*class in intranet.routing*), 261  
wed\_a (*intranet.apps.eighth.HistoricalEighthActivity attribute*), 115  
wed\_a (*intranet.apps.eighth.models.EighthActivity attribute*), 75, 80  
wed\_b (*intranet.apps.eighth.HistoricalEighthActivity attribute*), 115  
wed\_b (*intranet.apps.eighth.models.EighthActivity attribute*), 75, 80  
week\_data () (*in module intranet.apps.schedule.views*), 202  
weight (*intranet.apps.polls.models.Answer attribute*), 177  
weighted (*intranet.apps.eighth.models.EighthActivitySimilarity attribute*), 81  
WelcomeTest (*class in intranet.apps.welcome.tests*), 253  
widget (*intranet.apps.eighth.forms.admin.sponsors.AutoCreateUserField attribute*), 59  
widget (*intranet.apps.preferences.fields.PhoneFormField attribute*), 186  
widget\_attrs () (*in intranet.apps.preferences.fields.PhoneFormField static method*), 186  
widgets (*intranet.apps.eighth.forms.admin.activities.ActivityForm.Meta attribute*), 54  
widgets (*intranet.apps.eighth.forms.admin.rooms.RoomForm.Meta attribute*), 59  
widgets (*intranet.apps.eighth.forms.admin.scheduling.ScheduledActivityForm.Meta attribute*), 59  
widgets (*intranet.apps.events.forms.AdminEventForm.Meta attribute*), 129  
widgets (*intranet.apps.polls.forms.PollForm.Meta attribute*), 175  
windows (*intranet.apps.files.models.Host attribute*), 149  
windows\_dir\_format () (*in module intranet.apps.files.views*), 151

## Y

year (*intranet.apps.parking.models.CarApplication attribute*), 172  
year\_from\_grade () (*in intranet.apps.users.models.Grade class method*),